HIGHLANDS BD OF ED-02502160 - Corrective Action Report

Section	Form subsection	Site Nan	ne	Question #	Due Date	Status	
Professional Standards	Professional Standards			1203	04/02/2020	CAP Accepted	
Corrective Action History	CAP Accepted Gregory Walker 12/23/2020 01:41 PM		CAP Accepted				
	CAP Submitted JESSICA NASTO 03/09/2020 08:28 AM		Food Service Director, Jessica Nasto, checked off "No" instead of "N/A". Food Service Director has ServSafe Food Protection Manager Certification from 10/19/2016, expiring on 10/19/2021.				
	Flagged Gregory Walker 03/02/2020 12:24 PM				_		
Water	Water	HIGHLAN	DS ELEMENTARY	1300	04/02/2020	CAP Accepted	
Corrective Action History	CAP Accepted Gregory Walker 12/23/2020 01:41 PM		CAP Accepted				
	CAP Submitted JESSICA NASTO 03/28/2020 05:36 PM		On Wednesday, March 4th water pitchers with lids, disposable drinking cups, and sealed gallons of potable water were placed in the Highlands Elementary School cafeteria for students. We will continue to carry on this procedure until a water dispenser/ fountain is placed in the cafeteria. We plan on purchasing a water dispenser/ fountain in the near future, before the beginning of the 2020-2021 school year.				
			There was no free accessible water on the same floor as the cafeteria, student would need to leave the floor in order to get to the nearest water fountain.				
			Potable water must be available for students at lunch. Explain in detail, how the finding will be corrected and the measures taken to ensure that it will not reoccur in the future. Indicate the date of implementation.				
			please provide a detail explanation on how you will proceed forward on fixing the concern of the students having access to free water.				
Certification and Benefit Issuance	Certification and Benefit Issuance		·	126	04/02/2020	CAP Accepted	

HIGHLANDS BD OF ED-02502160 - Corrective Action Report

Section	Form subsection	Site Nam	ne	Question #	Due Date	Status		
	CAP Accepted Gregory Walker 12/23/2020 01:41 PM		CAP Accepted					
Corrective Action History	CAP Submitted CHRISTOPHER MULLINS 03/02/2020 12:44 PM		Parent was contacted on March 2, 2020 to verify the case number. Case number indicated on application contained an extra "0"					
			Application has now been corrected with the correct case number with a notation of the date the parent was contacted.					
			Going forward, case numbers will be of digits and format.	e reviewed to insure that	they are the c	orrect number		
	Flagged Gregory Walker 03/02/2020 12:24 PM		applications. Application #6 had an	luring the State Agency review of the selected in incorrect case number. Error was recorded on the Issuance Worksheet (SFA-1.) The SFA must indicate cation errors.				