Pennsylvania New Jersey Delaware Maryland

Implementation Guideline

Electronic **D**ata Interchange

TRANSACTION SET

814 Drop Request and Response Ver/Rel 004010

Table of Contents

Summary o	f Changes	. 3
General No	tes	. 6
New Jersey	Notes	. 7
Delaware N	Notes	. 7
Maryland N	lotes	. 7
How to Use	the Implementation Guideline	. 8
X12 Structu	Ire	. 9
Data Dictio	nary for 814 Drop	10
Segment:	ST Transaction Set Header	
Segment:	BGN Beginning Segment	13
Segment:	N1 Name (8S=LDC Name)	14
Segment:	N1 Name (SJ=ESP Name)	15
Segment:	N1 Name (G7=Renewable Energy Provider Name)	16
Segment:	N1 Name (8R=Customer Name)	17
Segment:	N1 Name (FE=Forwarding Address)	18
Segment:	N3 Address Information (Forwarding Address)	
Segment:	N4 Geographic Location (Forwarding Address)	
Segment:	PER Administrative Communications Contact (Forwarding Address)	
Segment:	LIN Item Identification	
Segment:	ASI Action or Status Indicator	25
Segment:	REF Reference Identification (7G=Rejection Status)	26
Segment:	REF Reference Identification (1P=Status Reason)	
Segment:	REF Reference Identification (11=ESP Account Number)	31
Segment:	REF Reference Identification (12=LDC Account Number)	32
Segment:	REF Reference Identification (45=LDC Old Account Number)	33
Segment:	DTM Date/Time Reference (151=Service End Date)	34
Segment:	SE Transaction Set Trailer	35
	xamples	36

	Summary of Changes
May 27, 1999 Version 1.0	Issued as FINAL for Pennsylvania – Version 1.0 for 4010
June 7, 1999 Version 1.1	 Added NJ rules / definitions to Notes page Remove N2 segment from page 5 Corrected Accept Response Use on drop for N1*8S (LDC), N1*SJ (ESP), and N1*8R (Customer) Corrected use on Mailing Address LDC to ESP Accept Response should be "not used" Added NJ clarifications to Pending Drop, REF*11 (ESP Account number, REF*45 (Old LDC Acct number) Corrected 1P usage for codes 007 (ESP to LDC only) and 020 (LDC to ESP only)
June 12, 1999 Version 1.2	Added clarification for forwarding address for New Jersey
June 30, 1999 Version 2.0	 Issued as FINAL for New Jersey. Changed "EGS" to "ESP" and "LDC" to "LDC" throughout the guideline. Removed "NJ Definitions" and replaced it with "LDC Definitions" and "ESP Definitions" in the Notes section. Changed LIN01 to say that the tracking number must be unique over all time. Corrected LIN03 to "Identifies the product" instead of "Indicates a customer request to obtain Electric Service" Corrected spelling errors and formatting. Added "How to use the implementation guideline" page. In addition, changed all headers to the true X12 definition correcting some mistakes that were missed in 4010. Also corrected the Table on Page 4 to reflect X12 definitions and added the words "X12 Structure" to the title on that page. Copied LIN notes from Enrollment Added examples (Zip+4 on N4, FX & EM on PER, etc.) Updated rules for status and rejection reasons. Combined "PA Implementation" with "PA Use" Corrected LDC to ESP Accept Response to allow the mailing address to be optional per data dictionary. Added note from Enrollment regarding ESP Account number Added N106 (Sender and Receiver) to ESP and LDC for consistency with other 814s.
July 2, 1999 Version 2.1	 Clarified note on REF*7G Changed rejection code "Cannot Identify Service Provider" to "Cannot Identify ESP" for consistency.
October 1, 1999 DRAFT Version 2.1a	 Change Control #004: Moved Rules that were on the Data Dictionary Intro Page to the Implementation Guideline Notes Page Moved NJ Rules to a separate page including one rule that was on the Data Dictionary For the "Echoing Data on Reject" rule on the notes page, changed the word "will" to "may" the response "may" echo back the invalid data Clarified graybox for LIN05 Clarified notes for ASI (removed "status" because it is for both rejection and status reason codes). Clarified REF03 for REF*1P Examples: fixed sender/receiver codes on Drop Request LDC to ESP example and added information in right column for forwarding address. Added Delaware Use for Delmarva Clarified Delmarva's storing of ESP account number. Fixed some X12 descriptions

November 4, 1999 Version 2.2	This is a FINAL version for Pennsylvania and New Jersey
November, 1999 Draft version 2.2MD1	 Add Maryland use to document – the changes were added to the DRAFT version 2.2 of the regional standards Added sample Data Dictionary to Implementation Guide Add Table of Contents Added note to N1*FE (Forwarding Address) to indicate that Delmarva can not provide
December 23, 1999	 Modified Data Dictionary Customer Name length to allow for 60 for Maryland
Version 2.2MD2 January 17, 2000	 PA Change Control 011 – Allow API, A91 as valid drop rejection reasons (REF*7G)
Version 2.2MD3	
February 24, 2000 Version 2.2MD4	• Clarified use of Old Account Number (REF*45)
March 31, 2000 Version 2.2MD5	 Incorporate PA Change Request x01?: Make forwarding address required if it was provided to LDC (PA only). This transaction is considered FINAL for Maryland
March 31, 2000 Version 2.2MD6	Corrected LIN examples from LIN*SH to LIN*1*SH
May 14, 2000 Version 2.3	This document is a new finalized version of PA and MD. NJ is still using Version 2.2.
September 10, 2000 Version 2.4	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware (Delmarva only).
October 19, 2001 Version 2.4rev01	 Incorporate PA Change Control 037 (B42 – Alleged Slam) Incorporate Delaware Electric Coop (DEC) information for Delaware
December 13, 2001 Version 2.4rev02	Delete PA Change Control 037 (not approved)
January 9, 2002 Version 3.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
June 8, 2005 Version 4.0	• Incorporate PA Change Control 041 (B42 – Alleged Slam)
January 20, 2006 Version 4.0.1D	 Incorporate NJ Change Control 005 (NJ CleanPower program changes) Incorporate NJ Change Control 006 to reflect current operations
October 23, 2006 Version 4.0.2D	 Incorporate NJ Change Control 008 to reflect NJ CleanPower – unmetered usage for RECO)
February 12, 2007 Version 4.0.3F	Considered FINAL for PA and NJ
July 4, 2009 Version 4.0.5D	 Incorporate NJ Change Control PSEG-E-Ref45 Incorporate MD Change Control RM17-814
January 24, 2010 Version 3.1	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
September 8, 2010 Version 4.1.1D	 Incorporate PA Change Control 060 Incorporate MD Change Control – Admin (Admin/Cleanup change for MD)
February 28, 2011 Version 5.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
February 16, 2012 Version 5.01	Incorporate PA Change Control 093 (Admin updates)

February 18, 2015 Version 6.2

March 8, 2013 Version 6.0	 Moving to v6.0 to align versions across all transaction sets Cleaned up references to Allegheny and APS throughout document
March 17, 2014 Version 6.1	 Incorporate MD Change Control 022 (PHI new CIS, changes to 814D) Incorporate NJ Change Control Electric 023 (ACE new CIS, changes to 814D) Incorporate NJ Change Control Electric 031 (Rockland removal from IG)
February 18, 2015 Version 6.2	 Incorporate PA Change Control 118 (EGS optional response) Incorporate PA Change Control 120 (add drop/reason code NLI to REF1P)

	General Notes
Use	 The Drop Request can be used for any of the following situations: Customer Contacts LDC to Drop ESP (Switch to LDC) Customer Contacts New ESP to Switch (Triggers Drop to Old ESP) Customer Rescinds Enrollment Request ESP Drops Customer LDC Drops Customer – Temporary (Includes Terminations and Temporary Disconnects) LDC Drops Customer – Permanent (Includes Final Terminations and Final Bills)
One Account per 814	One customer account per 814.
Tracking number on Request and Response transactions Multiple LINs	On the request, the LIN01 is a unique tracking number for each line item (LIN) in this transaction. This number must be unique over all time, and is assigned by the sender of the request transactions. This number must be returned on the response transaction (accept or reject), in the same element (LIN01). There is only one LIN per account per 814
Response per LIN	There will be one 814 drop response for each 814 drop request. In Pennsylvania it's the option of the EGS to send the drop response to LDC imitated drop
	requests. The 997 Functional Acknowledgement is required by all parties. In the event the EGS opts out of sending the 814 response, the 997 becomes more critical being the proof the EGS processed the utility request.
Temporary/Final	The Drop transaction must be differentiated between a temporary drop and a permanent drop. A temporary drop may include the initial termination for non-payment or any seasonal or temporary disconnect. The final drop may include the permanent disconnect after a waiting period for termination, a customer moving outside the service territory, switches, etc.
Drop Reason Required on Request	The Drop transaction requires a Status Reason Code on the Request to inform the other party why the customer is being dropped. There are also conditions when a Status Reason Code must be conveyed on a Response transaction. Please refer to the REF*1P segment for details.
Echoing Data on Reject	If a transaction is rejected due to invalid information, the Response may echo back the invalid data along with the reason code.
LDC Definitions:	 The term LDC (Local Distribution Company) in this document refers to the utility. Each state may refer to the utility by a different acronym: EDC – Electric Distribution Company (Pennsylvania, Delaware) LDC – Local Distribution Company (New Jersey) EC – Electric Company (Maryland)
ESP Definitions:	 The term ESP (Energy Service Provider) in this document refers to the supplier. Each state may refer to the supplier by a different acronym: EGS – Electric Generation Supplier (Pennsylvania) TPS – Third Party Supplier (New Jersey) ES – Electric Supplier (Delaware) ES – Electricity Supplier (Maryland)
Renewable Energy Provider Definition:	 The term Renewable Energy Provider in this document refers to the party that provides Renewable Energy Credits (RECs). This party does not provide generation to the account. Each state may refer to the Renewable Energy Provider by a different acronym: GPM – Green Power Marketer (New Jersey)
	Note: The transaction will either have an ESP or a Renewable Energy Provider, but not both.

	New Jersey Notes
Drop Processing Time	• A drop may be processed up to 15 days prior to the scheduled meter read.
Rescinding a Drop	• NJ Rules allow for a customer to rescind a drop when they initiated it through the LDC. If this happens, the LDC will send a reinstatement transaction to the ESP. If the ESP sends the drop to the LDC, it may not be rescinded.

	Delaware Notes
Rescinding a Drop:	• DE Rules allow for a customer to rescind a drop when they initiated it through the LDC. If this happens, the LDC will send a reinstatement transaction to the ESP. If the ESP sends the drop to the LDC, it may not be rescinded.

	Maryland Notes
Drop Processing Time	• A drop from a supplier must be sent at least 12 days prior to the scheduled meter read.
Rescinding a Drop	 MD Rules allow for a customer to rescind a drop when they initiated it through the LDC. If this happens, the LDC will send a reinstatement transaction to the ESP. In MD the supplier may reverse/cancel their drop request to the utility within 5 calendar days of the drop request by sending the Drop Cancel to the utility via EDI 814 Enrollment with REF*1P*EB1. If the drop cancel is received outside the 5 day window, the request will be rejected by the utility.

How to Use the Implementation Guideline

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	REF Reference Identification 030 LIN Detail Optional >1 To specify identifying information 1 At least one of REF02 or REF03 is require 2 If either C04003 or C04004 is present, the 3 If either C04005 or C04006 is present, the 1 REF04 contains data relating to the value	en the other is required. en the other is required. cited in REF02.
Notes: PA Use: NJ Use: Example:	Recommended by UIGMust be identical to account number as it appears on the customer's bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.Request:Required Accept Response:Required Reject Response:Required Required Same as PAREF*12*2931839200	The "Notes:" section generally contains notes by the Utility Industry Group (UIG). This section is used to show the individual State's Rules for implementation of this segment.
Ref. <u>Des.</u> Must Use REF01	127 Reference Identificatio	1
This column shows t use of each data element. If state rule differ, this will show "Conditional" and th conditions will be explained in the appropriate grayboxe	which often do not relate to the information we are trying to send. Unfortunately, X12 cannot keep up with our code needs so we often change the meanings of existing codes. See graybox for	This column shows the X12 attributes for each data element. Please refer to Data Dictionary for individual state rules. M = Mandatory, O= Optional, X = Conditional AN = Alphanumeric, N# = Decimal value, ID = Identification, R = Real 1/30 = Minimum 1, Maximum 30

814 General Request, Response or Confirmation X12 Structure

Functional Group ID=GE

	Hea	ding					
	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	<u>Max. Use</u>	Loop <u>Repeat</u>	Notes and <u>Comments</u>
Must Use	010	ST	Transaction Set Header	М	1		
Must Use	020	BGN	Beginning Segment	М	1		
			LOOP ID - N1			>1	
	040	N1	Name	0	1		n1
	060	N3	Address Information	О	2		
	070	N4	Geographic Location	О	1		
	080	PER	Administrative Communications Contact	О	>1		
	Pos. <u>No.</u>	Seg. <u>ID</u>	Name	Req. <u>Des.</u>	<u>Max. Use</u>	Loop <u>Repeat</u>	Notes and <u>Comments</u>
	<u>110.</u>			<u>Dt3.</u>	Max. Osc		<u>comments</u>
			LOOP ID - LIN			>1	
	010	LIN ASI	Item Identification	0	1		
			Action or Status Indicator		1		
	020			0	-		
	030	REF	Reference Identification	0	>1		
					-		
	030 040	REF	Reference Identification	0	>1		
	030 040	REF DTM	Reference Identification	0	>1	Loop <u>Repeat</u>	Notes and <u>Comments</u>
Must Use	030 040 <u>Sum</u> Pos.	REF DTM 1mary Seg.	Reference Identification Date/Time Reference	O O Req.	>1 >1		

Transaction Set Notes:

1. The N1 loop is used to identify the transaction sender and receiver.

Appl Field	Field Name	Description	EDI Element	Loop / Related EDI Qualifier	Data Type
1	Transaction Set Purpose Code	Request = 13 Response = 11	BGN01		X(2)
2	Transaction Reference Number	Unique Number assigned by the sender identifying this transaction. This number must be unique over time.	BGN02		X(30)
3	System Date	Date that the data was processed by the sender's application system.	BGN03		9(8)
4	Transaction Reference Number	Original Transaction Reference Number echoed from the Original Request Transaction (BGN02).	BGN06		X(30)
5	LDC Name	LDC's Name	N102	N1: N101 = 8S	X(60)
6	LDC Duns	LDC's DUNS Number or DUNS+4 Number	N104	N1: N101 = 8S N103 = 1 or 9 N106 = 40 or 41	X(13)
7	ESP Name	ESP's Name	N102	N1: N101 = SJ	X(60)
8	ESP Duns	ESP's DUNS Number or DUNS+4 Number	N104	N1: N101 = SJ N103 = 1 or 9 N106 = 40 or 41	X(13)
8.3	Renewable Energy Provider Name	Renewable Energy Provider 's Name	N102	N1: N101 = G7	X(60)
8.4	Renewable Energy Provider Duns	Renewable Energy Provider 's DUNS Number or DUNS+4 Number	N104	N1: N101 = G7 N103 = 1 or 9 N106 = 40 or 41	X(13)
9	Customer Name	Customer Name as it appears on the Customer's Bill	N102	N1: N101 = 8R	X(35) Note: X(60) for MD
10	Customer Name for Forwarding Address	Customer Name	N102	N1: N101 = FE	X(35)
11	Forwarding Address	Customer Forwarding Address	N301 & N302	N1: N101 = FE	X(55)
12	City	Customer Forwarding Address	N401	N1: N101 = FE	X(30)
13	State	Customer Forwarding Address	N402	N1: N101 = FE	X(2)
14	Zip Code	Customer Forwarding Address	N403	N1: N101 = FE	X(9)
15	Country Code	Customer Forwarding Mail Address	N404	N1: N101 = FE	X(3)
16	Customer Contact Name	Contact Name associated with the Customer Telephone Number	PER02	PER01=IC	X(60)
17	Customer Telephone Number	Contact Telephone Number for the customer	PER04	N1: N101 = FE $PER01 = IC$ $PER03 = TE$	X(10)
18	Line Item Transaction Reference Number	Unique Tracking Number for each line item in this transaction. This number must be unique over time.	LIN01		X(20)

Data Dictionary for 814 Drop

19	Generation Services Indicator or Renewable Energy Certificate Service	Indicates the transaction is related to: CE - Generation Services RC – Renewable Energy Certificate Service	LIN05 = CE or RC	LIN02 = SH $LIN03 = EL$ $LIN04 = SH$	X(2)
20	Action Code	Used to indicate this is a drop transaction. On the request, this will be either "F" (permanent drop) or "A4" (temporary drop)	ASI01= Request: F (permanent) or A4 (temporary) Accept Response: WQ Reject Response: U	LIN: ASI02= 024	X(2)
	hat the following F action.	REF segments may appear in any orde	r on the a	ctual EDI	
21	Rejection Reason Code	Code explaining reason for rejection.	REF02	LIN: REF01= 7G	X(3)
22	Rejection Reason Text	Text explaining rejection.	REF03	LIN: REF01= 7G	X(80)
23	Status Reason Code	This is used to convey status reason codes on a request and Response to a Request.	REF02	LIN: REF01= 1P	X(3)
24	Status Reason Text	Text to provide status information.	REF03	LIN: REF01= 1P	X(80)
25	ESP Account Number	ESP Customer Account Number	REF02	LIN: REF01= 11	X(30)
26	LDC Account Number	LDC Customer Account Number	REF02	LIN: REF01= 12	X(30)
26.2	LDC Account Number - unmetered	LDC Customer Account Number – Unmetered	REF03	N1: N101 = 8R REF01 = 12 REF03 = U	X(80)
27	Old Account Number	Previous LDC Customer Account Number	REF02	LIN: REF01= 45	X(30)
28	Service Period End Date	Estimated date of termination of service	DTM02	DTM01=151	9(8)

Segment:	ST Transaction Set Header
Position:	010
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the start of a transaction set and to assign a control number
Syntax Notes:	
Semantic Notes:	1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:	
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	ST*814*000000001

Must Use	Ref. <u>Des.</u> ST01	Data <u>Element</u> 143	<u>Name</u> Transaction Set Identifier Code	<u>X12</u> M	<u>2 Attributes</u> ID 3/3
			Code uniquely identifying a Transaction Set814General Request, Response or Confi	irmation	L
Must Use	ST02	329	Transaction Set Control Number	Μ	AN 4/9
			Identifying control number that must be unique within the transaction so by the originator for a transaction set	et function	al group assigned

Segment:	BGN Beginning Segment
Position:	020
Loop:	
Level:	Heading
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the beginning of a transaction set
Syntax Notes:	1 If BGN05 is present, then BGN04 is required.
Semantic Notes:	1 BGN02 is the transaction set reference number.
	2 BGN03 is the transaction set date.
	3 BGN04 is the transaction set time.
	4 BGN05 is the transaction set time qualifier.
	5 BGN06 is the transaction set reference number of a previously sent transaction
	affected by the current transaction.
Comments:	
PA Use:	Required

IA Use.	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Request Example:	BGN*13*199904011956531*19990401
	(Note: BGN06 not used in the request.)
Response Example:	BGN*11*199904020830531*19990402***199904011956531
	(Note: BGN06 is optional on the response.)

	Ref.	Data				
	Des.	<u>Element</u>	<u>Name</u>		X12	<u>2 Attributes</u>
Must Use	BGN01	353	Transaction S	et Purpose Code	Μ	ID 2/2
			Code identifying p	purpose of transaction set		
			11	Response		
				Signifies that the requested service w described in this transaction.	ill be a	ddressed as
			13	Request		
Must Use	BGN02	127	Reference Ide	ntification	Μ	AN 1/30
			Reference informa Identification Qua	by the Reference		
			-	action identification number assigned by the his number must be unique over time.	e origin	nator of this
Must Use	BGN03	373	Date	_	Μ	DT 8/8
			Date (CCYYMMI	DD)		
			The transaction sender's applic	n creation date – the date that the data was p ation system.	rocess	ed by the
Optional	BGN06	127	Reference Ide	ntification	0	AN 1/30
	Reference information as defined for a particular Transaction Set or as specified by th Identification Qualifier					
			If used, refers to the BGN02 identification number of the original Request. Not used on the request. Optional on the response.			

Segment:	N1 Name (8S=1	LDC Name)							
Position:	040	040							
Loop:	N1	N1							
Level:	Heading								
Usage:	Optional								
Max Use:	1								
Purpose:		by type of organization, name, and code							
Syntax Notes:		N102 or N103 is required.							
	2 If either N103	or N104 is present, then the other is required.							
Semantic Notes:									
Comments:	organizational provide a key t	organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.							
PA Use:	Request:	Required							
	Accept Response:	Required							
	Reject Response:	Required for response if provided in the request.							
NJ Use:	Same as PA								
DE Use:	Same as PA	Same as PA							
MD Use:	Same as PA								
Examples:	N1*8S*LDC COM	PANY*1*007909411**40 (as Receiver)							
-	N1*8S*LDC COM	PANY*1*007909411**41 (as Sender)							

			Data Elem	ent Summary		
	Ref. <u>Des.</u>	Data <u>Element</u>	Name		X12	2 Attributes
Must Use	N101	98	Entity Identifier C	ode	Μ	ID 2/3
			Code identifying an orga 8S	nizational entity, a physical location, property or Consumer Service Provider (CSP)	an indi	vidual
				LDC		
Must Use	N102	93	Name		Х	AN 1/60
			Free-form name			
			LDC Company Nan	ne		
Must Use	N103	66	Identification Cod	e Qualifier	Х	ID 1/2
			Code designating the sys 1	tem/method of code structure used for Identificat D-U-N-S Number, Dun & Bradstreet	ion Co	de (67)
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	Four C	Character
Must Use	N104	67	Identification Cod	e	Х	AN 2/80
			Code identifying a party LDC D-U-N-S Nun	or other code aber or D-U-N-S + 4 Number		
Must Use	N106	98	Entity Identifier C	ode	0	ID 2/3
			Code identifying an orga	nizational entity, a physical location, property or	an indi	vidual.
				the N103 and N104 to identify the trans than two parties are identified by N1 lo		n sender and
			40	Receiver	•	
				Entity to accept transmission		
			41	Submitter		
				Entity transmitting transaction set		

Segment:	N1 Name (SJ=ESP Name)								
Position:	040								
Loop:	N1								
Level:	Heading								
Usage:	Optional								
Max Use:	1								
Purpose:	To identify a party by type of organization, name, and code								
Syntax Notes:	1 At least one of N102 or N103 is required.								
	2 If either N103 or N104 is present, then the other is required.								
Semantic Notes:									
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101. 								
PA Use:	Request: Required								
	Accept Response: Required								
	Reject Response: Required for response if provided in the request.								
NJ Use:	Same as PA								
DE Use:	Same as PA								
MD Use:	Same as PA								
Examples:	N1*SJ*ESP COMPANY*9*007909422ESP1**41 (as Sender)								
-	N1*SJ*ESP COMPANY*9*007909422ESP1**40 (as Receiver)								

			Data Elen	ient Summary		
Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	<u>Name</u> Entity Identifier (Code	<u>X1</u> M	<u>2 Attributes</u> ID 2/3
			•	anizational entity, a physical location, property or Service Provider	an indi	vidual
				ESP		
Must Use	N102	93	Name		Х	AN 1/60
			Free-form name			
			ESP Company Nar	ne		
Must Use	N103	66	Identification Cod	le Qualifier	Х	ID 1/2
			Code designating the sy 1	stem/method of code structure used for Identificat D-U-N-S Number, Dun & Bradstreet	ion Co	de (67)
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	Four C	Character
Must Use	N104	67	Identification Cod	le	Х	AN 2/80
			Code identifying a party ESP D-U-N-S Num	y or other code nber or D-U-N-S + 4 Number		
Must Use	N106	98	Entity Identifier (Code	0	ID 2/3
			Code identifying an org	anizational entity, a physical location, property or	an indi	vidual.
				the N103 and N104 to identify the trans than two parties are identified by N1 lo		n sender and
			40	Receiver	-	
				Entity to accept transmission		
			41	Submitter		
				Entity transmitting transaction set		

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	 N1 Name (G7=Renewable Energy Provider Name) 040 N1 Heading Optional 1 To identify a party by type of organization, name, and code 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required. 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
PA Use:	Not used
NJ Use:	Required
DE Use:	Not used
MD Use:	Not used
Example:	N1*G7*RENEWABLE COMPANY*9*007909422GPM

			Data Elei	nent Summary		
Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	<u>Name</u> Entity Identifier (Code	<u>Att</u> M	<u>ributes</u> ID 2/3
11460 050	11101		v	ganizational entity, a physical location, property or Entity Providing the Service		
				Renewable Energy Provider		
Must Use	N102	93	Name Free-form name		X	AN 1/60
			Renewable Energy	Provider Company Name		
Must Use	N103	66	Identification Co Code designating the sy 1	de Qualifier ystem/method of code structure used for Identificati D-U-N-S Number, Dun & Bradstreet	X ion Coo	ID 1/2 de (67)
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	our C	haracter
Must Use	N104	67	Identification Coo Code identifying a part	y or other code	X	AN 2/20
M	1106	0.0		Provider D-U-N-S Number or D-U-N-S		
Must Use	N106	98	Entity Identifier	Code ganizational entity, a physical location, property or	O an indi	ID 2/3 vidual.
				to the N103 and N104 to identify the trans the than two parties are identified by N1 lo		n sender and
			40	Receiver		
				Entity to accept transmission		
			41	Submitter		
				Entity transmitting transaction set		

Segment:	N1 Name (8R=Customer Name)
Position:	040
Loop:	N1
Level:	Heading
Usage:	Optional
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	1 At least one of N102 or N103 is required.
	2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. N105 and N106 further define the type of entity in N101.
PA Use:	Request: Required
	Accept Response: Required
	Reject Response: Required for response if provided in the request.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Example:	N1*8R*CUSTOMER NAME

Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	<u>Name</u> Entity Identifier C	Code	<u>X12</u> M	2 Attributes ID 2/3
			Code identifying an organizational entity, a physical location, property or an individual 8R Consumer Service Provider (CSP) Customer Used to identify the customer associated with the LD			
				service account	cu vii	
Must Use	N102	93	Name		Х	AN 1/60
			Free-form name			
			Customer Name as	it appears on the customer's bill		

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	 N1 Name (FE=Forwarding Address) 040 N1 Heading Optional To identify a party by type of organization, r 1 At least one of N102 or N103 is require 2 If either N103 or N104 is present, then r 1 This segment, used alone, provides the organizational identification. To obtain provide a key to the table maintained by 2 N105 and N106 further define the type 	d. the other is required. most efficient method of providing this efficiency the "ID Code" (N104) must y the transaction processing party.
PA Use:	LDC Initiated Drop Request: ESP Accept Response for LDC Init Drop: ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop: ALL Reject Responses:	Required if customer moved and has provided a forwarding address. Not Used Not Used Optional if customer moved and has provided a forwarding address. Not Used
NJ Use:	LDC Initiated Drop Request: ESP Accept Response for LDC Init Drop: ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop: ALL Reject Responses:	Optional if customer moved and has provided a forwarding address. Not Used Not Used Optional if customer moved and has provided a forwarding address. Not Used
	Note: Atlantic City Electric, JCP&L – store data PSE&G – Cannot provide this information	
DE Use:	Same as NJ	
MD Use:	Same as NJ	
Example:	N1*FE*CUSTOMER NAME	

			Data ER	ment Summary		
Must Use	Ref. <u>Des.</u> N101	Data <u>Element</u> 98	<u>Name</u> Entity Identifier	Code	<u>X12</u> M	<u>2 Attributes</u> ID 2/3
			Code identifying an o FE	rganizational entity, a physical location, property or Mail Address	an indi	vidual
				Used to identify the forwarding address customer.	ss for	the
Must Use	N102	93	Name		Х	AN 1/60
			Free-form name			

Segment:	N3 Address Information (Forwarding	Address)
Position:	060	
Loop:	N1	
Level:	Heading	
Usage:	Optional	
Max Use:	2	
Purpose:	To specify the location of the named party	
Syntax Notes: Semantic Notes: Comments:		
PA Use:	LDC Initiated Drop Request:	Required if customer moved and has provided a forwarding address.
	ESP Accept Response for LDC Init Drop:	Not Used
	ESP Initiated Drop Request:	Not Used
	LDC Accept Response for ESP Init. Drop:	Optional if customer moved and has provided a forwarding address.
	ALL Reject Responses:	Not Used
NJ Use:	LDC Initiated Drop Request:	Optional if customer moved and has provided a forwarding address.
	ESP Accept Response for LDC Init Drop:	Not Used
	ESP Initiated Drop Request:	Not Used
	LDC Accept Response for ESP Init. Drop:	Optional if customer moved and has provided a forwarding address.
	ALL Reject Responses:	Not Used
	Note: Atlantic City Electric, JCP&L – store data PSE&G – Cannot provide this informatio	
DE Use:	Same as NJ	
MD Use:	Same as NJ	
Example:	N3*4251 S ELECTRIC ST*MS 25	

Must Use	Ref. <u>Des.</u> N301	Data <u>Element</u> 166	<u>Name</u> Address Information	<u>X12 Attributes</u> M AN 1/55
Optional	N302	166	Address information Address Information Address information	O AN 1/55

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes:	N4 Geographic Location (Forwarding 070 N1 Heading Optional 1 To specify the geographic place of the name 1 If N406 is present, then N405 is require	ed party d.
Comments:	 A combination of either N401 through 1 specify a location. N402 is required only if city name (N40 	N404, or N405 and N406 may be adequate to
PA Use:	LDC Initiated Drop Request: ESP Accept Response for LDC Init Drop:	Required if customer moved and has provided a forwarding address. Not Used
	ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop:	Not Used Optional if customer moved and has provided a forwarding address.
	ALL Reject Responses:	Not Used
NJ Use:	LDC Initiated Drop Request:	Optional if customer moved and has provided a forwarding address.
	ESP Accept Response for LDC Init Drop:	Not Used
	ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop:	Not Used Optional if customer moved and has provided a
	1 1 1	forwarding address.
	ALL Reject Responses:	Not Used
	Note: Atlantic City Electric, JCP&L – store data PSE&G – Cannot provide this informatio	
DE Use:	Same as NJ	
MD Use:	Same as NJ	
Examples:	N4*ANYTOWN*PA*18111 N4*ANYTOWN*PA*181110001*US	

	Ref.	Data			
	Des.	<u>Element</u>	Name	X12	<u>2 Attributes</u>
Must Use	N401	19	City Name	0	AN 2/30
Must Use	N402	156	Free-form text for city name State or Province Code	0	ID 2/2
Must Use	N403	116	Code (Standard State/Province) as defined by appropriate government age Postal Code	oncy O	ID 3/15
Optional	N404	26	Code defining international postal zone code excluding punctuation and b United States) Country Code	lanks (z O	zip code for ID 2/3
			Code identifying the country		

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	 If either PER03 or PER04 is present, the If either PER05 or PER06 is present, the If either PER07 or PER08 is present, the 	inistrative communications should be directed en the other is required. en the other is required. en the other is required.
PA Use:	LDC Initiated Drop Request: ESP Accept Response for LDC Init Drop: ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop: ALL Reject Responses:	Required if customer moved and has provided a forwarding address. Not Used Not Used Optional if customer moved and has provided a forwarding address. Not Used
NJ Use:	LDC Initiated Drop Request: ESP Accept Response for LDC Init Drop: ESP Initiated Drop Request: LDC Accept Response for ESP Init. Drop: ALL Reject Responses:	Optional if customer moved and has provided a forwarding address. Not Used Not Used Optional if customer moved and has provided a forwarding address. Not Used
	Note: Atlantic City Electric, JCP&L – store data PSE&G – Cannot provide this information	
DE Use:	Same as NJ	
MD Use:	Same as NJ	
Example:	PER*IC*CUSTOMER NAME*TE*8005551212 PER*IC*CUSTOMER NAME*TE*8005551212	*FX*8005552121*EM*CUSTOMER@SER.COM

	Ref. Des.	Data Element	Name	X12	2 Attributes
Must Use	PER01	366	Contact Function Code	Μ	ID 2/2
			Code identifying the major duty or responsibility of the person or group na IC Information Contact	amed	
Optional	PER02	93	Name	0	AN 1/60
Must Use	PER03	365	Free-form name Communication Number Qualifier Code identifying the type of communication number EM Electronic Mail FX Facsimile TE Telephone	X	ID 2/2
Must Use	PER04	364	Communication Number	Х	AN 1/80
Optional	PER05	365	Complete communications number including country or area code when a Communication Number Qualifier Code identifying the type of communication number EM Electronic Mail FX Facsimile	pplicat X	ole ID 2/2

Optional	PER06	364	TE Telephone Communication Number	x	AN 1/80
	I LIXOU	201	Complete communications number including country or area	a code when applical	
Optional	PER07	365	Communication Number Qualifier	X	ID 2/2
			Code identifying the type of communication number		
			EM Electronic Mail		
			FX Facsimile		
			TE Telephone		
Optional	PER08	364	Communication Number	Х	AN 1/80
			Complete communications number including country or area	i code when applicat	ole

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes:	 LIN Item Identification 010 LIN Detail Optional 1 To specify basic item identification data 1 If either LIN04 or LIN05 is present, then the other is required. 2 If either LIN06 or LIN07 is present, then the other is required. 3 If either LIN08 or LIN09 is present, then the other is required. 4 If either LIN10 or LIN11 is present, then the other is required. 5 If either LIN12 or LIN13 is present, then the other is required. 6 If either LIN14 or LIN15 is present, then the other is required. 7 If either LIN16 or LIN17 is present, then the other is required. 8 If either LIN18 or LIN19 is present, then the other is required. 9 If either LIN20 or LIN21 is present, then the other is required. 10 If either LIN20 or LIN21 is present, then the other is required. 11 If either LIN20 or LIN21 is present, then the other is required. 12 If either LIN20 or LIN21 is present, then the other is required. 13 If either LIN26 or LIN27 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required. 14 LIN01 is the line item identification
Semantic Notes: Comments:	 LIN01 is the line item identification See the Data Dictionary for a complete list of IDs. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.
Notes:	 The 3070 version of the 814 guideline allowed all services to be transmitted in one LIN segment. This was difficult to process and track. Version 4010 restricts the use of LIN03 to identify the product (electric vs. gas) and LIN05 to identify the service being requested. For example, <i>LIN*1*SH*EL*SH*CE</i> indicates that the product is electric and 'generation services' is the service being requested. Multiple LINs may be sent to request multiple services for one account. Other examples: LIN*1*SH*EL*SH*HU\ requests historical usage of electric service LIN*1*SH*GAS*SH*MI\ requests meter information on the gas service
PA Use:	Request:RequiredAccept Response:RequiredReject Response:Required if it was provided on the request.
NJ Use:	Same as PA
DE Use:	Same as PA
MD Use:	Same as PA
Examples:	LIN*DROP199901200000001*SH*EL*SH*CE
L'ampros.	

	Ref. <u>Des.</u>	Data Element	Name	X12	2 Attributes
Must Use	LIN01	350	Assigned Identification	0	AN 1/20
			Alphanumeric characters assigned for differentiation within a transaction On the request, this is a unique tracking number for each 1 transaction. This number must be unique over time. This returned on the response transaction in the same element. number was provided in REF*TN in Version 3070.	ine iter numbe	er must be
Must Use	LIN02	235	Product/Service ID Qualifier	Μ	ID 2/2
			Code identifying the type/source of the descriptive number used in Produ SH Service Requested	ict/Servi	ce ID (234)
Must Use	LIN03	234	Product/Service ID Identifying number for a product or service	Μ	AN 1/48

Version	6.2
---------	-----

			EL	Electric Service		
				Identifies the product		
Must Use	LIN04	235	Product/Service ID	Qualifier	Μ	ID 2/2
			Code identifying the type SH	/source of the descriptive number used in Produc Service Requested	t/Servi	ce ID (234)
Must Use	LIN05	234	Product/Service ID		Μ	AN 1/48
			Identifying number for a CE	product or service Generation Services		
				Indicates this transaction is related to Services.	Gener	ation
			RC	Renewable Energy Certificate Service	s	
				Indicates this transaction is related to Energy Certificate Services	Renev	vable

Segment:	ASI Action or	Status Indicator					
Position:	020						
Loop:	LIN						
Level:	Detail						
Usage:	Optional						
Max Use:	1						
Purpose:	To indicate the acti described	on to be taken with the information provided or the status of the entity					
Syntax Notes:							
Semantic Notes:							
Comments:							
Notes:	Identifies the action identified in the LI	n to be taken or the status of a requested action for the service N segment.					
	Reason Codes are conveyed in the REF segment (position 030) rather than in the ASI03, to allow for multiple reasons.						
	Note: All ESP initi	ated drops should be coded as Final (ASI01=F).					
PA Use:	Request:	Required					
	Accept Response:	Required					
	Reject Response:	Required					
NJ Use:	Same as PA						
DE Use:	Same as PA						
MD Use:	Same as PA						
Request Example:	ASI*F*024						
Response Examples:	ASI*WQ*024	Accept Response					
	ASI*U*024	Reject Response					

			Data ER	inche Summary		
Must Use	Ref. <u>Des.</u> ASI01	Data <u>Element</u> 306	<u>Name</u> Action Code		<u>X12</u> M	<u>2 Attributes</u> ID 1/2
			Code indicating type	of action		
			A4	Pended		
				Used to request a temporary drop Note: Will not be used in New Jersey		
			F	Final		
			U	Reject		
			WQ	Accept		
Must Use	ASI02	875	Maintenance Ty	pe Code	Μ	ID 3/3
			Code identifying the s 024	specific type of item maintenance Cancellation or Termination		
				Drop		

Segment:	REF Reference Identification (7G=Rejection Status)						
Position:	030						
Loop:	LIN						
Level:	Detail						
Usage:	Optional						
Max Use:	>i						
Purpose:	To specify identifying information						
Syntax Notes:	1 At least one of REF02 or REF03 is required.						
	2 If either C04003 or C04004 is present, then the other is required.						
	3 If either C04005 or C04006 is present, then the other is required.						
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.						
Comments:							
Notes:	This iteration of the REF segment is used to convey the rejection reason codes in response to a Request. The rejection reason codes are conveyed in this segment rather than in the ASI03 to allow for multiple rejection reasons. Note: Regardless of whether the ESP accepts or rejects a Drop Request from an LDC, the LDC will drop the customer. The LDC is responsible for reviewing rejection reasons and resolving them with the ESP, either by a resend of the drop transaction or by mutual						
	agreement.						
PA Use:	Request: Not Used						
	Accept Response: Not Used						
	Reject Response: Required						
NJ Use:	Same as PA						
DE Use:	Same as PA						
MD Use:	Same as PA						
Example:	REF*7G*A13*ADDITIONAL REASON TEXT HERE						

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identif	ïcation Qualifier	<u>X12</u> M	<u>Attributes</u> ID 2/3
			Code qualifying the Re 7G	ference Identification Data Quality Reject Reason		
				Reject reasons associated with a rejec notification.	t statu	S

Rules for Rejection Reason Codes

The codes on the next several pages have been identified by the UIG to convey rejection reasons. Only the codes listed for each service are valid for that service. If you require additional codes, send an email to the appropriate state's listserver.

"A13" (Other) must **only** be used when an existing error code does not convey the reason correctly. Each time "A13" (Other) is used for a new purpose, an E-mail must be sent to the appropriate state's listserver by the party sending the code, to notify the market participants about the text explanation for A13. This information will be compiled and new codes will be issued on a periodic basis.

PA Listserver: <u>edewg@ls.eei.org</u> NJ Listserver: <u>njbpu@ls.eei.org</u>

Please note that the Status Reason Codes are only valid in certain directions as noted to the left of each code.

Reason For Rejection Codes – Required on a **<u>Rejection Drop</u>** Response Transaction:

Note: Rejection reason codes for Renewable Energy Provider are the same as ESP, unless specified below.

Must Use REF02		127	Reference Ide	ntification X AN 1/30
			Reference informa Identification Qua	ation as defined for a particular Transaction Set or as specified by the Reference lifter
ESP D	rop	LDC Dro	<u>p</u>	
<u>Response</u>	to LDC	Response to	<u>ESP</u>	
		X	008	Account exists but is not active
X		X	A13	Other (Explanation Required in REF03)
X		X	A76	Account Not Found
				This includes invalid account numbers as well as no account number being found.
		X	A84	Invalid Relationship (not ESP of record)
		X	A91	Service is not offered at customer's location
				For instance, used to indicate that this is a gas only account, no electric service exists on the account.
X		X	ABN	Duplicate Request Received
Χ		X	ACI	Action Code (ASI01) invalid
Χ		X	API	Required information missing (REF03 Required)
X		X	B14	Reason for termination was required, or invalid code sent
X			DIV	Date Invalid
X		X	MTI	Maintenance Type Code (ASI02) invalid
		X	UND	Cannot identify ESP
X			UNE	Cannot identify LDC

 Optional
 REF03
 352
 Description
 X
 AN 1/80

 A free-form description to clarify the related data elements and their content
 Used to further describe the rejection reason code sent in REF02.
 Code "A13"

 requires text explanation in this element.
 The second sec

Segment:	REF Reference Identification (1P=Status Reason)							
Position:	030							
Loop:	LIN							
Level:	Detail							
Usage:	Optional							
Max Use:	>1							
Purpose:	To specify identifying information							
Syntax Notes:	1 At least one of REF02 or REF03 is required.							
	2 If either C04003 or C04004 is present, then the other is required.							
	3 If either C04005 or C04006 is present, then the other is required.							
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.							
Comments:								
Notes:	This iteration of the REF segment is used primarily to convey status reason codes on a request, and also in response to a Request. The status reason codes are conveyed in this segment rather than in the ASI03 to allow for multiple status reasons.							
PA Use:	Request: Required							
	Accept Response: Required when status information must be conveyed.							
	Reject Response: Required when status information must be conveyed.							
	Note:							
NJ Use:	Same as PA							
DE Use:	Same as PA							
MD Use:	Same as PA							
Example:	REF*1P*A13*ADDITIONAL REASON TEXT HERE							

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identific	ation Qualifier	X12 Attributes M ID 2/3
			Code qualifying the Refe 1P	rence Identification Accessorial Status Code	
				Used in the instance where the 814 Re but additional status information must code W09, special off-cycle meter read performed.	be provided; e.g.

This is a **required** field on a Drop request.

Rules for Status Reason Codes

The codes on the next several pages have been identified by the UIG to convey status reasons. Only the codes listed for each service are valid for that service. If you require additional codes, send an email to the appropriate state's listserver.

"A13" (Other) must **only** be used when an existing error code does not convey the reason correctly. Each time "A13" (Other) is used for a new purpose, an E-mail must be sent to the appropriate state's listserver by the party sending the code, to notify the market participants about the text explanation for A13. This information will be compiled and new codes will be issued on a periodic basis.

PA Listserver: <u>edewg@ls.eei.org</u> NJ Listserver: <u>njbpu@ls.eei.org</u>

Please note that the Status Reason Codes are only valid in certain directions as noted to the left of each code. Reason For Drop Codes – Required on the <u>Drop Request</u> Transaction:

Note: Reason for Drop codes for Renewable Energy Provider are the same as ESP, unless specified below.

Must Use	REF02	127	Reference Ide	ntification X AN 1/30
			Reference informa Identification Qua	tion as defined for a particular Transaction Set or as specified by the Reference lifter
LDC D	rop	ESP Drop		
Request t	o ESP	<u>Request to LE</u>		
X		Х	007	Service terminated or customer dropped because of nonpayment
X			020	Customer moved or account closed
X		X	A13	Other
				Explanation Required in REF03
X		X	B38	Dropped by Customer Request
	i			Customer was terminated by the Service Provider for reasons other than nonpayment
		X	CCE	Contract Expired
X			СНА	Customer changed to another Service Provider
X			C02	Customer is on Credit Hold
				Only valid in NJ Renewable Energy Provider program
Χ			C03	Customer Enrolled in USF
				NJ - Only valid in NJ Renewable Energy Provider program
X		X	EB3	Withdrawn
				Customer rescinded enrollment request within rescission period. ESP to LDC valid only in MD
		X	B42	Alleged Slam
X			NLI	Not Last In
				PA Use Only

Status Reason Codes - Use as appropriate on the Drop Response Transaction. This is used when transaction accepted, but there is additional information to be conveyed to the other party.

Must Use	REF02	127	Reference Ident	ification X AN 1/30 on as defined for a particular Transaction Set or as specified by the Reference
			Identification Qualifi	1 1 5
ESP Di	<u>rop I</u>	DC Dro	<u>p</u>	
<u>Response t</u>	o LDC Res	ponse to]	<u>ESP</u>	
X		Х	A13	Other
				Explanation Required in REF03
X		Χ	B39	Already Dropped
L	i			
Conditional	REF03	352	Description	X AN 1/80

A free-form description to clarify the related data elements and their content Used to further describe the status reason code sent in REF02. Code "A13" requires text explanation in this element.

Segment:	REF Reference Identification (11=ESP Account Number)			
Position:	030			
Loop:	LIN			
Level:	Detail			
Usage:	Optional			
Max Use:	>1			
Purpose:	To specify identifying information			
Syntax Notes:	1 At least one of REF02 or REF03 is r	1		
	2 If either C04003 or C04004 is preser			
	3 If either C04005 or C04006 is preser			
Semantic Notes:	1 REF04 contains data relating to the	value cited in REF02.		
Comments:				
Notes:	Must exclude punctuation (spaces, dashe be included.	d, etc). Significant leading and trailing zeros must		
PA Use:	LDC Initiated Drop: ESP Accept Response for LDC Init Drop:	Required if it was previously provided to the LDC Required if it was provided on the request		
	ESP Initiated Drop:	Required if it was previously provided to the LDC		
	LDC Accept Response for ESP Init. Drop:	Required if it was provided on the request		
	ALL Reject Responses:	Required if it was provided on the request		
NJ Use:	Note : In New Jersey, Atlantic City Electronumber and will be required to send it if	ric, JCP&L and PSE&G will store ESP account it was previously provided to the LDC.		
DE Use:	Delmarva will store ESP account number	and will be required to send it if it was previously		
	provided to the LDC.			
MD Use:	Same as PA			
Example:	REF*11*2348400586			

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identific	cation Qualifier	<u>X12</u> M	<u>2 Attributes</u> ID 2/3
			Code qualifying the Refe 11	Account Number		
				ESP-assigned account number for end	use c	ustomer.
Must Use	REF02	127	Reference Identific	cation	Х	AN 1/30
			Reference information as Identification Qualifier	s defined for a particular Transaction Set or as spe	cified t	by the Reference

Segment:	REF Reference I	dentification (12=LDC Account Number)		
Position:	030			
Loop:	LIN			
Level:	Detail			
Usage:	Optional			
Max Use:	>1			
Purpose:	To specify identifying			
Syntax Notes:		F02 or REF03 is required.		
		r C04004 is present, then the other is required.		
		r C04006 is present, then the other is required.		
Semantic Notes: Comments:	1 REF04 contains data relating to the value cited in REF02.			
PA Use:	Must be identical to account number as it appears on the customer's bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.			
	Request:	Required		
	Accept Response:	Required		
	Reject Response:	Required – when the rejection reason is due to an LDC account number not being provided in the request, this segment must not be sent on the response.		
NJ Use:	Same as PA			
DE Use:	Same as PA			
MD Use:	Same as PA			
Example:	REF*12*2931839200			

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identification Qualifier	<u>X1</u> M	<u>2 Attributes</u> ID 2/3
			Code qualifying the Reference Identification 12 Billing Account		
			LDC-assigned account number for	or end use	customer.
Must Use	REF02	127	Reference Identification	Х	AN 1/30
			Reference information as defined for a particular Transaction Set or Identification Qualifier	as specified	by the Reference
Optional	REF03	352	Description A free-form description to clarify the related data elements and their U Unmetered	X	AN 1/80

Segment:	REF Reference Identification (45=LDC Old Account Number)				
Position:	030				
Loop:	LIN				
Level:	Detail				
Usage:	Optional				
Max Use:	>1				
Purpose:	To specify identifying information				
Syntax Notes:	1 At least one of REF02 or REF03 is req				
	2 If either C04003 or C04004 is present,	1			
	1	3 If either C04005 or C04006 is present, then the other is required.			
Semantic Notes:	1 REF04 contains data relating to the value cited in REF02.				
Comments:					
PA Use:	LDC Initiated Drop:	Required if account number changed in the last 60 days			
	ESP Accept Response for LDC Init Drop:	Not Used			
	ESP Initiated Drop:	Not Used			
	LDC Accept Response for ESP Init. Drop:	Required if account number changed in the last 60 days			
		1			
	ALL Reject Responses:	Not Used			
NJ Use:	Same as PA				
DE Use:	Not used				
MD Use:	Not Used by BGE, PEPCO, or Delmarva.				
	PE: Required if the account number has cha	anged in the last 60 days.			
Example:	REF*45*1105687500				

Must Use	Ref. <u>Des.</u> REF01	Data <u>Element</u> 128	<u>Name</u> Reference Identification Qualifier	<u>X12</u> M	<u>2 Attributes</u> ID 2/3
			Code qualifying the Reference Identification 45 Old Account Number		
			LDC's previous account number for customer.	or the end	l use
Must Use	REF02	127	Reference Identification	Х	AN 1/30
			Reference information as defined for a particular Transaction Set or a Identification Qualifier	s specified	by the Reference

Segment: Position: Loop: Level: Usage: Max Use: Purpose: Syntax Notes: Semantic Notes: Comments:	DTM Date/Time Reference (151=Serv 040 LIN Detail Optional >1 To specify pertinent dates and times 1 At least one of DTM02 DTM03 or DTM 2 If DTM04 is present, then DTM03 is requ 3 If either DTM05 or DTM06 is present, the	05 is required. uired.
PA Use:	LDC Initiated Drop:	Required Not Used
	ESP Accept Response for LDC Init Drop: ESP Initiated Drop: LDC Accept Response for ESP Init Drop:	Not Used Required
NJ Use:	ALL Reject Responses: Same as PA	Not Used
	~	
DE Use:	Same as PA	
MD Use:	Same as PA	
Example:	DTM*151*19990115	

	Data Element Summary					
Must Use	Ref. <u>Des.</u> DTM01	Data <u>Element</u> 374	<u>Name</u> Date/Time Qualific	er	<u>X12</u> M	<u>Attributes</u> ID 3/3
			Code specifying type of a 151	date or time, or both date and time Service Period End		
				Estimated date that the service with the	e ESP	will end.
Must Use	DTM02	373	Date		Х	DT 8/8
			Date expressed as CCYY	'MMDD		

Segment:	${f SE}$ Transaction Set Trailer
Position:	150
Loop:	
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:	
Semantic Notes:	
Comments:	1 SE is the last segment of each transaction set.
PA Use:	Required
NJ Use:	Required
DE Use:	Required
MD Use:	Required
Example:	SE*28*00000001

	Ref.	Data			
	Des.	Element	Name	<u>X12</u>	<u>Attributes</u>
Must Use	SE01	96	Number of Included Segments	Μ	N0 1/10
Must Use	SE02	329	Total number of segments included in a transaction set including ST and S Transaction Set Control Number	E segn M	nents AN 4/9
			Identifying control number that must be unique within the transaction set f by the originator for a transaction set	unctior	nal group assigned

814 Drop Examples

Example: Drop Request LDC to ESP

BGN*13*19990401195653001*19990401	BGN segment indicating this is a Request transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
N1*FE*CUSTOMER NAME	Forwarding address for customer who moved
N3*4251 S ELECTRIC STREET*MS 25	Forwarding address for customer who moved
N4*ANYTOWN*PA*18111	Forwarding address for customer who moved
PER*IC**TE*8005551212	Forwarding telephone number for customer who moved
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the
	transaction is for Electric Generation Services
ASI*F*024	Request for Final Drop
REF*1P*020*CUSTOMER MOVED	Reason for drop is that the customer moved
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number
REF*45*3959028538	Old LDC Account Number
DTM*151*19990415	Estimated drop date is 4/15/99

Example: Accept Drop Response ESP to LDC

BGN*11*1999040208000001*19990402***1999040119 5653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*WQ*024	Indicates the drop was accepted
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Reject Drop Response ESP to LDC

BGN*11*1999040208000001*19990402***1999040119 5653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*U*024	Indicates the drop was rejected
REF*7G*A76*ACCOUNT NOT FOUND	Rejection Reason
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Drop Request ESP to LDC

BGN*13*19990401195653001*19990401	BGN segment indicating this is a Request transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the
	transaction is for Electric Generation Services
ASI*F*024	Request for Final Drop
REF*1P*CCE*CONTRACT EXPIRED	Customer Contract with ESP Expired
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Accept Drop Response LDC to ESP

BGN*11*1999040208000001*19990402***1999040119 5653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the
	transaction is for Electric Generation Services
ASI*WQ*024	Indicates the drop was accepted
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number
REF*45*3959028538	Old LDC Account Number
DTM*151*19990415	Estimated drop date is 4/15/99

Example: Reject Drop Response LDC to ESP

BGN*11*1999040208000001*19990402***1999040119 5653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*CE	Transaction reference number, indication that the
	transaction is for Electric Generation Services
ASI*U*024	Indicates the drop was rejected
REF*7G*A76*ACCOUNT NOT FOUND	Rejection Reason
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Drop Request Renewable Energy Provider to LDC

This example only shows the first few segments to show N1*G7 segment LIN05 value of "RC" used by Renewable Energy Provider. Remaining segments would be identical to those used for an ESP transaction.

BGN*13*19990401195653001*19990401	BGN segment indicating this is a Request transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*G7*RENEWABLE CO*9*007909422GPM1**41	Renewable Energy Provider Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP1999040100000001*SH*EL*SH*RC	Transaction reference number, indication that the
	transaction is for Renewable Energy Services
ASI*F*024	Request for Final Drop
REF*1P*CCE*CONTRACT EXPIRED	Customer Contract with ESP Expired
REF*11*2348400586	Renewable Energy Provider Account Number
REF*12*293839200	LDC Account Number

Example: Drop Request ESP to LDC – Reverse Enrollment (Rescind)

BGN*13*20090401195653001*20090401	BGN segment indicating this is a Request transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*DROP20090401000000X1*SH*EL*SH*CE	Transaction reference number, indication that the
	transaction is for Electric Generation Services
ASI*F*024	Request for Final Drop
REF*1P*EB3*REVERSE ENROLLMENT	Drop enrollment
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number