

Flis, Tom

From: Ryan Anderson <Ryan.Anderson@dep.nj.gov>
Sent: Wednesday, December 17, 2014 12:10 PM
To: Flis, Tom
Cc: Bock, John; Williams, Beth; Jessica Cobb; Donna Mahon; Tim Davis
Subject: RE: Environmental Review - DCA RREM Program Project RRE0022516 - Jurisdictional Determination for Coastal Zone Permit

Tom
This project is for a rehabilitation. My understanding is that Land Use doesn't need to be consulted on rehab projects b/c they are not regulated under the appropriate regulations. For the purposes of this project, you can assume that Coastal and Flood Hazard Area permits are not required. Thanks

Ryan J. Anderson
Supervising Environmental Specialist
Bureau of Coastal Regulation
Division of Land Use Regulation
(609) 292-1230

From: Flis, Tom [mailto:Tom.Flis@tetrattech.com]
Sent: Wednesday, December 17, 2014 10:38 AM
To: Ryan Anderson
Cc: Bock, John; Williams, Beth
Subject: Environmental Review - DCA RREM Program Project RRE0022516 - Jurisdictional Determination for Coastal Zone Permit

Dear Mr. Anderson:

During the Environmental Record Review for funding under the Department of Community Affairs' Rehabilitation, Reconstruction, Elevation and Mitigation (RREM) Program, the following project was determined to be located in the CAFRA Zone:

Application ID Number: **RRE0022516**
Applicant: **Richard Lang**
Project Location: **1201 Ocean Avenue, Apartment 86, Sea Bright, NJ (Monmouth County); Block 7.01, Lots 17 & 15**
Project Description: **Rehabilitation of a single residential unit within a multifamily (5 or more units) structure in Sea Bright**

I am contacting you to determine if a Coastal Zone Permit is required for the rehabilitation of a single residential unit within a multifamily structure in Sea Bright. Your determination will enable us to complete the Environmental Review for the Activity/Project, which is Categorically Excluded Subject to Section 58.5 Pursuant to 24 CFR 58.35(a)(1). Your response will also be attached to the form as supporting documentation.

I have attached an estimated cost of repair, maps of the project location and the location of the project in relation to the CAFRA zone to assist you in your review.

Should you have any questions about this request or need additional information, please contact me by e-mail or at the telephone number or address below.

Thank you,
Tom Flis

Thomas J. Flis | Environmental Engineer III
Direct 302.283.2234 | Mobile 267.254.0203 | Main 302.738.7551
tom.flis@tetrattech.com

Tetra Tech, Inc. | Northeast Operations
240 Continental Drive, Suite 200 | Newark, DE 19713