

**The State of New Jersey  
Department of Environmental Protection**

**State Implementation Plan (SIP) Revision for the Attainment  
and Maintenance of the Ozone National Ambient Air Quality  
Standard**

**8-Hour Ozone Attainment Demonstration  
Final**

**October 29, 2007**

## **Preface**

New Jersey is finalizing this document as a revision to its State Implementation Plan. This document finalizes a plan for how the State will come into attainment with the health based 8-hour ozone National Ambient Air Quality Standards (NAAQS) by its attainment date of June 15, 2010. The final plan for attainment contained in this document conforms to the United States Environmental Protection Agency's (USEPA) guidance and rulemaking with respect to 8-hour ozone attainment.

## **Acknowledgements**

The New Jersey Department of Environmental Protection (NJDEP) acknowledges the efforts and assistance of the many agencies and individuals whose contributions were instrumental in the preparation of this final State Implementation Plan (SIP) Revision. The NJDEP would also like to thank the many participants of the NJDEP's Reducing Air Pollution Together (RAPT) Initiative, whose insight into the prospective control measures and their implementation was most valuable.

In particular, the NJDEP wishes to specially acknowledge the Maryland Department of the Environment for its assistance with the attainment demonstration. NJDEP would also like to acknowledge the many individuals within the New Jersey Department of Transportation, the North Jersey Transportation Planning Authority, the Delaware Valley Regional Planning Commission, the South Jersey Transportation Planning Organization, the United States Environmental Protection Agency Region II, the Connecticut Department of Environmental Protection, the New York State Department of Environmental Conservation, the Pennsylvania Department of Environmental Protection, the Delaware Department of Natural Resources and Environmental Control, the Virginia Department of Environmental Protection, the New Hampshire Department of Environmental Quality, the North Carolina Department of Environment and Natural Resources, the Georgia Department of Natural Resources, the University of Maryland, the Ozone Transport Commission, the Mid-Atlantic Region for Air Management Association, Mid-Atlantic/Northeast Visibility Union, the Ozone Research Center at the University of Medicine and Dentistry of New Jersey/Rutgers University, Northeast States for Coordinated Air Use Management, and the staff within the NJDEP for their assistance and guidance.

## Table of Contents

Preface.....	ii
Acknowledgements.....	ii
Table of Contents.....	iii
List of Tables .....	viii
List of Figures.....	xi
List of Appendices.....	xiii
Acronyms and Abbreviations .....	xv
Executive Summary .....	xix
Chapter 1	<b>OZONE SIP INTRODUCTION AND BACKGROUND</b>
1.1	Purpose..... 1-1
1.2	Background..... 1-1
1.3	Ozone National Ambient Air Quality Standards ..... 1-2
1.3.1	1-Hour Ozone..... 1-2
1.3.2	8-Hour Ozone..... 1-3
1.4	Health Effects and Welfare Impacts ..... 1-7
1.4.1	Ozone ..... 1-7
1.4.2	Ozone Precursor – Oxides of Nitrogen (NO <sub>x</sub> )..... 1-8
1.4.3	Ozone Precursor – Volatile Organic Compounds (VOC)..... 1-9
1.4.4	Ozone Related Benefits from Global Warming Initiatives..... 1-10
1.5	Summary of this Final SIP Revision..... 1-11
Chapter 2	<b>NATURE OF THE OZONE AIR QUALITY PROBLEM IN THE NORTHEAST – THE CONCEPTUAL MODEL .....</b> 2-1
Chapter 3	<b>AIR QUALITY TRENDS SUMMARY</b>
3.1	1-Hour Ozone..... 3-1
3.1.1	1-Hour Ozone Design Values and Exceedances ..... 3-1
3.1.2	Other New Jersey-Associated 1-Hour Ozone Nonattainment Areas ..... 3-5
3.2	8-Hour Ozone..... 3-6
3.2.1	8-Hour Ozone Design Values ..... 3-6
3.2.2	8-Hour Ozone Monitor Exceedances..... 3-9
3.2.3	New Jersey Monitor Trends..... 3-10
3.3	Ozone Precursor Concentrations..... 3-11
3.3.1	Volatile Organic Compounds (VOCs)..... 3-11
3.3.2	Nitrogen Dioxide ..... 3-14
3.4	Meteorological Trends..... 3-15

Chapter 4	CONTROL MEASURES	
4.1	Terminology.....	4-3
4.2	On the Books Controls.....	4-4
4.2.1	New Jersey.....	4-4
4.2.2	Federal.....	4-10
4.3	Beyond On The Way Controls.....	4-16
4.3.1	Identifying Measures .....	4-16
4.3.1.1	Regional Activities.....	4-16
4.3.1.2	Ozone Transport Commission (OTC).....	4-17
4.3.1.3	MARAMA .....	4-24
4.3.1.4	State Specific Efforts .....	4-27
4.3.1.4.1	New Jersey Workgroup Efforts .....	4-27
4.3.1.4.2	New Jersey Board of Public Utilities (BPU) Energy Master Plan Efforts .....	4-28
4.3.1.4.3	Reasonably Available Control Technology (RACT).....	4-29
4.3.1.4.4	Additional State Measures. ....	4-31
4.3.1.5	Federal.....	4-33
4.4	Conclusions on Control Measures .....	4-34
Chapter 5	ATTAINMENT DEMONSTRATION	
5.1	Introduction .....	5-1
5.2	Photochemical Modeling .....	5-2
5.2.1	Introduction .....	5-2
5.2.2	“One-Atmosphere” Air Quality Model .....	5-3
5.2.2.1	Meteorology Data .....	5-4
5.2.2.2	Regional Emission Inventories .....	5-4
5.2.2.2.1	Base Emission Inventory .....	5-5
5.2.2.2.2	Emission Control Inventories .....	5-7
5.2.2.3	Emissions Processor Selection and Configuration .....	5-7
5.2.2.4	Regional Modeling Coordination .....	5-8
5.2.2.5	Domain and Data Base Issues .....	5-8
5.2.2.5.1	Episode Selection .....	5-8
5.2.2.5.2	Size of the Modeling Domain .....	5-8
5.2.2.5.3	Horizontal Grid Size .....	5-9
5.2.2.5.4	Vertical Resolution .....	5-9
5.2.2.5.5	Initial and Boundary Conditions .....	5-10
5.2.2.6	Quality Assurance .....	5-10
5.2.2.7	Model Performance Evaluation .....	5-11
5.2.2.7.1	Summary of Model Performance .....	5-12
5.2.3	Control Measures Modeled .....	5-13
5.2.4	Photochemical Modeling Results .....	5-16
5.3	Demonstrations .....	5-18
5.3.1	Introduction .....	5-18
5.3.1.1	Modeling and Transport - Transport Mechanisms .....	5-21
5.3.1.2	Characterizing Ground Level Transport at Special Sites .....	5-22
5.3.1.3	Characterizing Westerly Transport of the Ozone Reservoir Using	

	High Elevation Monitors .....	5-23
5.3.1.4	The Contribution of Transport to Nonattainment .....	5-27
5.3.2	2009 Modeled Design Value Ranges Adjusted for Transport .....	5-29
5.3.2.1	Assessment of Model Response .....	5-29
5.3.2.2	Model Uncertainty .....	5-31
5.3.2.2.1	Uncertainty in Modeling Base Year Design Value .....	5-32
5.3.2.2.2	Uncertainty in Model Response to Changes .....	5-32
5.3.2.2.3	Results .....	5-33
5.3.2.3	Design Value Ranges .....	5-33
5.4	Supporting Analyses to Address Uncertainty .....	5-38
5.4.1	2009 Modeled Ozone Design Values Are Being Measured Now .....	5-38
5.4.2	Accounting for Unusual Meteorology .....	5-41
5.4.3	Using a Different Model Relative Response Factor .....	5-44
5.4.4	Additional Measures Not Included in the 2009 Attainment Modeling.....	5-46
5.4.4.1	Introduction .....	5-46
5.4.4.2	Additional Quantifiable Measures .....	5-46
5.4.4.3	Methodology for Converting Emission Reductions to Air Quality Benefits .....	5-48
5.4.4.4	Results .....	5-48
5.4.5	Non-Quantifiable Emission Reductions Which Improve Air Quality	5-49
5.4.6	2012 Photochemical Modeling Results .....	5-52
5.4.6.1	Control Measures .....	5-52
5.4.6.2	2012 Modeling Results .....	5-55
5.5	Unmonitored Area Analysis .....	5-57
5.6	Conclusions .....	5-58
Chapter 6	REASONABLE FURTHER PROGRESS (RFP)	
6.1	RFP Introduction, Goals, and Objectives .....	6-1
6.2	2002 Base Inventory .....	6-2
6.3	Projection Inventories .....	6-2
6.3.1	Introduction .....	6-2
6.3.2	Inventory – Overview .....	6-3
6.3.3	Control Measures Overview .....	6-4
6.3.4	Projected Inventories by Sector and Area .....	6-8
6.3.4.1	Point Sources .....	6-8
6.3.4.2	Area Sources .....	6-9
6.3.4.3	Nonroad Sources .....	6-10
6.3.4.4	Onroad Sources .....	6-11
6.3.4.5	Overall Projection Emissions Summary .....	6-11
6.4	RFP Target Calculations .....	6-15
6.5	RFP Summary and Conclusions .....	6-18
Chapter 7	REASONABLY AVAILABLE CONTROL MEASURE (RACM) ANALYSIS	
7.1	What is a RACM?.....	7-1

7.2	Methodology .....	7-2
7.2.1	Potential Control Measure Evaluation for Non-Transportation Control Measures .....	7-5
7.2.2	NJDOT Potential Control Measure Analysis for Transportation Control Measures and Other Onroad Mobile Measures .....	7-12
7.3	Potential Measures Identified... ..	7-14
7.4	Advancement of the Attainment Date.....	7-16
7.5	RACM Conclusion.....	7-16
Chapter 8	<b>CONTINGENCY MEASURES</b>	
8.1	Background.....	8-1
8.2	Contingency Measures for the 2008 RFP Demonstration .....	8-2
8.3	Contingency Measures for the Attainment Demonstration .....	8-3
8.4	Contingency Measure Implementation Schedule .....	8-8
8.5	Conclusions.....	8-8
Chapter 9	<b>TRANSPORT SECTION 110</b>	
9.1	Background.....	9-1
9.2	Significant Contribution to Nonattainment, or Interference with Maintenance, of a NAAQS in Another State.....	9-1
9.3	Prevention of Significant Deterioration/Nonattainment New Source Review (PSD/NNSR) Requirement .....	9-3
9.4	The Visibility Requirement.....	9-4
9.5	Conclusion .....	9-4
Chapter 10	<b>CONFORMITY</b>	
10.1	Transportation Conformity .....	10-1
10.2	General Conformity .....	10-4
Chapter 11	<b>ADDRESSING 1-HOUR OZONE IN NEW JERSEY</b>	
11.1	Background.....	11-1
11.2	Allentown-Bethlehem-Easton, Pennsylvania-New Jersey Nonattainment Area .....	11-2
11.3	Atlantic City Nonattainment Area .....	11-3
11.4	Philadelphia Nonattainment Area .....	11-4
11.5	New York Nonattainment Area .....	11-5
11.6	Maintenance Plan for 1-Hour Ozone Nonattainment Areas .....	11-6
Chapter 12	<b>CONSIDERATION OF A NEW 8-HOUR OZONE HEALTH STANDARD.....</b>	12-1
Chapter 13	<b>COMMITMENTS AND REQUESTS FOR FUTURE ACTION</b>	
13.1	Control Measure Commitments.....	13-1
13.2	Other Commitments.....	13-3
13.2.1	Transport .....	13-3

13.2.2	Prevention of Significant Deterioration/Nonattainment New Source Review (PSD/NNSR) .....	13-4
13.2.3	Visibility .....	13-4
13.2.4	Monitoring Network .....	13-4
13.3	State Requests of USEPA .....	13-4
13.3.1	1-Hour Ozone.....	13-4
13.3.2	New Jersey's Reliance on Other State Actions for Attainment.....	13-5
Chapter 14	CONCLUSION	

## List of Tables

Table 1.1:	New Jersey-Associated Ozone Nonattainment Areas – Designations and Classifications .....	1-7
Table 4.1:	Control Measures .....	4-1
Table 4.2:	Summary of Emission Standards for Recreational Vehicles .....	4-13
Table 4.3:	Final OTC Control Measure Source Categories .....	4-18
Table 4.4:	Ozone Control Measure Summary.....	4-35
Table 5.1:	Modeled Control Measures Included in the 2009 BOTW Model Run .....	5-13
Table 5.2:	Ozone Transport Region-Wide Modeling Assumptions for the 2009 BOTW Model Run.....	5-15
Table 5.3:	2009 Modeled Design Values for the Northern New Jersey/New York/Connecticut and Southern New Jersey/Philadelphia Nonattainment Areas .....	5-17
Table 5.4:	Methodology for Calculating 2009 Modeled Design Value Ranges Adjusted for Transport .....	5-34
Table 5.5:	Observed ( $DV_B$ ), Modeled ( $DV_F$ ) and Modeled Adjusted for Transport ( $DV_{AT}$ ) Design Values for the NNJ/NY/CT and SNJ/Phila. Nonattainment Areas .....	5-36
Table 5.6:	2002 and 2006 Monitored Ozone Design Values Compared to 2009 Modeled Ozone Design Values .....	5-40
Table 5.7:	Alternate Modeling Baseline Design Value Using the Average of the Fourth Highest Maximum Ozone Concentration in the Five Year Period Centered Around 2002 for Colliers Mills, New Jersey .....	5-42
Table 5.8:	Calculated and Modeled Design Values for the Northern New Jersey/New York/Connecticut and Southern New Jersey/Philadelphia Nonattainment Areas .....	5-43
Table 5.9:	Relative Response Factors for the Northern New Jersey/New York/Connecticut and Southern New Jersey/Philadelphia Nonattainment Areas .....	5-44
Table 5.10:	2009 Modeled Design Values Using the Alternate Baseline Design Value and Alternate RRF for the Northern New Jersey/New York/Connecticut and Southern New Jersey/Philadelphia Nonattainment Areas .....	5-45
Table 5.11:	Additional Quantifiable Measures Not Included in the 2009 BOTW Modeling .....	5-47
Table 5.12:	Control Measures included in the 2012 BOTW Model Run.....	5-52
Table 5.13:	Ozone Transport Region-Wide Modeling Assumptions for the 2012 BOTW Model Run .....	5-54
Table 5.14:	Comparison of 2002 Observed Design Values to 2012 Modeled Design Values and 2012 Modeled Design Value Ranges Adjusted for Transport for the Northern New Jersey/New York/Connecticut and Southern New Jersey/Philadelphia Nonattainment Areas.....	5-56
Table 5.15:	Summary of Attainment Modeling Results and Supporting Analyses.....	5-62

Table 6.1:	Projected Emissions and Control Measure Benefits Statewide .....	6-5
Table 6.2:	Projected Emissions and Control Measure Benefits, New Jersey Portion of Northern New Jersey/New York/Connecticut Nonattainment Area .....	6-6
Table 6.3:	Projected Emissions and Control Measure Benefits, New Jersey Portion of Southern New Jersey/Philadelphia Nonattainment Area.....	6-7
Table 6.4:	Projected vs. Actual 2005 Point Source Inventory .....	6-8
Table 6.5:	VOC 2002 Actual and Future Year Projected Inventories, Point Sources .....	6-9
Table 6.6:	NO <sub>x</sub> 2002 Actual and Future Year Projected Inventories, Point Sources .....	6-9
Table 6.7:	VOC 2002 Actual and Future Year Projected Inventories, Area Sources .....	6-9
Table 6.8:	NO <sub>x</sub> 2002 Actual and Future Year Projected Inventories, Area Sources .....	6-10
Table 6.9:	VOC 2002 Actual and Future Year Projected Inventories, Nonroad Sources .....	6-10
Table 6.10:	NO <sub>x</sub> 2002 Actual and Future Year Projected Inventories, Nonroad Sources .....	6-10
Table 6.11:	VOC 2002 Actual and Future Year Projected Inventories, Onroad Sources .....	6-11
Table 6.12:	NO <sub>x</sub> 2002 Actual and Future Year Projected Inventories, Onroad Sources .....	6-11
Table 6.13:	VOC 2002 Actual and Future Year Projected Inventories, All Emission Sectors .....	6-11
Table 6.14:	NO <sub>x</sub> 2002 Actual and Future Year Projected Inventories, All Emission Sectors .....	6-12
Table 6.15:	Rate of Further Progress, New Jersey Portion of Northern New Jersey/New York/Connecticut Nonattainment Area .....	6-16
Table 6.16:	Rate of Further Progress, New Jersey Portion of Southern New Jersey/Philadelphia Nonattainment Area .....	6-17
Table 7.1:	USEPA RACM Guidance Documents.....	7-2
Table 7.2:	Reducing Air Pollution Together Initiative Workgroups .....	7-8
Table 7.3:	Measures Identified from NJDEP Workgroup and OTC Regional Efforts .....	7-10
Table 7.4:	List of 17 Potential Non-TCM RACMs .....	7-11
Table 7.5:	Potential Transportation Control Measures (TCMs) .....	7-13
Table 7.6:	Potential RACMs Ranked by Potential VOC Reduction (Top 4).....	7-15
Table 7.7:	Potential RACMs Ranked by Potential NO <sub>x</sub> Reduction (Top 4).....	7-15
Table 7.8:	Summary of the Potential RACMs .....	7-16
Table 8.1:	Calculation of VOC and NO <sub>x</sub> Reductions for Reasonable Further Progress Contingency Measures for 2008 (Ozone Season tons per day).....	8-3
Table 8.2:	Calculation of VOC and NO <sub>x</sub> Reductions for Attainment Contingency for 2009 (Ozone Season tons per day) .....	8-6

Table 10.1:	8-Hour Ozone Transportation Conformity Budgets by Metropolitan Planning Organization.....	10-4
Table 10.2:	Emission Budgets for McGuire AFB and Lakehurst NAS.....	10-5
Table 11.1:	1-Hour Ozone Design Values (parts per million) for the Allentown-Bethlehem-Easton, PA-NJ Nonattainment Area .....	11-3
Table 11.2:	1-Hour Ozone Design Values (parts per million) for the Atlantic City Nonattainment Area .....	11-4
Table 11.3:	2005 and 2006 1-Hour Ozone Design Values (parts per million) for the Philadelphia Nonattainment Area .....	11-5
Table 11.4:	1-Hour Ozone Design Values (parts per million) for the New York Nonattainment Area .....	11-6
Table 12.1:	Proposed Changes to the 8-Hour Ozone Standard.....	12-2
Table 12.2:	2012 Adjusted Probable Modeling Results.....	12-4
Table 13.1:	State Control Measure Commitments.....	13-2

## List of Figures

Figure 1.1:	New Jersey-Associated 8-hour Ozone Nonattainment Areas .....	1-5
Figure 3.1:	New Jersey 1-Hour Ozone Design Values, 1988-2006 (Based on 4th Highest 1-Hour Average Concentration).....	3-2
Figure 3.2:	Design Values for the 1-Hour Ozone New York Nonattainment Area, 1982-2006 .....	3-3
Figure 3.3:	Design Values for the 1-Hour Ozone Philadelphia Nonattainment Area, 1982-2006 .....	3-3
Figure 3.4:	Number of Days on which the 1-Hour Ozone Standard was Exceeded in New Jersey, 1985-2006.....	3-4
Figure 3.5:	Monitored Exceedances in the New Jersey Portion of 1-Hour Ozone New York and Philadelphia Nonattainment Areas, 1980-2006 ...	3-5
Figure 3.6:	2006 New Jersey Ozone Monitoring Network .....	3-6
Figure 3.7:	New Jersey 8-Hour Ozone Design Values, 1988-2006 (Based on 3-Year Average of 4th Highest Daily 8-Hour Concentration).....	3-7
Figure 3.8:	NNJ/NY/CT Nonattainment Area 8-Hour Ozone Design Values, 1999-2006. ....	3-8
Figure 3.9:	SNJ/Phila. Nonattainment Area 8-Hour Ozone Design Values, 1999-2006. ....	3-8
Figure 3.10:	Number of Days on which the 8-Hour Ozone Standard was Exceeded in New Jersey, 1985-2006.....	3-9
Figure 3.11:	Monitored Exceedances in the 8-Hour Ozone NNJ/NY/CT Nonattainment Area and SNJ/Phila. Nonattainment Area, 1997-2006 .....	3-10
Figure 3.12:	Total Non-methane Organic Carbon (TNMOC), Seasonal Average 1995-2005, New York Metropolitan Area .....	3-12
Figure 3.13:	Total Non-methane Organic Carbon (TNMOC), Seasonal Average 1995-2005, Philadelphia Metropolitan Area.....	3-13
Figure 3.14:	New Jersey Nitrogen Dioxide Air Quality, 1975-2005, 12-Month (Calendar Year) Average .....	3-14
Figure 3.15:	New Jersey 8-Hour Ozone “Unhealthy” Days vs. “Hot Days” .....	3-15
Figure 5.1:	MANE-VU 12-Kilometer CMAQ Modeling Domain .....	5-9
Figure 5.2a:	2009 Modeled 8-Hour Ozone Design Values Adjusted for Transport for Monitoring Sites in the NNJ/NY/CT Nonattainment Area.....	5-20
Figure 5.2b:	2009 Modeled 8-Hour Ozone Design Values Adjusted for Transport for Monitoring Sites in the SNJ/Phila. Nonattainment Area .....	5-20
Figure 5.3:	Location of New Jersey Monitors and Upper Air Monitoring Stations in the Northeastern United States .....	5-24
Figure 5.4:	Hourly Ozone Profiles in the Southern Ozone Transport Region, August 12, 2002 .....	5-25
Figure 5.5:	Hourly Ozone Profiles in the Northern Ozone Transport Region, August 12, 2002 .....	5-25
Figure 5.6a:	Hourly Ozone at Various Monitors on August 13, 2005 .....	5-26
Figure 5.6b:	Fourth Maximum 8-Hour Ozone Concentration at the Methodist Hill, PA Monitor, 1996-2006 .....	5-27

Figure 5.7:	2009 Modeled Design Value vs. 2009 Modeled Design Value Ranges Adjusted for Transport for Colliers Mills, New Jersey .....	5-35
Figure 5.8a:	Various Design Values for the Ozone Monitoring Sites in the Northern New Jersey/New York/Connecticut Nonattainment Area .....	5-37
Figure 5.8b:	Various Design Values for the Ozone Monitoring Sites in the Southern New Jersey/Philadelphia Nonattainment Area.....	5-37
Figure 5.9:	2002-2006 Monitored 8-Hour Ozone Design Values Compared to 2009 Modeled Ozone Design Values .....	5-39
Figure 5.10:	Map of Grid Cells Used in Photochemical Modeling Associated with New Jersey Ozone Monitors .....	5-58
Figure 6.1:	Controlled VOC Emissions, OTB/OTW/BOTW Statewide .....	6-13
Figure 6.2:	Controlled NO <sub>x</sub> Emissions, OTB/OTW/BOTW Statewide .....	6-14
Figure 7.1:	2002 New Jersey VOC Emission Inventory Top 15 by SCC .....	7-6
Figure 7.2:	2002 New Jersey NO <sub>x</sub> Emission Inventory Top 15 by SCC.....	7-6
Figure 7.3:	Identification of Potential Control Measures .....	7-14
Figure 10.1:	Metropolitan Planning Organizations in New Jersey .....	10-2

## List of Appendices

- Appendix A: The Nature of the Ozone Air Quality Problem in the Ozone Transport Region: A Conceptual Description
- Appendix B: Air Quality Trends
- Appendix C1: Memorandum of Understanding Among the States of the Ozone Transport Commission Concerning the Incorporation of High Electrical Demand Day Emission Reduction Strategies into Ozone Attainment State Implementation Planning
- Appendix C2: Identification and Evaluation of Candidate Control Measures Final Technical Support Document
- Appendix C3: Resolution 06-02 of the Ozone Transport Commission Concerning Coordination and Implementation of Regional Ozone Control Strategies for Various Sources
- Appendix C3: Attachment 1: Addendum to Resolution 06-02 of the Ozone Transport Commission Concerning Coordination and Implementation of Regional Ozone Control Strategies for Various Sources
- Appendix C4: Assessment of Control Technology Options for Petroleum Refineries in the Mid-Atlantic Region
- Appendix D1: TSD-1i: A Modeling Protocol for the OTC SIP Quality Modeling System for Assessment of the Ozone National Ambient Air Quality Standard in the Ozone Transport Region
- Appendix D2-1: USEPA Modeling Guidance (2005)
- Appendix D2-2: USEPA Modeling Guidance (2007)
- Appendix D3: CMAQ Modeling Documentation
- Appendix D3-1: TSD-1d: 8hr Ozone Modeling using the SMOKE/CMAQ System
- Appendix D3-2: OTC CMAQ Air Quality Model Configuration
- Appendix D3-3: Modeling Domain Boundary
- Appendix D3-4: Horizontal Grid Definition for MM5 and CMAQ Modeling Domain
- Appendix D3-5: Vertical Layer Definitions for MM5 and CMAQ Modeling Domain
- Appendix D3-6: Report on the Set-up and Application of the 36 km CMAQ Model and the Extraction of the Boundary Conditions
- Appendix D4: Meteorological Modeling and Supplemental Analyses
- Appendix D4-1: TSD-1a: Meteorological Modeling using Penn State/NCAR 5th Generation Mesoscale Model (MM5)
- Appendix D4-2: Analysis of MM5 Simulations based on three PBL schemes over the eastern US for August 6 to 16, 2002
- Appendix D4-3: Numerical Experimental Analysis Data for the Year of 2002
- Appendix D4-4: MM5 Model Configurations
- Appendix D4-5: Horizontal Grid Definition for MM5 and CMAQ Modeling Domain
- Appendix D4-6: Vertical Layer Definitions for MM5 and CMAQ Modeling Domain
- Appendix D4-7: Determination of Representativeness of 2002 Ozone Season for Ozone Transport Region SIP Modeling, Final Report.
- Appendix D5: TSD-1b: Processing of Biogenic Emissions for OTC / MANE-VU Modeling
- Appendix D6: TSD-1c: Emission Processing for the Revised 2002 OTC Regional and Urban 12 km Base Case Simulations

- Appendix D7: Technical Support Document For 2002 MANE-VU SIP Modeling Inventories, Version 3
- Appendix D8-1: TSD-1f: Future Year Emissions Inventory for 8-HR OTC Ozone Modeling
- Appendix D8-1: Attachment 1: Comparison of CAIR and CAIR Plus Proposal using the Integrated Planning Model (IPM®)
- Appendix D8-1: Attachment 2: MANE-VU Mobile Source Projection Inventory: Data Preparation for SMOKE/MOBILE6 Application
- Appendix D8-2: Development of Emission Projections for 2009, 2012, and 2018 for Non-EGU Point, Area, and Nonroad Sources in the MANE-VU Region, Final TSD
- Appendix D9: TSD-1j: Emission Processing for OTC 2009 OTW/OTB 12km CMAQ Simulations
- Appendix D10: TSD-1e: CMAQ Model Performance and Assessment 8-Hr OTC Ozone Modeling
- Appendix D10: Attachments 1-20: Supplemental CMAQ Model Performance and Assessment Documentation
- Appendix D11: TSD-1g: Relative reduction factor (RRF) and “Modeled Attainment Test”
- Appendix D12: Calculation Methodology for Alternate RRFs and DVFs
- Appendix D13: Quantification of Additional Control Measures Not Included in the 2009 BOTW Modeling
- Appendix D13: Attachment 1: Methodology for Quantifying the Estimated Improvement in Air Quality
- Appendix D13: Attachment 2: Estimated Emission Reduction Calculations to Support Additional Control Measures and Benefits Not Included in the Regional Modeling
- Appendix D14: Unmonitored Area Analysis from the New York Department of Environmental Conservation and the Delaware Department of Natural Resources and Environmental Control
- Appendix E: RFP Projected Inventories
- Appendix E: Attachment 1: Point Source Inventory Projections for 2008 and 2009
- Appendix E: Attachment 2: Area Source Inventory Projections for 2008 and 2009
- Appendix E: Attachment 3: Nonroad Source Inventory Projections for 2008 and 2009
- Appendix E: Attachment 4: Onroad Source Inventory Projections for 2008 and 2009
- Appendix F1: New Jersey Department of Transportation Project Analyses
- Appendix F2: New Jersey RACM Analysis Tables
- Appendix F3: New Jersey Department of Transportation 2009 RACM - Political Feasibility
- Appendix G: Onroad Fleet Turnover Emission Reductions for 2010
- Appendix H: Public Participation
- Attachment 1: Notice of Availability
- Attachment 2: Documentation of the Notices that Appeared in the Newspapers and the New Jersey Register
- Attachment 3: Response to Comment Document

## Acronyms and Abbreviations

ACT	Alternative Control Techniques
AEL	Alternative Emission Limit
AIM	Architectural and Industrial Maintenance
APA	Administrative Procedures Act
APCA	Air Pollution Control Act
ATPZEV	Advanced Tech Partial Zero Emission Vehicle
ATV	All Terrain Vehicle
BACT	Best Available Control Technology
BART	Best Available Retrofit Technology
BMPs	Best Management Practices
BOTW	Beyond on the Way
CAA	Clean Air Act
CAAA	Clean Air Act Amendments
CAAAC	Clean Air Act Advisory Committee
CAIR	Clean Air Interstate Rule
CARB	California Air Resources Board
CASAC	Clean Air Scientific Advisory Committee
C.F.R.	Code of Federal Regulations
CM	Control Measures
CMAQ	Congestion Mitigation and Air Quality
CTGs	Control Technique Guidelines
DV	Design Value
DV <sub>AT</sub>	Design Value Adjusted for Transport
DV <sub>B</sub>	Observed Design Value
DV <sub>Balt</sub>	Alternate Modeling Baseline Design Value
DV <sub>F</sub>	Modeled Design Value
DV <sub>Falt</sub>	Modeled Alternate Baseline Design Value
DV <sub>Falt-r</sub>	Modeled Alternate Baseline Design Value and the Maximum Response RRF
DVMT	Daily Vehicle Miles Traveled
DVRPC	Delaware Valley Regional Planning Commission
EGAS	Economic Growth Analysis System
EGU	Electric Generating Unit
EMP	Energy Master Plan
FCC	Fluid Catalytic Cracking
FCCU	Fluid Catalytic Cracking Unit
FIP	Federal Implementation Plan
FMVCP	Federal Motor Vehicle Control Program
FNL	Federal Direct Final Rule
Fed. Reg.	Federal Register
FSEL	Facility-Specific Emission Limit
GHG	Greenhouse Gas
GMF	Glass Manufacturing Furnace
HAP	Hazardous Air Pollutant
HDDE	Heavy Duty Diesel Engine

HDDV	Heavy Duty Diesel Vehicle
HEDD	High Electrical Demand Day
hp	Horsepower
IAQR	Interstate Air Quality Rule
ICE	Internal Combustion Engine
ICI	Industrial/Commercial/Institutional
I/M	Inspection and Maintenance
LAER	Lowest Achievable Emission Rate
lbs	Pounds
LDAR	Leak Detection and Repair
LEV	Low Emission Vehicle
LNB	Low NO <sub>x</sub> Burner
MACT	Maximum Available Control Technology
MANE-VU	Mid-Atlantic/Northeast Visibility Union
MARAMA	Mid-Atlantic Regional Air Management Association
MERR	Mobile Equipment Repair and Refinishing
MM5	Mesoscale Meteorological Model
MMBtu	Million British Thermal Units
MSW	Municipal Solid Waste
MW	Megawatt
MWRPO	Midwest Regional Planning Organization
MOA	Memorandum of Agreement
MOU	Memorandum of Understanding
MPO	Metropolitan Planning Organization
MWC	Municipal Waste Combustor
MWRPO	Midwest Regional Planning Organization
MY	Model Year
NAA	Nonattainment Area
NAAQS	National Ambient Air Quality Standards
NEI	National Emissions Inventory
NESCAUM	Northeast States for Coordinated Air Use Management
NH <sub>3</sub>	Ammonia
N.J.A.C.	New Jersey Administrative Code
NJDEP	New Jersey Department of Environmental Protection
NJDOT	New Jersey Department of Transportation
NJEMS	New Jersey Environmental Management System
NJLEV	New Jersey Low Emission Vehicle
NJTPA	North Jersey Transportation Planning Authority
NJR	New Jersey Register
N.J.S.A.	New Jersey Statutes Annotated
NLEV	National Low Emission Vehicle Program
NMHC	Non-methane Hydrocarbon
NMOG	Non-methane Organic Gases
NNSR	Nonattainment New Source Review
NO <sub>x</sub>	Oxides of Nitrogen
NSPS	New Source Performance Standard
NSR	New Source Review
NTE	Not-To-Exceed

NYSDEC	New York State Department of Environmental Conservation
OBD	On-Board Diagnostics
ORVR	Onboard Refueling Vapor Recovery
OTAG	Ozone Transport Assessment Group
OTB	On the Books
OTC	Ozone Transport Commission
OTR	Ozone Transport Region
OTW	On the Way
PAMS	Photochemical Assessment Monitoring Station
PFC	Portable Fuel Container
PM <sub>2.5</sub>	Fine Particulate Matter (particles with an aerodynamic diameter less than or equal to a nominal 2.5 micrometers)
PM <sub>10</sub>	Particles with an aerodynamic diameter less than or equal to a nominal 10 micrometers
POTW	Publicly Owned Treatment Works
PPAQ	Post Processor of Air Quality
ppb	Parts per billion
ppm	Parts per million
ppmvd	Parts per million by volume dry basis
PSD	Prevention of Significant Deterioration
PTE	Potential to Emit
PZEV	Partial Zero Emission Vehicle
QA/QC	Quality Assurance/Quality Control
RACM	Reasonably Available Control Measure
RACT	Reasonably Available Control Technology
RBLC	RACT/BACT/LAER Clearinghouse
RE	Rule Effectiveness
RFG	Reformulated Gasoline
RFP	Reasonable Further Progress
RGGI	Regional Greenhouse Gas Initiative
RICE	Reciprocating Internal Combustion Engine
ROP	Rate of Progress
RPO	Regional Planning Organization
RRF	Relative Reduction Factor
SCC	Source Classification Code
SCR	Selective Catalytic Reduction
SIC	Standard Industrial Classification
SIP	State Implementation Plan
SJTPO	South Jersey Transportation Planning Organization
SMOKE	Sparse Matrix Operator Kernel Emissions
SNCR	Selective Non-Catalytic Reduction
SO <sub>2</sub>	Sulfur Dioxide
SO <sub>x</sub>	Oxides of Sulfur
SOTA	State of the Art
SUV	Sport Utility Vehicle
TBD	To Be Determined
TCM	Transportation Control Measure
TDM	Travel Demand Model


TOC	Technical Oversight Committee
tpd	Tons per day
tpy	Tons per year
TSD	Technical Support Document
TTN	Technology Transfer Network
TRB	Transportation Research Board
USEPA	United States Environmental Protection Agency
USDOE	United States Department of Energy
USDOT	United States Department of Transportation
VISTAS	Visibility Improvement State and Tribal Association of the Southeast
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compound
ZEV	Zero Emission Vehicle

## Executive Summary


Ozone continues to be New Jersey's most pervasive air quality problem. Although the ozone found in the earth's upper atmosphere (stratosphere) forms a protective layer from the sun's ultraviolet radiation, the ozone formed near the earth's surface (troposphere) is inhaled by or comes into contact with people, animals, crops and other vegetation, and can cause a variety of health and other effects. As shown by Figures ES.1 and ES.2, New Jersey and its multi-state nonattainment areas have made great strides over the years in reducing its ozone levels, as evident by the fact that much of New Jersey is now meeting the revoked 1-hour ozone health standard.

In 1997, the United States Environmental Protection Agency (USEPA) revised the national health standard for ozone, establishing an 8-hour ozone health standard that was more protective of human health and welfare. Figures ES.3 and ES.4 show that the entire State of New Jersey is designated as nonattainment for the 8-hour ozone standard. New Jersey is divided between two 8-hour multi-state nonattainment areas:

**Figure ES.1: Design Values for the 1-Hour Ozone  
New York Nonattainment Area, 1982-2006**



**Figure ES.2: Design Values for the 1-Hour Ozone  
Philadelphia Nonattainment Area, 1982-2006**




designated as nonattainment for the 8-hour ozone standard. New Jersey is divided between two 8-hour multi-state nonattainment areas:

- the northern half of the State is associated with the New York City metropolitan area, NY and portions of Connecticut; and,
- the southern half of the State

is associated with the Philadelphia metropolitan area, PA, all of Delaware and a portion of Maryland.


Figure ES.5 shows New Jersey's two 8-hour ozone multi-state nonattainment areas. Both of New Jersey's associated 8-hour nonattainment areas are classified as moderate, giving them an attainment date of June 15, 2010 (and requiring that their attainment demonstrations be submitted to the USEPA by June 15, 2007). The core of this final SIP revision is New Jersey's demonstration that its two multi-state 8-hour ozone nonattainment areas will attain the 8-hour ozone National Ambient Air Quality Standard (NAAQS) by June 15, 2010. The remainder of the final SIP revision addresses the other mandatory SIP elements for 8-hour ozone (with the

**Figure ES.3: NNJ/NY/CT Nonattainment Area 8-Hour Ozone Design Values, 1999-2006**



SIP revision addresses the other mandatory SIP elements for 8-hour ozone (with the

**Figure ES.4: SNJ/Phila. Nonattainment Area 8-Hour Ozone Design Values, 1999-2006**




exception of a Reasonable Available Control Technology (RACT) analysis, which was finalized on August 1, 2007).

Specifically, the primary components of the final SIP revision include:

**Figure ES.5: New Jersey-Associated 8-hour Ozone Nonattainment Areas**

Attainment Demonstration:

New Jersey presents a plausible demonstration that its two multi-state nonattainment areas will attain the 8-hour ozone health standard by June 15, 2010. New Jersey’s attainment demonstration is primarily based on photochemical air quality simulation modeling that includes the implementation of numerous additional control measures prior to the summer of 2009. The demonstration also incorporates the latest scientific information from the University of Maryland that considers some of the uncertainties and biases when using atmospheric models. The 2009 modeled design values were adjusted to account for the fact that the photochemical modeling system used under predicts transport and ozone changes associated with emission reductions. Adjusting the modeling results for the transport benefit and accounting for some uncertainty in the modeling resulted in a range of future design values that demonstrate attainment of the 8-hour ozone standard. Beyond the “transport adjusted” future design values, New Jersey provides additional analytical evidence to further address any uncertainty in the regional photochemical air quality modeling, and to support its claim of attainment, including benefits from additional control measures not captured in the regional modeling. Table ES.1 presents the results for the two controlling monitors in the multi-state nonattainment areas associated with New Jersey. The results indicated that it is plausible for both areas to reach attainment by June 15, 2010.



New Jersey’s attainment demonstration relies upon New Jersey and the rest of the Ozone Transport Commission states honoring their commitments to implement the “beyond on the way” control measures contained in the regional 2009 attainment modeling. Therefore, it is important that the USEPA, in reviewing the attainment demonstrations and all other SIP revisions from upwind states, take into consideration the impact on New Jersey’s attainment obligations, and insure that other states are doing all that is necessary to help the multi-state nonattainment areas reach attainment as soon as practicable. This final SIP revision reaffirms New Jersey’s plan for addressing its transport obligations under 42 U.S.C. § 7410(a)(2)(D)(i) (CAA 110(a)(2)(D)(i)), as outlined

**Table ES.1: Demonstration of Attainment at the Controlling Monitors**

Site Name - County, State	Site Number	Starting Point	Attainment Modeling Results						Supporting Analyses						
		2009 Modeled Results (DV <sub>F</sub> ) (ppb)	2009 Modeled Results Adjusted for Transport (DV <sub>AT</sub> ) (ppb)	Upper and Lower Bound of 2009 DV <sub>AT</sub> (ppb)			2009 Modeled Results Adjusted for Transport and Taking Additional Quantifiable Measures Not Modeled into Account	2009 Modeled Results (DV <sub>F</sub> ) (ppb)	2009 Modeled Results using Alternate Baseline (DV <sub>Falt</sub> ) (ppb)	2009 Modeled Results using Alternate Baseline and RRF (DV <sub>Falt+R</sub> ) (ppb)	2009 Modeled Results using Alternate Baseline and RRF and Taking Additional Quantifiable Measures Not Modeled into Account				
<b>NNJ/NY/CT Nonattainment Area</b>															
Stratford - FAIRFIELD CO, CT	90013007	90	85	88	-	82	88	-	80	90	87	83	83	-	81
<b>SNJ/Phila. Nonattainment Area</b>															
Colliers Mills - OCEAN CO, NJ	340290006	92	85	88	-	81	88	-	76	92	90	86	86	-	81

Note: There are additional non-quantifiable measures that will produce air quality benefits and further reduce these values.

previously in a letter from NJDEP Commissioner Jackson to USEPA Region 2 Regional Administrator Steinberg on December 22, 2006.

New Jersey commits in this final SIP revision to propose and adopt, in accordance with the New Jersey Administrative Procedures Act and the Air Pollution Control Act, all the control measures included in its attainment photochemical modeling. New Jersey further commits to propose and adopt, pursuant to the Administrative Procedures Act and the Air Pollution Control Act, a number of other control measures that were not included in the 2009 attainment modeling, but will result in emission reductions by 2009. New Jersey commits to propose all of these control measures, listed in Table ES.2, by no later than November 2007 and adopt by 2008, in accordance with the New Jersey Administrative Procedures Act (APA) (N.J.S.A. 52:14B-1 et. seq.) and the Air Pollution Control Act (APCA) (N.J.S.A. 26:2C-1 et. seq.).

**Table ES.2: State Control Measure Commitments**

<b>OTB/OTW Measures</b>
<ul style="list-style-type: none"> <li>• All measures implemented; no further commitment is necessary</li> </ul>
<b>BOTW Measures</b>
<ul style="list-style-type: none"> <li>• Consumer Products 2009 Amendments</li> <li>• Portable Fuel Container 2009 Amendments</li> <li>• Adhesives and Sealants</li> <li>• Asphalt Paving</li> <li>• Certain Categories of ICI Boilers</li> </ul>
<b>Additional measures to reduce the uncertainty of plausible attainment, and/or provide contingency for attainment*</b>
<ul style="list-style-type: none"> <li>• Refinery Rules</li> <li>• New USEPA Control Technique Guidelines (CTGs)</li> <li>• Case by case VOC and NO<sub>x</sub> Emission Limit Determinations</li> <li>• High Electric Demand Day Program</li> <li>• Petroleum Storage Tank Rule</li> <li>• Diesel Idling Rule</li> <li>• Diesel Inspection and Maintenance Program</li> <li>• Municipal Waste Combustors Rule</li> <li>• New Source Review</li> </ul>

**\* These measures were not included in the regional modeling for 2009.**

The implementation of all of these measures will serve not only to meet New Jersey’s obligation that New Jersey’s associated nonattainment areas meet their mandatory attainment date, but will insure that New Jersey is not negatively impacting any other area’s ability to meet the NAAQS through transported emissions of ozone and its precursors.

New Jersey also commits, as part of this SIP revision, to implement a number of future control measures that will result in emission reductions post-2010. It is important that New Jersey and its neighboring states continue to reduce emissions post-2010, as these longer-term measures provide:

- the regulated community with certainty and more time to identify the necessary funding to install control equipment, modify their products or usage patterns, and/or take other actions to implement pollution prevention strategies; and,
- additional reductions, which would be relied upon should the state not attain by 2010.
- Additional public health protection, especially in view of health scientist and USEPA scientists’ recommendation for a more protective ozone NAAQS.

Furthermore, making these additional reductions in air pollution is prudent in providing much needed improved air quality and public health protection as soon as possible and to provide more certainty that the NAAQS will be attained.

Reasonable Further Progress:

As required by 42 U.S.C. §7410(a)(1), this final SIP revision provides a demonstration that New Jersey will more than meet its Reasonable Further Progress (RFP) targets for both 2008 (RFP milestone) and 2009 (attainment) using the same control measures applied in the State's 2009 attainment demonstration. Meeting these milestones will provide incremental progress towards attainment, rather than achieving the majority of emission reductions just before the attainment date.

Reasonably Available Control Measures:

As required by 42 U.S.C. §7502(c)(1), this final SIP revision provides a Reasonably Available Control Measures (RACM) analysis for the ozone precursors of VOC and NO<sub>x</sub>. Specifically, the USEPA requires states to implement any technologically and economically feasible measures identified by its RACM analysis that would advance the attainment date by one year. While New Jersey's RACM analysis did identify feasible measures, implementation of those measures would not advance the nonattainment areas' attainment date by one year, to June 15, 2009 (which would require demonstration of attainment by the summer of 2008). Several of the feasible measures identified as part of this analysis (including new requirements for adhesives and sealants, consumer products, aerosol coatings, and truck idling restrictions) are being proposed for implementation by either New Jersey or the federal government to ensure attainment, or better than attainment, for the protection of public health.

Contingency Plans:

Pursuant to 42 U.S.C. §§7502(c)(9) and 7511a(c)(9), New Jersey developed contingency plans that require corrective action in the event that New Jersey misses its 2008 Reasonable Further Progress milestone or fails to attain the NAAQS by the summer of 2009. Each of these plans must provide for an action plan to reduce VOC<sup>1</sup> emissions by 3 percent of the adjusted 2002 base year VOC emissions inventory. New Jersey relies on the "surplus" in emission reductions from New Jersey and Federal control measures implemented between 2002 and 2008, that go beyond the RFP target of 15 percent, to meet its 2008 contingency milestone. For the 2009 attainment contingency milestone, New Jersey relies on those additional measures that were not included in the attainment demonstration modeling, but will result in emission reductions in 2009 and beyond.

---

<sup>1</sup> The USEPA allows for NO<sub>x</sub> substitution, so long as 0.3 percent of the 3 percent requirement is met with VOC reductions.

### Conformity:

The final SIP addresses both transportation and general conformity requirements for the 8-hour ozone NAAQS. With respect to transportation conformity, New Jersey establishes on-road vehicle emission budgets for use by the Metropolitan Planning Organizations. Each of the three Metropolitan Planning Organizations associated with New Jersey<sup>2</sup> must meet these budgets in order to ensure that their plans and programs are in conformance with the SIP. With respect to general conformity, New Jersey establishes emission budgets for use by McGuire Air Force Base and Lakehurst Naval Air Station to ensure that emissions from their operations also conform to the requirements of the SIP.

### One-Hour Ozone:

As part of this final SIP revision, New Jersey includes a request that the USEPA make a finding that three (3) of New Jersey's four (4) associated 1-hour nonattainment areas are meeting the 1-hour standard.

### Other Components of the Final SIP Revision:

- Background information and a conceptual discussion on the formation and transport of ozone in the Northeastern United States;
- One-Hour and 8-Hour trends data for New Jersey and its associated multi-state nonattainment areas;
- Detailed descriptions of all the control measures used throughout the final SIP;
- A reaffirmation of New Jersey's actions and commitments with respect to transported emissions, as required by CAA 110 (a)(2)(D)(i) (and commonly referred to as the transport SIP requirement);
- A discussion of the likelihood that the USEPA will establish a new, more stringent 8-hour ozone health standard, and New Jersey's current actions to address that future goal; and,
- A summary of all New Jersey's commitments and requests of the USEPA.

---

<sup>2</sup> The North Jersey Transportation Planning Authority (NJTPA), the South Jersey Transportation Planning Organization (SJTPO) and the Delaware Valley Regional Planning Commission (DVRPC).