

7.0 LITERATURE CITED

- Abbey, R.F., Jr., L.M. Leslie, M.S. Speer, and L. Qi. 2001. Prediction of extreme precipitation associated with landfalling tropical cyclones. Eighty-first Annual Meeting of the American Meteorological Society: Climate Variability, the Oceans and Societal Impacts. Albuquerque, New Mexico, 14-19 January 2001.
- Abbs, D.J. and W.L. Physick. 1992. Sea-breeze observations and modelling: A review. *Australian Meteorological Magazine* 41:7-19.
- Able, K.W. 1992. Checklist of New Jersey saltwater fishes. *Bulletin of the New Jersey Academy of Science* 37(1):1-11.
- Able, K.W. and M.P. Fahay. 1998. The first year in the life of estuary fishes in the Middle Atlantic Bight. New Brunswick, New Jersey: Rutgers University Press.
- Able, K.W., M.P. Fahay, D.A. Witting, R.S. McBride, and S.M. Hagan. 2006. Fish settlement in the ocean vs. estuary: Comparison of pelagic larval and settled juvenile composition and abundance from southern New Jersey, U.S.A. *Estuarine, Coastal and Shelf Science* 66:280-290.
- Aguilar, A. 2009. Fin whale *Balaenoptera physalus*. Pages 433-437 in Perrin, W.F., B. Würsig, and J.G.M. Thewissen, eds. *Encyclopedia of marine mammals*. San Diego, California: Academic Press.
- Ahlén, I., H.J. Baagøe, and L. Bach. 2009. Behavior of Scandinavian bats during migration and foraging at sea. *Journal of Mammalogy* 90(6):1318-1323.
- Ahlén, I., L. Bach, H.J. Baagøe, and J. Pettersson. 2007. Bats and offshore wind turbines studied in southern Scandinavia. Report 5571. Stockholm, Sweden: Swedish Environmental Protection Agency, Vindval.
- Amato, R.V. 1994. Sand and gravel maps of the Atlantic continental shelf with explanatory text. OCS Monograph MMS 93-0037 New Orleans, Louisiana: Minerals Management Service.
- Anderson, R.L., S.D. Sanders, S.A. Flint, and D. Sterner. 2007. California guidelines for reducing impacts to birds and bats from wind energy development. Final Committee Report. Prepared by California Energy Commission, Renewables Committee and Energy Facilities Siting Division, and California Department of Fish and Game, Resources Management and Policy Division, Sacramento, California.
- Antonucci, C., R. Higgins, and C. Yuhas. n.d. Seals: Harbor seal (*Phoca vitulina concolor*), gray (or grey) seal (*Halichoerus grypus*). Fort Hancock, New Jersey: New Jersey Marine Sciences Consortium/New Jersey Sea Grant Extension Program.
- AOU (American Ornithologists' Union). 1998. Check-list of North American birds: The species of birds of North America from the Arctic through Panama, including the West Indies and Hawaiian Islands. 7th ed. Washington, D.C.: American Ornithologists' Union.
- Arnett, E.B., W.K. Brown, W.P. Erickson, J.K. Fielder, B.L. Hamilton, T.H. Henry, A. Jain, G.D. Johnson, J. Kerns, R.R. Koford, C.P. Nicholson, T.J. O'Connell, M.D. Piorkowski, and J. R.D. Tankersley. 2008. Patterns of bat fatalities at wind energy facilities in North America. *Journal of Wildlife Management* 72(1):61-78.
- Ashley, G.M. and R.E. Sheridan. 1994. Depositional model for valley fills on a passive continental margin. Pages 285-301 in Dalrymple, R.W., R. Boyd, and B.A. Zaitlin, eds. *Incised-valley systems: Origin and sedimentary sequences*. Tulsa, Oklahoma: SEPM (Society for Sedimentary Geology).
- Ashley, G.M., S.D. Halsey, and C.B. Buteux. 1986. New Jersey's longshore current pattern. *Journal of Coastal Research* 2(4):453-463.
- Ashley, G.M., R.W. Wellner, D. Esker, and R.E. Sheridan. 1991. Clastic sequences developed during late Quaternary glacio-eustatic sea-level fluctuations on a passive continental margin: Example from the inner continental shelf near Barnegat Inlet, New Jersey. *Geological Society of America Bulletin* 103(12):1607-1621.
- Atlantic Sturgeon Status Review Team. 2007. Status review of Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). Prepared for National Marine Fisheries Service, Northeast Regional Office, Gloucester, Massachusetts.
- Au, W.W.L. 1993. *The sonar of dolphins*. New York, New York: Springer-Verlag.
- Austin, J.A., Jr., C.S. Fulthorpe, G.S. Mountain, D.L. Orange, and M.E. Field. 1996. Continental-margin seismic stratigraphy: Assessing the preservation potential of heterogeneous geological processes operating on continental shelves and slopes. *Oceanography* 9(3):173-177.

- AWS (AWS Truewind LLC). 2009. Offshore wind technology overview. Prepared for the Long Island-New York City Offshore Wind Collaborative by AWS Truewind, LLC, Albany, New York.
- Baerwald, E.F., G.H. D'Amours, B.J. Klug, and R.M.R.B. 18(16):695-696. 2008. Barotrauma is a significant cause of bat fatalities at wind turbines. *Current Biology* 18(16):695-696.
- Bailey, H., B. Senior, D. Simmons, J. Rusin, G. Picken, and P.M. Thompson. 2010. Assessing underwater noise levels during pile-driving at an offshore windfarm and its potential effects on marine mammals. *Marine Pollution Bulletin* (In press):doi:10.1016/j.marpolbul.2010.1001.1003.
- Balcomb, K.C. and D.E. Claridge. 2001. A mass stranding of beaked whales in the Bahamas. Pages 14-15 in Abstracts, Fourteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 2001. Vancouver, British Columbia.
- Ballance, L.T. 2007. Seabird survey instruction manual. Star-Lite 2007: Stenella abundance research-Line transect and ecosystem survey- Eastern tropical Pacific. La Jolla, California: Southwest Fisheries Science Center, Ecosystems Studies (Ecology) Program.
- Barco, S., W. McLellan, J. Allen, R. Asmutis, R. Mallon-Day, E. Meagher, D.A. Pabst, J. Robbins, R. Seton, W.M. Swingle, M. Weinrich, and P. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. mid-Atlantic states. *Journal of Cetacean Research and Management* 4(2):135-141.
- Barlas, M.E. 1999. The distribution and abundance of harbor seals (*Phoca vitulina concolor*) and gray seals (*Halichoerus grypus*) in southern New England, Winter 1998- Summer 1999. Master's thesis, Boston University.
- Barlow, J. 1988. Harbor porpoise, *Phocoena phocoena*, abundance estimation for California, Oregon, and Washington: I. Ship surveys. *Fishery Bulletin* 86(3):417-432.
- Beardsley, R.C. and C.N. Flagg. 1976. The water structure mean currents, and shelf-water/slope-water front on the New England continental shelf. *Memoires Societe Royale des Sciences de Liege* 6:209-225.
- Beardsley, R.C. and W.C. Boicourt. 1981. On estuarine and continental-shelf circulation in the Middle Atlantic Bight. Pages 198 - 233 in Warren, B.A. and C. Wunsch, eds. *Evolution of physical oceanography*. Cambridge, Massachusetts: MIT Press.
- Beardsley, R.C., W.C. Boicourt, and D.V. Hansen. 1976. Physical oceanography of the Middle Atlantic Bight. Pages 20-34 in Gross, M.G., ed. *Middle Atlantic continental shelf and the New York Bight*. Proceedings of the symposium, American Museum of Natural History, New York City, 3-4 Nov 1975. Ann Arbor, Michigan: American Society of Limnology and Oceanography, Inc.
- Bergamasco, A., T. Oguz, and P. Malanotte-Rizzoli. 1999. Modeling dense water mass formation and winter circulation in the northern and central Adriatic Sea. *Journal of Marine Systems* 20:279-300.
- Bjorndal, K. 1997. Foraging ecology and nutrition of sea turtles. Pages 199-231 in Lutz, P.L. and J.A. Musick, eds. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Bjorndal, K.A., ed. 1995. *Biology and conservation of sea turtles*. Rev. ed. Washington, D.C.: Smithsonian Institution Press.
- Bleakney, J.S. 1965. Reports of marine turtles from New England and eastern Canada. *Canadian Field-Naturalist* 79:120-128.
- Bochenek, E. 1997. SAV our seagrass. Sea Note No. 12. NJSJG-97-351. Prepared for Marine Trades Association of New Jersey, Manasquan, New Jersey by New Jersey Sea Grant MAS/Rutgers Cooperative Extension, New Brunswick, New Jersey.
- Borberg, J.M., L.T. Ballance, R.L. Pitman, and D.G. Ainley. 2005. A test for bias attributable to seabird avoidance of ships during surveys conducted in the tropical Pacific. *Marine Ornithology* 33:173-179.
- Borondy, K. 1997. Something fishy here: Concrete condos are the latest sea habitat. Press Release. Newark, New Jersey: The Star-Ledger.
- Bosart, L.F. and S.C. Lin. 1984. A diagnostic analysis of the Presidents' Day storm of February 1979. *Monthly Weather Review* 112(11):2148-2177.
- Bove, M.C., J.B. Elsner, C.W. Landsea, X. Niu, and J.J. O'Brien. 1998. Effect of El Niño on U.S. landfalling hurricanes, revisited. *Bulletin of the American Meteorological Society* 79(11):2477-2482.
- Bowers, L.A. 2004. The effect of sea surface temperature on New Jersey sea breeze dynamics. Master's thesis, Rutgers University.

- Boyles, J.G. and C.K.R. Willis. 2010. Could localized warm areas inside cold caves reduce mortality of hibernating bats affected by white-nose syndrome? *Frontiers in Ecology and the Environment* 8(2):92-98.
- Breton, S.-P. and G. Moe. 2009. Status, plans and technologies for offshore wind turbines in Europe and North America. *Renewable Energy* 34:646-654.
- Broecker, W.S. 1991. Global change and oceanography programs. *Science* 254(5038):1566.
- Brooks, R.A., C.N. Purdy, S.S. Bell, and K.J. Sulak. 2006. The benthic community of the eastern US continental shelf: A literature synopsis of benthic faunal resources. *Continental Shelf Research* 26:804-818.
- Brown, D.P. and T. Kimberlain. 2009. Tropical cyclone report, Hurricane Hanna (AL082008) 28 August-7 September 2008. National Hurricane Center. 36 pp.
- BRP (Blue Ribbon Panel). 2006. State of New Jersey Blue Ribbon Panel on Development of Wind Turbine Facilities in Coastal Waters final report. Prepared for Gov. Jon S. Corzine, Trenton, New Jersey by Blue Ribbon Panel on Development of Wind Turbine Facilities in Coastal Waters, Trenton, New Jersey.
- Buchanan, G.A. 2008. Ocean/Wind power ecological baseline studies. New Jersey Department of Environmental Protection (NJDEP), Division of Science, Research and Technology (DSRT).
- Bucklin, A. and P.H. Wiebe. 1986. Genetic heterogeneity in euphausiid populations: *Euphausia krohnii* and *Nematoscelis megalops* in north Atlantic slope water. *Limnology and Oceanography* 31(6):1346-1352.
- Burel, C., J. Person-Le Ruyet, F. Gaumet, A. Le Roux, A. Sévère, and G. Boeuf. 1996. Effects of temperature on growth and metabolism in juvenile turbot. *Journal of Fish Biology* 49:678-692.
- Burlas, M., G.L. Ray, and D. Clarke. 2001. The New York District's Biological monitoring program for the Atlantic coast of New Jersey, Asbury Park to Manasquan Section Beach erosion control project. Final report. New York District: U.S. Army Engineer and Vicksburg, Mississippi: U.S. Army Corps of Engineers, Waterways Experiment Station.
- Butman, B., M. Noble, and D.W. Folger. 1979. Long-term observations of bottom current and bottom sediment movement on the mid-Atlantic continental shelf. *Journal of Geophysical Research* 84(C3):1187-1205.
- Byrne Ó Cléirigh – EcoServe. 2000. Assessment of impact of offshore wind energy structures on the marine environment. Volume I. Main Report. Prepared for Marine Institute, Galway, Ireland by Byrne Ó Cléirigh Ltd., Dublin, Ireland, Ecological Consultancy Services Ltd. (EcoServe), Dublin, Ireland, and University of Southampton, School of Ocean and Earth Sciences, Southampton, United Kingdom.
- Byrnes, M.R., R.M. Hammer, B.A. Vittor, J.S. Ramsey, D.B. Snyder, J.D. Wood, K.F. Bosma, T.D. Thibaut, and N.W. Phillips. 2000. Environmental survey of potential sand resource sites: Offshore New Jersey. Final report. Prepared for U.S. Department of the Interior, Minerals Management Service, International Activities and Marine, Minerals Division, Herndon, Virginia by Applied Coastal Research and Engineering, Inc., Mashpee, Massachusetts.
- CADoT (California Department of Transportation). 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Final report. Prepared for California Department of Transportation by ICF Jones and Stokes and Illingworth and Rodkin, Inc.
- Camphuysen, K.C.J., T.A.D. Fox, M.M.F. Leopold, and I.K. Peterson. 2004. Towards standardised seabirds at sea census techniques in connection with environmental impact assessments for offshore wind farms in the U.K. Texel, The Netherlands: Koninklijk Nederlands Instituut voor Onderzoek der Zee.
- Canadian Wildlife Service. 2006. PIROP Northwest Atlantic 1965-1992 database. Electronic data. Download date: 20 March 2006. <http://seamap.env.duke.edu/datasets/detail/280>.
- Carey, J.S., R.E. Sheridan, and G.M. Ashley. 1998. Late Quaternary sequence stratigraphy of a slowly subsiding passive margin, New Jersey continental shelf. *American Association of Petroleum Geologists Bulletin* 82(5A):773-791.
- Carey, J.S., R.E. Sheridan, G.M. Ashley, and J. Uptegrove. 2005. Glacially-influenced late Pleistocene stratigraphy of a passive margin: New Jersey's record of the North American ice sheet. *Marine Geology* 218:155-173.
- Case, R.A. 1986. Annual summary: Atlantic hurricane season of 1985. *Monthly Weather Review* 114:1390-1405.

- Castelao, R., O. Schofield, S. Glenn, R. Chant, and J. Kohut. 2008a. Cross-shelf transport of freshwater on the New Jersey shelf. *Journal of Geophysical Research* 113. doi:10.1029/2007JC004241.
- Castelao, R., S. Glenn, O. Schofield, R. Chant, J. Wilkin, and J. Kohut. 2008b. Seasonal evolution of hydrographic fields in the central Middle Atlantic Bight from glider observations. *Geophysical Research Letters* 35. doi:10.1029/2007GL032335.
- Certain, G., E. Bellier, B. Planque, and V. Bretagnolle. 2007. Characterising the temporal variability of the spatial distribution of animals: An application to seabirds at sea. *Ecography* 30:695-708.
- CETAP (Cetacean and Turtle Assessment Program). 1982. Characterization of marine mammals and turtles in the Mid- and North Atlantic areas of the U.S. Outer Continental Shelf- Final report of the Cetacean and Turtle Assessment Program. Prepared for U.S. Bureau of Land Management, Washington, D.C. by Cetacean and Turtle Assessment Program, University of Rhode Island, Graduate School of Oceanography, Kingston, Rhode Island. Contract AA551-CT8-48.
- Chant, R.J., S. Glenn, and J. Kohut. 2004. Flow reversals during upwelling conditions on the New Jersey inner shelf. *Journal of Geophysical Research* 109(C12S03):doi:10.1029/2003JC001941.
- Chant, R.J., S.M. Glenn, E. Hunter, J. Kohut, R.F. Chen, R.W. Houghton, J. Bosch, and O. Schofield. 2008a. Bulge formation of a Buoyant River outflow. *Journal of Geophysical Research* 113:doi:10.1029/2007JC004100.
- Chant, R.J., J. Wilkin, W. Zhang, B.-J. Choi, E. Hunter, R. Castelao, S. Glenn, J. Jurisa, O. Schofield, R. Houghton, J. Kohut, T.K. Frazer, and M.A. Moline. 2008b. Dispersal of the Hudson River Plume in the New York Bight. *Oceanography* 21(4):148-161.
- Chao, S.-Y. and W.C. Boicourt. 1986. Onset of estuarine plumes. *Journal of Physical Oceanography* 16:2137-2149.
- Chapman, D.C. and R.C. Beardsley. 1989. On the origin of shelf water in the Middle Atlantic Bight. *Journal of Physical Oceanography* 19:384-391.
- Chapman, D.C. and G. Gawarkiewicz. 1993. On the establishment of the seasonal pycnocline in the Middle Atlantic Bight. *Journal of Physical Oceanography* 23:2487-2492.
- Charif, R.A., P.J. Clapham, and C.W. Clark. 2001. Acoustic detections of singing humpback whales in deep waters off the British Isles. *Marine Mammal Science* 17(4):751-768.
- Christensen, T.K. and J.P. Hounisen. 2005. Investigations of migratory birds during operation of Horns Rev offshore wind farm 2004. Annual status report 2004. Roskilde, Denmark: National Environmental Research Institute.
- Clapham, P.J., L.S. Baraff, C.A. Carlson, M.A. Christian, D.K. Mattila, C.A. Mayo, M.A. Murphy, and S. Pittman. 1993. Seasonal occurrence and annual return of humpback whales, *Megaptera novaeangliae*, in the southern Gulf of Maine. *Canadian Journal of Zoology* 71:440-443.
- Clark, C.W. 1995. Annex M. Matters arising out of the discussion of blue whales: Annex M1. Application of US Navy underwater hydrophone arrays for scientific research on whales. Reports of the International Whaling Commission 45:210-212.
- Clarke, A. and S. Lidgard. 2000. Spatial patterns of diversity in the sea: Bryozoan species richness in the north Atlantic. *The Journal of Animal Ecology* 69(5):799-814.
- Clayton, J.A. and J.C. Knox. 2008. Catastrophic flooding from Glacial Lake Wisconsin. *Geomorphology* 93:384-397.
- Cole, T., A. Glass, P.K. Hamilton, P. Duley, M. Niemeyer, C. Christman, R.M. Pace III, and T. Frasier. 2009. Potential mating ground for North Atlantic right whales off the Northeast USA. Page 58 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Colton, J.B., Jr., W.G. Smith, A.W. Kendall, Jr., P. Berrien, and M.P. Fahay. 1979. Principal spawning areas and times of marine fishes, Cape Sable to Cape Hatteras. *Fishery Bulletin* 76(4):911-915.
- Conversi, A., S. Piontkovski, and S. Hameed. 2001. Seasonal and interannual dynamics of *Calanus finmarchicus* in the Gulf of Maine (northeastern US shelf) with reference to the North Atlantic Oscillation. *Deep-Sea Research II* 48:519-530.
- Cope, A.M. 2001. Radar-Derived Rainfall Estimates for Hurricane Floyd over New Jersey. Eighty-first Annual Meeting of the American Meteorological Society: Climate Variability, the Oceans and Societal Impacts. Albuquerque, New Mexico, 14-19 January 2001.
- Coston-Clements, L. and D.E. Hoss. 1983. Synopsis of data on the impact of habitat alteration on sea turtles around the southeastern United States. NOAA Technical Memorandum NMFS-SEFC-117:1-57.

- Creilson, J.K., D.A. Robinson, and S. Hartley. 2001. Western Atlantic sea surface temperatures and northeastern United States precipitation, 1896-1995. Eighty-first Annual Meeting of the American Meteorological Society: Climate Variability, the Oceans and Societal Impacts. Albuquerque, New Mexico, 14-19 January 2001.
- Cryan, P.M. 2003. Seasonal distribution of migratory tree bats (*Lasiurus* and *Lasionycteris*) in North America. *Journal of Mammalogy* 84(2):579-593.
- Cryan, P.M. and A.C. Brown. 2007. Migration of bats past a remote island offers clues toward the problem of bat fatalities at wind turbines. *Biological Conservation* 139:1-11.
- Cryan, P.M., M.A. Bogan, R.O. Rye, G.P. Landis, and C.L. Kester. 2004. Stable hydrogen isotope analysis of bat hair as evidence for seasonal molt and long-distance migration. *Journal of Mammalogy* 85(5):995-1001.
- Curry and Kerlinger, L.L.C. 2007. Annual report for the Maple Ridge Wind Power Project Postconstruction Bird and Bat Fatality Study – 2006 draft.
- Curry, R.G. and M.S. McCartney. 2001. Ocean gyre circulation changes associated with the North Atlantic Oscillation. *Journal of Physical Oceanography* 31:3374-3400.
- Dadswell, M.J., B.D. Taubert, T.S. Squiers, D. Marchette, and J. Buckley. 1984. Synopsis of biological data on shortnose sturgeon, *Acipenser brevirostrum* LeSueur 1818. NOAA Technical Report NMFS/S 140:1-45.
- Davies, T.A., J.A. Austin, Jr, M.B. Lagoe, and J.D. Milliman. 1992. Late Quaternary sedimentation off New Jersey: New results using 3-D seismic profiles and cores. *Marine Geology* 108:323-343.
- DeHart, P.A.P. 2002. The distribution and abundance of harbor seals (*Phoca vitulina concolor*) in the Woods Hole region. Master's thesis, Boston University.
- Di Giovanni, R., K.F. Durham, J.N. Wocial, and A.M. Chaillet. 2009. An increase in gray seal (*Halichoerus grypus*) sightings and strandings in New York waters. Page 71 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Diederichs, A., G. Nehls, M. Dahne, S. Adler, S. Koschinski, and U. VerfuB. 2008. Methodologies for measuring and assessing potential changes in marine mammal behaviour, abundance or distribution arising from construction, operation and decommissioning of offshore windfarms. Prepared for COWRIE, Ltd. by BioConsult SH and Deutsches Meeres Museum COWRIE ENG-01-2007. COWRIE, Ltd.
- DONG Energy, V., Danish Energy Authority, and Danish Forest and Nature Agency. 2006. Danish offshore wind key environmental issues. Copenhagen, Denmark: Danish Energy Authority.
- Donnelly, J.P., J. Butler, S. Roll, M. Wengren, and T. Webb III. 2004. A backbarrier overwash record of intense storms from Brigantine, New Jersey. *Marine Geology* 210:107-121.
- Doyle, M.J., W.W. Morse, and J. A.W. Kendall. 1993. A comparison of larval fish assemblages in the temperate zone of the northeast Pacific and northwest Atlantic oceans. *Bulletin of Marine Science* 53(2):588-644.
- Dragos, P. and D.G. Aubrey. 1990. Atlantic shelf sand ridge study: Physical oceanography and sediment dynamics data report. Woods Hole Oceanographic Institute Technical Report WHOI-90-11, CRC-90-1. Woods Hole Oceanographic Institution, Woods Hole, Massachusetts.
- Drewitt, A.L. and R.H.W. Langston. 2006. Assessing the impacts of wind farms on birds. *Ibis* 148:29-42.
- Drinkwater, K.F., A. Belgrano, A. Borja, A. Conversi, M. Edwards, C.H. Greene, G. Ottersen, A.J. Pershing, and H. Walker. 2003. The response of marine ecosystems to climate variability associated with the North Atlantic Oscillation. *Geophysical Monograph* 134:211-234.
- Duane, D.B. and W.L. Stubblefield. 1988. Sand and gravel resources: U.S. Atlantic continental shelf. Pages 481-500 in Sheridan, R.E. and J.A. Grow, eds. *The Atlantic continental margin: U.S. Volume I-2: The geology of North America*. Boulder, Colorado: Geological Society of America.
- Duane, D.B., M.E. Field, E.P. Meisburger, D.J.P. Swift, and S.J. Williams. 1972. Linear shoals on the Atlantic inner continental shelf, Florida to Long Island. Pages 447-498 in Swift, D.J.P., D.B. Duane, and O.H. Pilkey, eds. *Shelf sediment transport: Process and pattern*. Stroudsburg, Pennsylvania: Dowden, Hutchinson, and Ross, Inc.
- Dunn, G.E. 1961. The hurricane season of 1960. *Monthly Weather Review* 89:99-108.
- Durbin, E.G. and A.G. Durbin. 1996. Zooplankton dynamics in the northeast shelf ecosystem. Pages 129-152 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The northeast shelf ecosystem: Assessment, sustainability, and management*. Blackwell Science, Cambridge, Massachusetts.

- Elsam Engineering and ENERGI E2. 2005. Review report 2004. The Danish Offshore Wind Farm Demonstration Project: Horns Rev and Nysted Offshore Wind Farms environmental impact assessment and monitoring. Prepared for The environmental Committee of the Danish Offshore Wind Farm Demonstration Projects by Elsam Engineering, Fredericia, Denmark and ENERGI E2 A/S, København SV, Denmark.
- Elsner, J.B. and A.B. Kara. 1999. Hurricanes of the north Atlantic: Climate and society. Oxford University Press, New York.
- Engås, A., E.K. Haugland, and J.T. Øvredal. 1998. Reactions of cod (*Gadus morhua* L.) in the pre-vessel zone to an approaching trawler under different light conditions. *Hydrobiologia* 317/372:199-206.
- Engås, A., O.A. Misund, A.V. Soldal, B. Horvei, and A. Solstad. 1995. Reactions of penned herring and cod to playback of original, frequency-filtered and time-smoothed vessel sound. *Fisheries Research* 22:243-254.
- ENSR. 2005. Essential fish habitat assessment for the Long Island offshore wind park within New York State waters and federal waters of the outer continental shelf. Prepared for Long Island Offshore Wind Park, LLC, Juno Beach, Florida by ENSR International, Willington, Connecticut.
- Eppley, R.W. 1972. Temperature and phytoplankton growth in the sea. *Fishery Bulletin* 70(4):1063-1085.
- Erbe, C. and D.M. Farmer. 2000. A software model to estimate zones of impact on marine mammals around anthropogenic noise. *Journal of the Acoustical Society of America* 108(3):1327-1331.
- Esker, D., R.E. Sheridan, G.M. Ashley, J.S. Waldner, and D.W. Hall. 1996. Synthetic seismograms from vibrocores: A case study in correlating the late Quaternary seismic stratigraphy of the New Jersey inner continental shelf. *Journal of Sedimentary Research* 66(6):1156-1168.
- ESS Group Inc. 2006. Appendix 3.8-A: Additional life history descriptions for commercially and recreationally important species and forage species. Prepared for Cape Wind Associates, Inc., Boston, Massachusetts by ESS Group, Inc. Wellesley, Massachusetts.
- Evans, W.R., Y. Akashi, N.S. Altman, and A.M. Manville II. 2007. Response of night-migrating songbirds in cloud to colored and flashing light. *North American Birds* 60(4):476-488.
- Exo, K.-M., O. Huppopp, and S. Garthe. 2003. Birds and offshore wind farms: A hot topic in marine ecology. *Wader Study Group Bulletin* 100:50-53.
- Fayram, A.H. and A. de Risi. 2007. The potential compatibility of offshore wind power and fisheries: An example using bluefin tuna in the Adriatic Sea. *Ocean and Coastal Management* 50:597-605.
- Fenchel, T. 1988. Marine plankton food chains. *Annual Review of Ecology and Systematics* 19:19-38.
- Field, M.E. 1980. Sand bodies on coastal plain shelves: Holocene record of the U.S. Atlantic inner shelf off Maryland. *Journal of Sedimentary Research* 50(2):505-528.
- Figley, B. 2005. Artificial reef management plan for New Jersey, 2005. Trenton, New Jersey: State of New Jersey, Department of Environmental Protection, Division of Fish and Wildlife.
- Figueiredo, A.G., Jr. 1984. Submarine sand ridges: Geology and development, New Jersey, U.S.A. Ph.D. Dissertation, University of Miami.
- Figueiredo, A.G., Jr, D.J.P. Swift, W.L. Stubblefield, and T.L. Clarke. 1981. Sand ridges on the inner Atlantic shelf of North America: Morphometric comparisons with Huthnance stability model. *Geo-Marine Letters* 1(3-4):187-191.
- Fischer, J., T. Tiplady, and W. Larned. 2002. Monitoring beaufort sea waterfowl and marine birds aerial survey component. OCS Report MMS 2002-002. Anchorage, Alaska: Prepared for Minerals Management Service by U.S. Fish and Wildlife Service.
- FitzGerald, D.M., I.V. Buynevich, and P.S. Rosen. 2001. Geological evidence of former tidal inlets along a retrograding barrier: Duxbury Beach, Massachusetts, USA. *Journal of Coastal Research*, (ICS 2001 Proceedings) SI 34:437- 448.
- Flagg, C.N., C.D. Wirick, and S.L. Smith. 1994a. The interaction of phytoplankton, zooplankton and currents from 15 months of continuous data in the Mid-Atlantic Bight. *Deep-Sea Research II* 41(2/3):411-435.
- Flagg, C.N., W. Houghton, and L.J. Pietrafesa. 1994b. Summertime thermocline salinity maximum intrusions in the Mid-Atlantic Bight. *Deep Sea Research II* 41(2/3):324-340.
- Flagg, C.N., C.D. Wirick, and S.L. Smith. 1994c. The interaction of phytoplankton, zooplankton and currents from 15 months of continuous data in the Mid-Atlantic Bight. *Deep-Sea Research II* 41(2-3):411-435.
- Fong, D.A. and W.R. Geyer. 2002. The alongshore transport of freshwater in a surface-trapped river plume. *Journal of Physical Oceanography* 32:957-972.

- Fong, D.A., W.R. Geyer, and R.P. Signell. 1997. The wind-forced response on a buoyant coastal current: Observations of the western Gulf of Maine plume. *Journal of Marine Systems* 12:69-81.
- Fratantoni, P.S. and R.S. Pickart. 2007. The western North Atlantic shelfbreak current system in summer. *Journal of Physical Oceanography* 37:2509-2533.
- Fratantoni, P.S., R.S. Pickart, D.J. Torres, and A. Scotti. 2001. Mean structure and dynamics of the shelfbreak jet in the Middle Atlantic Bight during fall and winter. *Journal of Physical Oceanography* 31:2135-2156.
- Freeman, B.L. and L.A. Walford. 1974. *Anglers' guide to the United States Atlantic coast: Fish, fishing grounds & fishing facilities - Section III: Block Island to Cape May, New Jersey*. Washington, D.C.: U.S. Government Printing Office.
- Friedland, K.D. and J.A. Hare. 2007. Long-term trends and regime shifts in sea surface temperature on the continental shelf of the northeast United States. *Continental Shelf Research* 27:2313-2328.
- Fromentin, J.-M. and B. Planque. 1996. *Calanus* and environment in the eastern North Atlantic. II. Influence of the North Atlantic Oscillation on *C. finmarchicus* and *C. helgolandicus*. *Marine Ecology Progress Series* 134:111-118.
- Gannon, D.P. and D.M. Waples. 2004. Diets of coastal bottlenose dolphins from the U.S. mid-Atlantic coast differ by habitat. *Marine Mammal Science* 20(3):527-545.
- Garrison, L.P., P.E. Rosel, A. Hohn, R. Baird, and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin, *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. Unpublished document prepared for the Take Reduction Team on Coastal Bottlenose Dolphins in the Western Atlantic.
- Garthe, S. and O. Hüppop. 2004. Scaling possible adverse effects of marine wind farms on seabirds: Developing and applying a vulnerability index. *Journal of Applied Ecology* 41:724-734.
- Gaskin, D.E. 1987. Updated status of the right whale, *Eubalaena glacialis*, in Canada. *Canadian Field-Naturalist* 101(2):295-309.
- Gaskin, D.E. 1991. An update on the status of the right whale, *Eubalaena glacialis*, in Canada. *Canadian Field-Naturalist* 105(2):198-205.
- Gerdes, G., A. Jansen, and K. Rehfeldt. 2005. Offshore wind: Implementing a new powerhouse for Europe: Grid connection, environmental impact assessment and political framework. Prepared for Greenpeace International, Amsterdam, The Netherlands by Deutsche WindGuard GmbH, Varel, Germany.
- Gill, A.B., I. Gloyne-Phillips, K.J. Neals, and J.A. Kimber. 2005. COWRIE 1.5 electromagnetic fields review: The potential effects of electromagnetic fields generated by sub-sea power cables associated with offshore wind farm developments on electrically and magnetically sensitive marine organisms – a review. COWRIE EM FIELD 2-06-2004. Silsoe, United Kingdom: Prepared for COWRIE (Collaborative Offshore Wind Research into the Environment) by Cranfield University, Silsoe, Centre for Marine and Coastal Studies.
- Gill, A.B., Y. Huang, I. Gloyne-Phillips, J. Metcalfe, V. Quayle, J. Spencer, and V. Wearmouth. 2009. COWRIE 2.0 electromagnetic fields (EMF) phase 2: EMF-sensitive fish response to EM emissions from sub-sea electricity cables of the type used by the offshore renewable energy industry. COWRIE-EMF-1-06. United Kingdom: COWRIE, Ltd.
- Gilles, A., M. Scheidat, and U. Siebert. 2009. Seasonal distribution of harbour porpoises and possible interference of offshore wind farms in the German North Sea Marine Ecology Press Series 383:295-307.
- Gilman, C.S. 1988. A study of the Gulf Stream downstream of Cape Hatteras 1975-1986. Master's thesis, University of Rhode Island.
- Glenn, S. and O. Schofield. 2003. Observing the oceans from the COOL room: Our history, experience, and opinions. *Oceanography* 16(4):37-52.
- Glenn, S., C. Jones, M. Twardowski, L. Bowers, J. Kerfoot, J. Kohut, D. Webb, and O. Schofield. 2008. Glider observations of sediment resuspension in a Middle Atlantic Bight fall transition storm. *Limnology and Oceanography* 53(5, part 2):2180-2196.
- Glenn, S., R. Arnone, T. Bergmann, W.P. Bissett, M. Crowley, J. Cullen, J. Gryzmski, D. Haidvogel, J. Kohut, M. Moline, M. Oliver, C. Orrico, R. Sherrell, T. Song, A. Weidemann, R. Chant, and O. Schofield. 2004. Biogeochemical impact of summertime coastal upwelling on the New Jersey Shelf. *Journal of Geophysical Research* 109:doi:10.1029/2003JC002265.

- Goldman, J.C., J.J. McCarthy, and D.G. Peavey. 1979. Growth rate influence on the chemical composition of phytoplankton in oceanic waters. *Nature* 279:210-213.
- Goodale, W. and T. Divoll. 2009. Birds, bats and coastal wind farm development in Maine: A literature review. Report BRI 2008-03. Gorham, Maine: BioDiversity Research Institute.
- Götz, T., G. Hastie, L.T. Hatch, O. Raustein, B.L. Southall, M. Tasker, and F. Thomsen. 2009. Overview of the impacts of anthropogenic underwater sound in the marine environment. Biodiversity Series. OSPAR Commission, London, United Kingdom.
- Gould, E., P.E. Clark, and F.P. Thurberg. 1994. Pollutant effects on demersal fishes. Pages 30-41 in Langton, R.W., J.B. Pearce, and J.A. Gibson, eds. Selected living resources, habitat conditions, and human perturbations of the Gulf of Maine. Environmental and ecological considerations for fishery management. NOAA Technical Memorandum NMFS-NE-106. Woods Hole, Massachusetts: National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Govoni, J.J., M.A. West, L.R. Settle, R.T. Lynch, and M.D. Greene. 2008. Effects of underwater explosions on larval fish: Implications for a coastal engineering project. *Journal of Coastal Research* 24(2B):228-233.
- Gray, W.M. 1984. Atlantic seasonal hurricane frequency. Part I: El Niño and 30 mb quasi-biennial oscillation influences. *Monthly Weather Review* 112:1649-1668.
- Green, E.P. and F.T. Short. 2003. World atlas of seagrasses. Berkeley, California: UNEP World Conservation Monitoring Centre by the University of California Press.
- Greene, C.H. and A.J. Pershing. 2000. The response of *Calanus finmarchicus* populations to climate variability in the Northwest Atlantic: Basin-scale forcing associated with the North Atlantic Oscillation. *ICES Journal of Marine Science* 57(6):1536-1544.
- Greene, C.H., A.J. Pershing, R.D. Kenney, and J.W. Jossi. 2003. Impact of climate variability on the recovery of endangered North Atlantic right whales. *Oceanography* 16(4):98-103.
- Greenlee, S.M., F.W. Schroeder, and P.R. Vail. 1988. Seismic stratigraphic and geohistory analysis of Tertiary strata from the continental shelf off New Jersey: Calculation of eustatic fluctuations from stratigraphic data. Pages 437-444 in Sheridan, R.E. and J.A. Grow, eds. The Atlantic continental margin: U.S. Volume I-2: The geology of North America. Boulder, Colorado: Geological Society of America.
- Grow, J.A., K.D. Klitgord, and J.S. Schlee. 1988. Structure and evolution of the Baltimore Canyon Trough. Pages 269-290 in Sheridan, R.E. and J.A. Grow, eds. The Atlantic continental margin: U.S. Volume I-2: The geology of North America. Boulder, Colorado: Geological Society of America.
- Gulko, D.A. and K.L. Eckert. 2004. Sea turtles: An ecological guide. Honolulu, Hawaii: Mutual Publishing.
- Habig, N., S. Enfield, T. deWolff, B. Bailey, M. Filippelli, S. Clark, S. Brennan, M. Taylor, P. Kerlinger, and C. Sutton. 2004. New Jersey offshore wind energy: Feasibility study. Final version. Prepared by Atlantic Renewable Energy Corporation, Richmond, Virginia and AWS Scientific, Inc., Albany, NY for New Jersey Board of Public Utilities, Trenton, NJ.
- Hagan, S.M. and K.W. Able. 2003. Seasonal changes of the pelagic fish assemblage in a temperate estuary. *Estuarine, Coastal and Shelf Science* 56:15-29.
- Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. Reports of the International Whaling Commission 42:653-669.
- Halliwell, G.R., Jr. and C.N.K. Mooers. 1979. The space-time structure and variability of the shelf water-slope water and Gulf Stream surface temperature fronts and associated warm-core eddies. *Journal of Geophysical Research* 84(C12):7707-7725.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, U.S.A. to Nova Scotia, Canada). *Marine Mammal Science* 18(4):920-937.
- Hamilton, P.K. and C.A. Mayo. 1990. Population characteristics of right whales (*Eubalaena glacialis*) observed in Cape Cod and Massachusetts Bays, 1978-1986. Reports of the International Whaling Commission (Special Issue 12):203-208.
- Hammer, G.R. 2006. The Climate of New Jersey. Asheville, North Carolina: NOAA National Climatic Data Center.
- Handegard, N.O., K. Michalsen, and D. Tjøstheim. 2003. Avoidance behaviour in cod (*Gadus morhua*) to a bottom-trawling vessel. *Aquatic Living Resources* 16:265-270.

- Hanson, J.L., D. Resio, J. Smith, and R. Wallace. 2007. MORPHOS: Advancing coastal process research and modeling. Tenth International Wave Hindcasting and Forecasting Workshop. North Shore, Oahu, Hawaii, November 11-16, 2007.
- Hare, J.A. and K.W. Able. 2007. Mechanistic links between climate and fisheries along the east coast of the United States: Explaining population outbursts of Atlantic croaker (*Micropogonias undulatus*). *Fisheries Oceanography* 16(1):31-45.
- Harnack, R. and J. Small. 2002. Identification and analysis of dry periods in New Jersey using the New Brunswick precipitation record. *Bulletin of the New Jersey Academy of Science* 47(1):1-6.
- Harnack, R., C. Rhodes, and M. Lindsay. 2005. Analysis and prediction of long period precipitation in New Jersey using statistical methods. *Bulletin of the New Jersey Academy of Science* 50(2):1-10.
- Harris, C.K., B. Butman, and P. Trakovski. 2003. Winter-time circulation and sediment transport in the Hudson Shelf Valley. *Continental Shelf Research* 23:801-820.
- Hartley, S. and D.A. Robinson. 1999. Atlantic sea surface temperatures and eastern United States climate, 1950-1992. Pages 94-97 in *Proceedings of the Eighth American Meteorological Society Conference on Climate Variations*. Denver, Colorado, 13-17 September 1999.
- Hastings, M.C. and A.N. Popper. 2005. Effects of sound on fish. Prepared for Jones & Stokes, Sacramento, California.
- Hazel, J., I.R. Lawler, H. Marsh, and S. Robson. 2007. Vessel speed increases collision risk for the green turtle *Chelonia mydas* *Endangered Species Research* 3:105-113.
- Hedley, S.L. and S.T. Buckland. 2004. Spatial models for line transect sampling. *Journal of Agricultural, Biological, and Environmental Statistics* 9(2):181-199.
- Hernández-Miranda, E. and F.P. Ojeda. 2006. Inter-annual variability in somatic growth rates and mortality of coastal fishes off central Chile: An ENSO driven process? *Marine Biology* 149:925-936.
- Hiscock, K., H. Tyler-Walters, and H. Jones. 2002. High level environmental screening study for offshore wind farm developments-Marine habitats and species project. AEA Technology, Environmental Contract: W/35/00632/00/00. Prepared for The Department of Trade and Industry New and Renewable Energy Programme, London, United Kingdom by Marine Biological Association, Citadel Hill, United Kingdom.
- Ho, F.P., R.J. Tracey, V.A. Myers, and N.S. Foat. 1976. Storm tide frequency analysis for the open coast of Virginia, Maryland, and Delaware. NOAA Technical Memorandum NWS HYDRO-32. NOAA/NWS (National Oceanic and Atmospheric Administration/ National Weather Service), Office of Hydrology, Silver Spring, Maryland.
- Hoffmann, E., J. Astrup, F. Larsen, and S. Munch-Petersen. 2000. Effects of marine windfarms on the distribution of fish, shellfish and marine mammals in the Horns Rev area. Baggrundsrapport nr. 24. Charlottenland, Denmark: Danish Institute for Fisheries Research.
- Hogg, N.G. 1992. On the transport of the Gulf Stream between Cape Hatteras and the Grand Banks. *Deep-Sea Research* 39:1231-1246.
- Hohn, A.A. and L.J. Hansen. 2009. Revisiting the bottlenose dolphin epizootic of 1987-1988: Recent satellite telemetry yields new information on affected stocks. Page 114 in *Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals*. Québec City, Canada, 12-16 October 2009.
- Holliday, N.P., J.J. Waniek, R. Davidson, D. Wilson, L. Brown, R. Sanders, R.T. Pollard, and J.T. Allen. 2006. Large-scale physical controls on phytoplankton growth in the Irminger Sea Part I: Hydrographic zones, mixing and stratification. *Journal of Marine Systems* 59:201-218.
- Hollister, C.D. 1973. Atlantic continental shelf and slope of the United States-texture of surface sediments from New Jersey to southern Florida. Geological Survey Professional Paper 529-M. Washington, D.C.: U.S. Government Printing Office.
- Houghton, R.W., R. Schlitz, R.C. Beardsley, B. Butman, and J.L. Chamberlin. 1982. The Middle Atlantic Bight cold pool: Evolution of the temperature structure during summer 1979. *Journal of Physical Oceanography* 12:1019-1029.
- Hunter, E., R. Chant, L. Bowers, S. Glenn, and J. Kohut. 2007. Spatial and temporal variability of diurnal wind forcing in the coastal ocean. *Geophysical Research Letters* 34. doi:10.1029/2006GL028945.
- Huppopp, O., J. Dierschke, K.-M. Exo, E. Fredrich, and R. Hill. 2006. Bird migration studies and potential collision risk with offshore wind turbines. *Ibis* 148:90-109.

- Hurrell, J.W. 1995. Decadal trends in the North Atlantic Oscillation: Regional temperatures and precipitation. *Science* 269:676-679.
- Hurrell, J.W., Y. Kushnir, and M. Visbeck. 2001. The North Atlantic Oscillation. *Science* 291:603-605.
- James, M.C., S.A. Sherrill-Mix, K. Martin, and R.A. Myers. 2006. Canadian waters provide critical foraging habitat for leatherback sea turtles. *Biological Conservation* 133:347-357.
- Jarvis, C.M. 2005. An evaluation of the wildlife impacts of offshore wind development relative to fossil fuel power production. Master's thesis, University of Delaware.
- Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2008. *Marine mammals of the world: A comprehensive guide to their identification*. San Diego, California: Academic Press.
- Jefferson, T.A., D. Fertl, J. Bolaños-Jiménez, and A.N. Zerbini. 2009. Distribution of common dolphins (*Delphinus* spp.) in the western Atlantic Ocean: A critical re-examination. *Marine Biology* 156:1109-1124.
- Jensen, A.S. and G.K. Silber. 2003. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25:1-37.
- Jensen, B.S., M. Klausrup, and H. Skov. 2006. EIA report fish. Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark and Carl Bro as, Glostrup, Denmark.
- Johnson, G.D. and E.B. Arnett. 2008. A bibliography of bat fatality, activity, and interactions with wind turbines. Prepared by Western Ecosystems Technology Inc., Cheyenne, Wyoming and Bat Conservation International, Austin, Texas.
- Johnson, J.B. and J.E. Gates. 2008. Bats of Assateague Island National Seashore, Maryland. *American Midland Naturalist* 160:160-170.
- Johnson, M.R., C. Boelke, L.A. Chirella, P.D. Colosi, K. Greene, K. Lellis-Dibble, H. Ludemann, M. Ludwig, S. McDermott, J. Oritz, D. Ryusanowsky, M. Scott, and J. Smith. 2008. Impacts to marine fisheries habitat from nonfishing activities in the Northeastern United States. NOAA Technical Memorandum NMFS-NE-209. Gloucester, Massachusetts: National Marine Fisheries Service, Northeast Regional Office.
- Jones, J. and C.M. Francis. 2003. The effects of light characteristics on avian mortality at lighthouses. *Journal of Avian Biology* 34:328-333.
- Judd, A. and M. Hovland. 2007. *Seabed fluid flow: The impact on geology, biology, and the marine environment*. Cambridge, United Kingdom: Cambridge University Press.
- Judkins, D.C., C.D. Wirick, and W.E. Esaias. 1980. Composition, abundance, and distribution of zooplankton in the New York Bight, September 1974-September 1975. *Fishery Bulletin* 77(3):669-683.
- Kajiura, S.M. and K.N. Holland. 2002. Electroreception in juvenile scalloped hammerhead and sandbar sharks. *Journal of Experimental Biology* 205:3609-3621.
- Kalmijn, A.J. 1982. Electric and magnetic field detection in elasmobranch fishes. *Science* 218(4575):916-918.
- Kastak, D. and R.J. Schusterman. 1999. In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology* 77:1751-1758.
- Kastelein, R.A., P. Bunskoek, M. Hagedoorn, W.W.L. Au, and D. de Haan. 2002. Audiogram of a harbor porpoise (*Phocoena phocoena*) measured with narrow-band frequency-modulated signals. *Journal of the Acoustical Society of America* 112(1):334-344.
- Kastelein, R.A., P.J. Wensveen, L. Hoek, W.C. Verboom, and J.M. Terhune. 2009. Underwater detection of tonal signals between 0.125 and 100 kHz by harbor seals (*Phoca vitulina*). *Journal of the Acoustical Society of America* 125(2):1222-1229.
- Keevin, T.M. and G.L. Hempen. 1997. *The environmental effects of underwater explosions with methods to mitigate impacts*. St. Louis, Missouri: U.S. Army Corps of Engineers.
- Keller, A.A., E.L. Fruh, K.L. Bosley, D.J. Kamikawa, J.R. Wallace, B.H. Horness, V.H. Simon, and V.J. Tuttle. 2006. The 2001 U.S. west coast upper continental slope trawl survey of groundfish resources off Washington, Oregon, and California: Estimates of distribution, abundance, and length composition. NOAA Technical Memorandum NMFS-NWFSC-72:1-175.
- Keller, O., K. Lüdemann, and R. Kafemann. 2006. Literature review of offshore wind farms with regard to fish fauna. Pages 47-129 in Zucco, C., W. Wende, T. Merck, I. Köchling, and J. Köppel, eds. *Ecological research on offshore wind farms: International exchange of experiences. Part B: Literature review of ecological impacts*. Bonn, Germany: Bundesamt für Naturschutz.
- Kennett, J.P. 1982. *Marine geology*. Englewood Cliffs, New Jersey: Prentice-Hall, Inc.

- Kenney, R.D. 1990. Bottlenose dolphins off the northeastern United States. Pages 369-386 in Leatherwood, S. and R.R. Reeves, eds. The bottlenose dolphin. San Diego, California: Academic Press.
- Kenney, R.D. and H.E. Winn. 1986. Cetacean high-use habitats of the northeast United States continental shelf. *Fishery Bulletin* 84(2):345-357.
- Kenney, R.D. and H.E. Winn. 1987. Cetacean biomass densities near submarine canyons compared to adjacent shelf/slope areas. *Continental Shelf Research* 7:107-114.
- Kenney, R.D., H.E. Winn, and M.C. Macaulay. 1995. Cetaceans in the Great South Channel, 1979-1989: Right whale (*Eubalaena glacialis*). *Continental Shelf Research* 15:385-414.
- Kerlinger, P. and J. Kerns. 2004. A study of bird and bat collision fatalities at that Mountaineer Wind Energy Center, Tucker County, West Virginia: Annual report for 2003. Prepared for FPL Energy and Mountaineer Wind Energy Center Technical Review Committee by Curry & Kerlinger, LLC, Cape May Point, New Jersey and Jessica Kerns, Center for Environmental Science, Appalachian Laboratory, University of Maryland Center for Environmental Science, Frostburg, Maryland.
- Ketten, D.R. 1998a. Marine mammal hearing and acoustic trauma: Basic mechanisms, marine adaptations, and beaked whale anomalies. Pages 2/61-62/71 in D'Amico, A. and W. Verboom, eds. Report of the Bioacoustics Panel, NATO/SACLANT. La Spezia, Italy: NATO/SACLANT.
- Ketten, D.R. 1998b. Marine mammal ears: An anatomical perspective on underwater hearing. *Proceedings of the International Congress on Acoustics* 3:1657-1660.
- Ketten, D.R. 2000. Cetacean ears. Pages 43-108 in Au, W.W.L., A.N. Popper, and R.R. Fay, eds. *Hearing by whales and dolphins*. New York, New York: Springer-Verlag.
- Ketten, D.R. and S.M. Bartol. 2006. Functional measures of sea turtle hearing. ONR Award Number N00014-02-1-0510 Prepared for the Office of Naval Research, Arlington, Virginia by Woods Hole Oceanographic Institution, Woods Hole, Massachusetts.
- Kikuchi, R. 2009. Risk formulation for the sonic effects of offshore wind farms on fish in the EU region. *Marine Pollution Bulletin*:doi:10.1016/j.marpolbul.2009.1009.1023.
- Kingsley, A. and B. Whittam. 2005. Wind turbines and birds: A background review for environmental assessment: Draft May 12, 2005. Prepared for Canadian Wildlife Service, Environment Canada, Gatineau, Quebec by Bird Studies Canada, Port Rowan, Ontario.
- Knebel, H.J. and E.C. Spiker. 1977. Thickness and age of surficial sand sheet, Baltimore Canyon Trough area. *American Association of Petroleum Geologists Bulletin* 61(6):861-871.
- Knebel, H.J., S.A. Wood, and E.C. Spiker. 1979. Hudson River: Evidence for extensive migration on the exposed continental shelf during Pleistocene time. *Geology* 7(5):254-258.
- Knowlton, A.R., J.B. Ring, and B. Russell. 2002. Right whale sightings and survey effort in the Mid Atlantic Region: Migratory corridor, time frame, and proximity to port entrances. Report submitted to the NMFS Ship Strike Working Group, Silver Spring, Maryland.
- Kohut, J.T., S.M. Glenn, and R.J. Chant. 2004. Seasonal current variability on the New Jersey inner shelf. *Journal of Geophysical Research* 109:doi:10.1029/2003JC001963.
- Konrad, C.E., II. 2001. Relationships between tropical cyclone attributes and precipitation totals: Considerations of scale. Eighty-first Annual Meeting of the American Meteorological Society: Climate Variability, the Oceans and Societal Impacts. Albuquerque, New Mexico, 14-19 January 2001.
- Koski, W.R., J.W. Lawson, D.H. Thomson, and W.J. Richardson. 1998. Point Mugu Sea Range marine mammal technical report. Point Mugu and San Diego, California: Naval Air Warfare Center, Weapons Division and Southwest Division, Naval Facilities Engineering Command.
- Kraus, S.D., J.H. Prescott, A.R. Knowlton, and G.S. Stone. 1986. Migration and calving of right whales (*Eubalaena glacialis*) in the western North Atlantic. *Reports of the International Whaling Commission (Special Issue 10)*:139-144.
- Kunz, T.H., E.B. Arnett, W.P. Erickson, A.R. Hoar, G.D. Johnson, R.P. Larkin, M.D. Strickland, R.W. Thresher, and M.D. Tuttle. 2007. Ecological impacts of wind energy development on bats: Questions, research, needs, and hypotheses. *Frontiers of Ecology and the Environment* 5:315-324.
- Laerm, J., F. Wenzel, J.E. Craddock, D. Weinand, J. McGurk, M.J. Harris, G.A. Early, J.G. Mead, C.W. Potter, and N.B. Barros. 1997. New prey species for northwestern Atlantic humpback whales. *Marine Mammal Science* 13(4):705-711.

- Laist, D.W., A.R. Knowlton, J.G. Mead, A.S. Collet, and M. Podesta. 2001. Collisions between ships and whales. *Marine Mammal Science* 17(1):35-75.
- Landsea, C.W. 1993. A climatology of intense (or major) Atlantic hurricanes. *Monthly Weather Review* 121:1703-1713.
- Landsea, C.W., G.D. Bell, W.M. Gray, and S.B. Goldenberg. 1998. The extremely active 1995 Atlantic hurricane season: Environmental conditions and verification of seasonal forecasts. *Monthly Weather Review* 126:1174-1193.
- Larsen, J.K. and M. Guillemette. 2007. Effects of wind turbines on flight behaviour of wintering common eiders: Implications for habitat use and collision risk. *Journal of Applied Ecology* 44:516-522.
- Lawrence, M.B. 1977. Atlantic hurricane season of 1976. *Monthly Weather Review* 105:497-683.
- Lawrence, M.B., L.A. Avila, J.L. Beven, J.L. Franklin, J.L. Guiney, and R.J. Pasch. 2001. Annual summary: Atlantic hurricane season of 1999. *Monthly Weather Review* 129:3057-3084.
- Lazell, J.D., Jr. 1980. New England waters: Critical habitat for marine turtles. *Copeia* 1980(2):290-295.
- Lehtola, C.J. and C.M. Brown. 1998. The Saffir/Simpson hurricane scale. *The Disaster Handbook*, National Edition. University of Florida, Institute of Food and Agricultural Sciences, Gainesville, Florida. Online version accessed 24 February 2010 <http://disaster.ifas.ufl.edu/default.htm>.
- Lenhardt, M., S. Moein, and J. Musick. 1996. A method for determining hearing thresholds in marine turtles. Pages 160-161 in Keinath, J.A., D.E. Barnard, J.A. Musick, and B.A. Bell, eds. *Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-387.
- Leonhard, S.B. 2006. EIA report benthic communities. Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark and Carl Bro as, Glostrup, Denmark.
- Leonhard, S.B. and J. Pedersen. 2006. Benthic communities at Horns Rev before, during and after construction of Horns Rev offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark.
- Lepper, P., S. Robinson, J. Ablitt, and S. Dible. 2009. Temporal and spectral characteristics of a marine piling operation in shallow water. *Proceedings of the NAG/DAGA 2009 International conference on Acoustics*. Rotterdam, 23-26 March 2009.
- Linder, C.A. and G. Gawarkiewicz. 1998. A climatology of the shelfbreak front in the Middle Atlantic Bight. *Journal of Geophysical Research* 103(C9):18405-18423.
- Linder, C.A., G.G. Gawarkiewicz, and R.S. Pickart. 2004. Seasonal characteristics of bottom boundary layer detachment at the shelfbreak front in the Middle Atlantic Bight. *Journal of Geophysical Research* 109,C03049,doi:10.1029/2003JC002032.
- Loder, J.W., B. Petrie, and G. Gawarkiewicz. 1998. The coastal ocean off northeastern North America: A large-scale view. Pages 105-133 in Robinson, A.R. and K.H. Brink, eds. *The sea*. Volume 11: Regional studies and syntheses. New York, New York: Wiley and Sons.
- Long, D., W. Figley, and B. Preim. 1982. New Jersey's recreational and commercial ocean fishing grounds. Technical Series 82-1. Trenton, NJ: New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife, Marine Fisheries Administration, Bureau of Marine Fisheries.
- Longcore, T. and C. Rich. 2004. Ecological light pollution. *Frontiers in Ecology and Evolution* 2(4):191-198.
- Longhurst, A. 2001. Pelagic biogeography. Pages 2114-2122 in Steele, J.H., S.A. Thorpe, and K.K. Turekian, eds. *Encyclopedia of Ocean Sciences*. Volume 4. San Diego, California: Academic Press.
- Louis Berger Group Inc. 1999. Environmental report: Use of federal offshore sand resources for beach and coastal restoration in New Jersey, Maryland, Delaware, and Virginia. OCS Study MMS 99-0036 Herndon, Virginia: Minerals Management Service.
- Ludlum, D.M. 1983. *The New Jersey Weather Book*. Rutgers University Press, New Brunswick.
- Lutcavage, M. and J.A. Musick. 1985. Aspects of the biology of sea turtles in Virginia. *Copeia* 1985(2):449-456.
- Lutz, P.L. and J.A. Musick, eds. 1997. *The biology of sea turtles*. Boca Raton, Florida: CRC Press.
- Lutz, P.L., J.A. Musick, and J. Wyneken, eds. 2003. *The biology of sea turtles*, Volume 2. Boca Raton, Florida: CRC Press.
- Ma, H., J.P. Grassle, and J.M. Rosario. 2006a. Initial recruitment and growth of surfclams (*Spisula solidissima* Dillwyn) on the inner continental shelf of New Jersey. *Journal of Shellfish Research* 25(2):481-489.

- Ma, H., J.P. Grassle, and R.J. Chant. 2006b. Vertical distribution of bivalve larvae along a cross-shelf transect during summer upwelling and downwelling. *Marine Biology* 149:1123-1138.
- Maclean, I.M.D., H. Skov, M.M. Rehfish, and W. Piper. 2006. Use of aerial surveys to detect bird displacement by offshore wind farms. BTO Research Report No. 446 to COWRIE. BTO, Thetford.
- Macomber, R.T. and D. Allen. 1979. The New Jersey submerged aquatic vegetation distribution atlas final report. Prepared for New Jersey Department of Environmental Protection, Division of Coastal Resources, Bureau of Coastal Planning and Development, Trenton, New Jersey by Earth Satellite Corporation, Washington, D.C.
- MAFMC (Mid-Atlantic Fishery Management Council). 1998. Amendment 8 to the Atlantic Mackerel, Squid, and Butterfish Fishery Management Plan--August 1998. Dover, DE: Mid-Atlantic Fishery Management Council in cooperation with National Marine Fisheries Service, New England Fishery Management Council, and South Atlantic Fishery Management Council.
- MAFMC (Mid-Atlantic Fishery Management Council). 2010. Amendment 11 to the Atlantic mackerel, squid, and butterfish fishery management plan. Dover, DE: Mid-Atlantic Fishery Management Council in cooperation with National Marine Fisheries Service.
- MAFMC (Mid-Atlantic Fishery Management Council) and ASMFC (Atlantic States Marine Fisheries Commission). 1998a. Amendment 12 to the summer flounder, scup, and black sea bass Fishery Management Plan. Prepared by the Mid-Atlantic Fishery Management Council, Dover, Delaware and the Atlantic States Marine Fisheries Commission, Washington, D.C.
- MAFMC (Mid-Atlantic Fishery Management Council) and ASMFC (Atlantic States Marine Fisheries Commission). 1998b. Amendment 1 to the bluefish fishery management plan. Prepared by the Mid-Atlantic Fishery Management Council, Dover, Delaware and the Atlantic States Marine Fisheries Commission, Washington, D.C.
- Mann, K.H. and J.R.N. Lazier. 1991. Dynamics of marine ecosystems: Biological-physical interactions in the oceans. Boston, Massachusetts: Blackwell Scientific Publications.
- MARCOOS (Mid Atlantic Regional Coastal Ocean Observing System). 2006. MARCOOS Data. Rutgers Coastal Ocean Modeling and Prediction group OPeNDAP server. Meteorology. Precipitation. Electronic data. Download date: 25 February 2010. <http://tashtego.marine.rutgers.edu:8080/thredds/catalog/met/ncep-nam-analysis/catalog.html>.
- MARCOOS (Mid Atlantic Regional Coastal Ocean Observing System). 2008. MARCOOS Data. Rutgers Coastal Ocean Modeling and Prediction group OPeNDAP server. Meteorology. Air Temperature. Electronic data. Download date: 25 February 2010. <http://tashtego.marine.rutgers.edu:8080/thredds/catalog/met/ncep-nam-1hour/catalog.html>.
- Masden, E.A., D.T. Haydon, A.D. Fox, R.W. Furness, R. Bullman, and M. Desholm. 2009. Barriers to movement: Impacts of wind farms on migrating birds. *ICES Journal of Marine Science* 66(Advanced Access Copy).
- McAdie, C.J., C.W. Landsea, C.J. Neumann, J.E. David, E.S. Blake, and G.R. Hammer. 2009. Tropical cyclones of the north Atlantic Ocean, 1851-2006 (with 2007 and 2008 track maps included). Historical Climatology Series 6-2. Prepared by the National Climatic Data Center, Asheville, NC, in cooperation with the National Hurricane Center, Miami, FL.
- McBride, R.A. and F. Moslow. 1991. Origin, evolution, and distribution of shoreface sand ridges, Atlantic inner shelf, U.S.A. *Marine Geology* 97:57-85.
- McHugh, C.M.G. and H.C. Olson. 2002. Pleistocene chronology of continental margin sedimentation: New insights into traditional models, New Jersey. *Marine Geology* 186(3-4):389-411.
- McKinnon, L., H.G. Gilchrist, and D. Fifield. 2009. A pelagic seabird survey of Arctic and sub-Arctic Canadian waters during fall. *Marine Ornithology* 37:77-84.
- Medwin, H., R.A. Helbig, and J.D. Hagy Jr. 1973. Spectral characteristics of sound transmission through the rough sea surface. *Journal of the Acoustical Society of America* 54(1):99-109.
- Meißner, K. and H. Sordyl. 2006. Literature review of offshore wind farms with regard to benthic communities and habitats. Pages 1-45 in Zucco, C., W. Wende, T. Merck, I. Köchling, and J. Köppel, eds. Ecological research on offshore wind farms: International exchange of experiences. Part B: Literature review of ecological impacts. Bonn, Germany: Bundesamt für Naturschutz.
- Mellinger, D.K., C.D. Carson, and C.W. Clark. 2000. Characteristics of minke whale (*Balaenoptera acutorostrata*) pulse trains recorded near Puerto Rico. *Marine Mammal Science* 16(4):739-756.

- Milliman, J.D., Z. Jiezhao, L. Anchun, and J.I. Ewing. 1990. Late Quaternary sedimentation on the outer and middle New Jersey continental shelf: Result of two local deglaciations? *The Journal of Geology* 98(6):966-976.
- Mitchell, E.D., Jr. 1991. Winter records of the minke whale (*Balaenoptera acutorostrata acutorostrata* Lacépède 1804) in the southern North Atlantic. *Reports of the International Whaling Commission* 41:455-457.
- MMS (Mineral Management Service). 1999. Environmental report: Use of federal offshore sand resources for beach and coastal restoration in New Jersey, Maryland, Delaware, and Virginia. OCS Study MMS 99-0036 Herndon, Virginia: Prepared for Minerals Management Service by Louis Berger Group, Inc.
- MMS (Minerals Management Service). 2005. Oil and gas and sulphur operations in the Outer Continental Shelf (OCS)--Plans and information--Protection of marine mammals and threatened and endangered species--Notice of proposed rulemaking. *Federal Register* 70(171):52953-52956.
- MMS (Minerals Management Service). 2007. Final environmental impact statement: Programmatic environmental impact statement for alternative energy development and production and alternate use of facilities on the Outer Continental Shelf. OCS EIS/EA MMS 2007-046. Volume I: Executive summary through chapter 4 Herndon, Virginia: Department of the Interior, Minerals Management Service.
- MMS (Minerals Management Service). 2009a. Issuance of leases for wind resource data collection on the Outer Continental Shelf offshore Delaware and New Jersey. Environmental assessment. New Orleans, Louisiana: Minerals Management Service, Environmental Division.
- MMS (Minerals Management Service). 2009b. Renewable energy and alternate uses of existing facilities on the outer continental shelf. Final rule. *Federal Register* 74(81):19638-19871.
- MMS (Minerals Management Service). 2009c. Cape Wind energy project: Final environmental impact statement. OSC Publication No. 2008-040. Volume 1. Herndon Virginia: Mineral Management Service.
- MMS (Minerals Management Service). 2010. Cape Wind energy project: Environmental assessment. OCS EIS/EA MMS 2010-011. Minerals Management Service.
- Moody, J.A., B. Butman, R.C. Beardsley, W.S. Brown, P. Daifuku, J.D. Irish, D.A. Mayer, H.O. Mofjeld, B. Petrie, S. Ramp, P. Smith, and W.R. Wright. 1984. Atlas of tidal elevation and current observations on the Northeast American continental shelf and slope. U.S. Geological Survey Bulletin 1611. U.S. Department of the Interior.
- Mooney, T.A., P.E. Nachtigall, K.A. Taylor, M.H. Rasmussen, and L.A. Miller. 2009a. Auditory temporal resolution of a wild white-beaked dolphin (*Lagenorhynchus albirostris*). *Journal of Comparative Physiology A* 195:375-384.
- Mooney, T.A., P.E. Nachtigall, M. Breese, S. Vlachos, and W.W.L. Au. 2009b. Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *Journal of the Acoustical Society of America* 125(3):1816-1826.
- Morreale, S.J. and E.A. Standora. 1998. Early life stage ecology of sea turtles in northeastern U.S. waters. NOAA Technical Memorandum NMFS-SEFSC-413:1-49.
- Mosbech, A., R. Dietz, and J. Nymand. 2000. Preliminary environmental impact assessment of regional offshore seismic surveys in Greenland. *Arktisk Miljø/Arctic Environment* 2nd ed. National Environmental Research Institute, Denmark. 25 pp.
- Mountain, D.G. 2002. Potential consequences of climatic change for the fish resources in the Mid-Atlantic region. Pages 185-194 in McGinn, N.A., ed. *Fisheries in a changing climate*. American Fisheries Society Symposium 32. Bethesda, Maryland: American Fisheries Society.
- Mrosovsky, N. 1980. Thermal biology of sea turtles. *American Zoologist* 20(3):531-547.
- Mueller-Blenkle, C., P.K. McGregor, A.B. Gill, M.H. Andersson, J. Metcalfe, V. Bendall, P. Sigray, D. Wood, and F. Thomsen. 2010. Effects of pile-driving noise on the behaviour of marine fish. COWRIE Technical Report Fish 06-08.
- Münchow, A. and R.W. Garvine. 1993. Buoyancy and wind forcing of a coastal current. *Journal of Marine Science* 51:293-322.
- Murawski, S.A. 1993. Climate change and marine fish distributions: Forecasting from historical analogy. *Transactions of the American Fisheries Society* 122(5):647-658.
- Murphy, M.A. 1995. Occurrence and group characteristics of minke whales, *Balaenoptera acutorostrata*, in Massachusetts Bay and Cape Cod Bay. *Fishery Bulletin* 93:577-585.

- Musick, J.A., J.A. Colvocoresses, and E.J. Foell. 1985. Seasonality and the distribution, availability and composition of fish assemblages in Chesapeake Bight. Pages 451-474 in Yanez-Arancibia, A., ed. Fish community ecology in estuaries and coastal lagoons: Towards an ecosystem integration. Mexico City, Mexico: UNAM Press México.
- Nachtigall, P.E. and A.Y. Supin. 2008. Review: A false killer whale adjusts its hearing when it echolocates. *Journal of Experimental Biology* 211:1714-1718.
- Nachtigall, P.E., T.A. Mooney, K.A. Taylor, and M.M.L. Yuen. 2007. Hearing and auditory evoked potential methods applied to odontocete cetaceans. *Aquatic Mammals* 33(1):6-13.
- Nachtigall, P.E., T.A. Mooney, K.A. Taylor, L.A. Miller, M.H. Rasmussen, T. Akamatsu, J. Teilmann, M. Linnenschmidt, and G.A. Vikingsson. 2008. Shipboard measurements of the hearing of the white-beaked dolphin *Lagenorhynchus albirostris*. *The Journal of Experimental Biology* 211:642-647.
- NARWC (North Atlantic Right Whale Consortium). 2009. North Atlantic Right Whale Consortium 2009 annual report card: Addendum. Prepared for the IWC Scientific Committee.
- NASA (National Aeronautics and Space Administration). 2010. Goddard Earth Sciences Data and Information Services Center. MODIS-Aqua Level 3 data download. Processed by Rutgers Coastal Ocean Observation Lab (RU COOL). Electronic data. Download date: 17 February 2010.
- Nedwell, J. and D. Howell. 2004. A review of offshore windfarm related underwater noise sources. Collaborative Offshore Wind Energy Research Into the Environment (COWRIE) Report. 544 R 0308 63 pp.
- Nedwell, J.R., B. Edwards, A.W.H. Turnpenny, and J. Gordon. 2004. Fish and marine mammal audiograms: A summary of available information. Subacoustech Report. 534R0214 281 pp.
- Nedwell, J.R., S. Parvin, B. Edwards, R. Workman, A. Brooker, and J. Kynoch. 2007. Measurement and interpretation of underwater noise during construction and operation of offshore windfarms in UK waters. Subacoustech Report No. 544R0738. Prepared for COWRIE, Ltd. by Subacoustech, Southampton, United Kingdom.
- NEFMC (New England Fishery Management Council). 1998. Final Amendment 11 to the Northeast Multispecies Fishery Management Plan, Amendment 9 to the Atlantic Sea Scallop Fishery Management Plan, Amendment 1 to the Monkfish Fishery Management Plan, Amendment 1 to the Atlantic Salmon Fishery Management Plan, components of the proposed Atlantic Herring Fishery Management Plan for essential fish habitat: Incorporating the environmental assessment. Newburyport, Massachusetts: New England Fishery Management Council in consultation with National Marine Fisheries Service.
- NEFMC (New England Fishery Management Council). 1999. Final Amendment 12 to the northeast multispecies fishery management plan (whiting, red hake, & offshore hake): Incorporating the supplemental environmental impact statement and regulatory impact review (including the regulatory flexibility analysis). Saugus, Massachusetts: New England Fishery Management Council.
- NEFMC (New England Fishery Management Council). 2003. Fishery management plan for the northeast skate complex. Newburyport, Massachusetts: New England fishery Management Council in consultation with National Marine Fisheries Service.
- NEFMC (New England Fishery Management Council). 2007. Essential fish habitat (EFH) omnibus amendment draft supplemental environmental impact statement (DSEIS) Phase 1. Newburyport, Massachusetts: New England Fishery Management Council.
- Neumann, C. 2001a. Return period in years for category 5 hurricanes. produced by the National Hurricane Center Risk Analysis Program (HURISK). Accessed 23 February 2010 <http://www.nhc.noaa.gov/HAW2/english/basics/return.shtml>.
- Neumann, C. 2001b. Return period in years for category 4 hurricanes. produced by the National Hurricane Center Risk Analysis Program (HURISK). Accessed 23 February 2010 <http://www.nhc.noaa.gov/HAW2/english/basics/return.shtml>.
- Neumann, C. 2001c. Return period in years for category 3 hurricanes. produced by the National Hurricane Center Risk Analysis Program (HURISK). Accessed 23 February 2010 <http://www.nhc.noaa.gov/HAW2/english/basics/return.shtml>.
- Neumann, C. 2001d. Return period in years for category 2 hurricanes. produced by the National Hurricane Center Risk Analysis Program (HURISK). Accessed 23 February 2010 <http://www.nhc.noaa.gov/HAW2/english/basics/return.shtml>.

- Neumann, C. 2001e. Return period in years for category 1 hurricanes. produced by the National Hurricane Center Risk Analysis Program (HURISK). Accessed 23 February 2010 <http://www.nhc.noaa.gov/HAW2/english/basics/return.shtml>.
- Newcombe, C.P. and J.O.T. Jensen. 1996. Channel suspended sediment and fisheries: A synthesis for quantitative assessment of risk and impact. *North American Journal of Fisheries Management* 16(4):693-727.
- Newman, W.S., D.L. Thurber, H.S. Awiss, A. Rokach, and L. Musich. 1969. Late Quarternary geology of the Hudson River estuary: A preliminary report. *Transactions of the New York Academy of Sciences: Series II* 31(5):548-570.
- Nielsen, S., ed. 2006. Offshore wind farms and the environment-Danish experiences from Horns Rev and Nysted. Prepared by the Danish Energy Authority, Copenhagen, Denmark.
- NJDEP (New Jersey Department of Environmental Protection). 1999. Reef balls: A new direction for the reef program. *New Jersey Reef News*. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish, Game and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2000. Study reveals reefs enhance New Jersey's marine environment. *New Jersey Reef News*. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2007. Solicitation for research proposals: Ocean/Wind power ecological baseline studies. New Jersey Department of Environmental Protection (NJDEP), Division of Science, Research and Technology (DSRT).
- NJDEP (New Jersey Department of Environmental Protection). 2008a. Locations of New Jersey artificial reefs. <http://www.state.nj.us/dep/fgw/refloc00.htm>. Electronic data. Download date: 19 February 2009.
- NJDEP (New Jersey Department of Environmental Protection). 2008b. Stainless steel subway cars on TRAC to New Jersey reefs. *New Jersey Reef News*. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2009. New Jersey ocean stock assessment program (2003-2008). Electronic data. Received 16 March from Don Byrne, Principal Biologist. Trenton, New Jersey, NJDEP Division of Fish and Wildlife.
- NJDEP (New Jersey Department of Environmental Protection). 2010. Sonar confirms stainless steel subway car collapses on Atlantic City reef site. *New Jersey Reef News*. Trenton, New Jersey: New Jersey Department of Environmental Protection, Division of Fish and Wildlife.
- NJDFW (New Jersey Division of Fish and Wildlife). 2000. Division deploys 700 reef balls. Accessed 6 February 2007. <http://www.artificialreefs.org/Articles/Division%20Deploys%20700%20Reef%20Balls.htm>.
- NMFS (National Marine Fisheries Service). 1998. Final recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2001a. Status review of the Gulf of Maine/Bay of Fundy population of harbor porpoise under the Endangered Species Act (ESA). *Federal Register* 66(149):40176-40187.
- NMFS (National Marine Fisheries Service). 2001b. Atlantic Coastal Fisheries Cooperative Management Act provisions; horseshoe crab fishery; closed area. *Federal Register* 66(24):8906-8911.
- NMFS (National Marine Fisheries Service). 2003. Final amendment 1 to the fishery management plan for Atlantic tunas, swordfish, and sharks. Silver Spring, Maryland: National Marine Fisheries Service. Prepared by the Highly Migratory Species Management Division.
- NMFS (National Marine Fisheries Service). 2006. Final consolidated Atlantic Highly Migratory Species Fishery Management Plan. Silver Spring, Maryland: National Marine Fisheries Service, Office of Sustainable Fisheries, Highly Migratory Species Management Division.
- NMFS (National Marine Fisheries Service). 2009a. Final amendment 1 to the 2006 consolidated highly migratory species fishery management plan for essential fish habitat. Silver Spring, Maryland: National Marine Fisheries Service.
- NMFS (National Marine Fisheries Service). 2009b. Atlantic highly migratory species; essential fish habitat. *Federal Register* 74(112):28018-28025.
- NMFS (National Marine Fisheries Service). 2010. Endangered and threatened wildlife; notice of 90-day finding on a petition to list Atlantic sturgeon as threatened or endangered under the Endangered Species Act (ESA). *Federal Register* 75(3):838-841.

- NOAA (National Oceanic and Atmospheric Administration). 1999. Geophysical data system for gridded bathymetric data. Volume 2. [CD-ROM]. Boulder, Colorado: National Geophysical Data Center.
- NOAA (National Oceanic and Atmospheric Administration). 2004. Monthly Station Climate Summaries, 1971-2000. Climatography of the United States No. 20. National Oceanic and Atmospheric Administration, National Environmental Satellite, Data, and Information Service, National Climatic Data Center, Asheville, North Carolina.
- NOAA (National Oceanic and Atmospheric Administration). 2009a. Historical north Atlantic tropical cyclone tracks, 1851-2008. Electronic data. Download date: 22 February 2010. <http://csc-s-maps-q.csc.noaa.gov/hurricanes/download.jsp>.
- NOAA (National Oceanic and Atmospheric Administration). 2009b. Tropical cyclone definitions. National Weather Service instruction 10-604. Operations and Services, Tropical Cyclone Weather Service Program, NWSPD 10-6.
- NOAA (National Oceanic and Atmospheric Administration)/Office of Coast Survey. 2008a. NOAA electronic navigational charts (NOAA ENC's). Electronic data. Download date: 9 May 2008. <http://www.nauticalcharts.noaa.gov/mcd/enc/index.htm>.
- NOAA (National Oceanic and Atmospheric Administration)/Office of Coast Survey. 2008b. NOAA electronic navigational charts (NOAA ENC's). <http://chartmaker.ncd.noaa.gov/MCD/enc/index.htm>. Electronic data. Download date: 2 January 2008.
- NOAA/NWS (National Oceanic and Atmospheric Administration/National Weather Service). 2010a. El Niño/Southern Oscillation (ENSO) Diagnostic discussion: ENSO Alert System Status: El Niño Advisory. Issued by Climate Prediction Center/NCEP/NWS, Camp Springs, MD.
- NOAA/NWS (National Oceanic and Atmospheric Administration/National Weather Service). 2010b. Tropical cyclone climatology. Accessed 22 February 2010 <http://www.nhc.noaa.gov/pastprofile.shtml>.
- NODC (National Oceanographic Data Center). 2010. National Atmospheric and Oceanic Administration (NOAA) Satellite and Information Service. World Ocean database 2009. Electronic data. Download date: 8 February 2010. http://www.nodc.noaa.gov/OC5/WOD09/pr_wod09.html.
- NRC (National Research Council). 2003. Ocean noise and marine mammals. National Academies Press, Washington, D.C.
- O'Hara, J. and J.R. Wilcox. 1990. Avoidance responses of loggerhead turtles, *Caretta caretta*, to low frequency sound. *Copeia* 1990(2):564-567.
- O'Keefe, D.J. 1984. Guidelines for predicting the effects of underwater explosions on swimbladder fish. Final Report. Silver Spring, Maryland: Naval Surface Weapons Center.
- Olney, J., Sr. and D.M. Bilkovic. 1998. Part 3: Literature survey of reproductive finfish and ichthyoplankton present in proposed sand mining locations. Pages 205-230 in Cutter, G.R., Jr., R.J. Diaz, J.A. Musick, J. Olney, D. Bilkovic, J.P.-Y. Maa, S. Kim, C.S. Hardaway, D. Milligan, R. Brindley, and C.H. Hobbs, eds. Environmental survey of potential sand resource sites offshore Delaware and Maryland. MMS OCS Study 2000-055. Herndon, Virginia: Minerals Management Service.
- Onley, D. and P. Scofield. 2007. Albatrosses, Petrels, and Shearwaters of the world. Princeton University Press, Princeton, New Jersey.
- Osborn, R.G., K.F. Higgins, R.E. Usgaard, C.D. Dieter, and R.D. Neiger. 2000. Bird mortality associated with wind turbines at the Buffalo Ridge Wind Resource Area, Minnesota. *American Midland Naturalist* 143:41-52.
- OSPAR Commission. 2004. Problems and benefits associated with the development of offshore wind-farms. London, England: OSPAR Commission.
- OSPAR Commission. 2008a. OSPAR guidance on environmental considerations for offshore wind farm development. Agreement 2008-03: OSPAR Commission.
- OSPAR Commission. 2008b. Background document on potential problems associated with power cables other than those for oil and gas activities. London, England: OSPAR Commission.
- Owens, J.P., P.J. Sugarman, N.F. Sohl, R.A. Parker, H.F. Houghton, R.A. Volkert, A.A. Drake Jr, and R.C. Orndorff. 1998. Bedrock geologic map of central and southern New Jersey. U.S. Geological Survey, Information Services, Denver, Colorado.
- Pacheco, A.L., ed. 1988. Characterization of the Middle Atlantic Water Management Unit of the Northeast Regional Action Plan. NOAA Technical Memorandum NMFS-F/NEC-56:1-322.

- Page, F.H. and K.T. Frank. 1989. Spawning time and egg stage duration in northwest Atlantic haddock *Melanogrammus aeglefinus* stocks with emphasis on Georges and Browns Bank. Canadian Journal of Fisheries and Aquatic Sciences 46:68-81.
- Palka, D.L. and P.S. Hammond. 2001. Accounting for responsive movement in line transect estimates of abundance. Canadian Journal of Fisheries and Aquatic Sciences 58:777-787.
- Parsons, T.R., M. Takahashi, and B. Hargrave. 1984. Biological oceanographic processes. 3d ed. Oxford, United Kingdom: Pergamon Press.
- Pasch, R.J. and L.A. Avila. 1992. Atlantic summaries: Atlantic hurricane season of 1991. Monthly Weather Review 120:2671-2687.
- Pasch, R.J. and L.A. Avila. 1999. Atlantic hurricane season of 1996. Monthly Weather Review 127:581-610.
- Payne, P.M. and L.A. Selzer. 1989. The distribution, abundance and selected prey of the harbor seal, *Phoca vitulina concolor*, in southern New England. Marine Mammal Science 5(2):173-192.
- Payne, P.M., L.A. Selzer, and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles, and seabirds in the shelf waters of the northeastern United States, June 1980 - December 1983, based on shipboard observations. Contract number NA-81-FA-C-00023 Woods Hole, Massachusetts: National Marine Fisheries Service.
- Payne, P.M., D.N. Wiley, S.B. Young, S. Pittman, P.J. Clapham, and J.W. Jossi. 1990. Recent fluctuations in the abundance of baleen whales in the southern Gulf of Maine in relation to changes in selected prey. Fishery Bulletin 88:687-696.
- Pearce, J.B., E.D. Anderson, K. Sherman, J.E. O'Reilly, R.R. Reid, F.W. Steimle, and J.H.W. Hain. 2000. Marine resources: Northeast region. Pages 2-26 in Mac, M.J., P.A. Opler, C.E.P. Haecker, and P.D. Doran, eds. Status and trends of the nation's biological resources. Volume 2. Reston, Virginia: U.S. Geological Survey.
- Petersen, I.K., T.K. Christensen, J. Kahlert, M. Desholm, and A.D. Fox. 2006. Final results of bird studies at the offshore wind farms at Nysted and Horns Rev, Denmark. Prepared for DONG Energy, Fredericia, Denmark and Vattenfall A/S, Stockholm, Sweden by National Environmental Research Institute, Roskilde, Denmark.
- Pielke, R.A., Jr and C.N. Landsea. 1999. La Niña, El Niño, and Atlantic hurricane damages in the United States. Bulletin of the American Meteorological Society 80(10):2027-2033.
- Plotkin, P., ed. 2007. Biology and conservation of ridley sea turtles. Baltimore, Maryland: Johns Hopkins University Press.
- Polacheck, T. and L. Thorpe. 1990. The swimming direction of harbor porpoise in relationship to a survey vessel. Report of the International Whaling Commission 40:463-470.
- Polis, G.A., C.A. Myers, and R.D. Holt. 1989. The ecology and evolution of intraguild predation: Potential competitors that eat each other. Annual Review of Ecology and Systematics 20:297-330.
- Pond, S. and G.L. Pickard. 1983. Introductory dynamical oceanography. 2d ed. Oxford, England: Pergamon Press.
- Popper, A.N. and M.C. Hastings. 2009a. Review Paper: The effects of anthropogenic sources of sound on fishes. Journal of Fish Biology 75:455-489.
- Popper, A.N. and M.C. Hastings. 2009b. The effects of human-generated sound on fish. Integrative Zoology 4:43-52.
- Popper, A.N., R.R. Fay, C. Platt, and O. Sand. 2003. Sound detection mechanisms and capabilities of teleost fishes. Pages 3-38 in Collin, S.P. and N.J. Marshall, eds. Sensory processing in aquatic environments. New York, New York: Springer-Verlag.
- Prescott, R. 2000. Sea turtles in New England waters. Conservation Perspectives: The on-line journal of NESCB.
- Pritchard, P.C.H. 1997. Evolution, phylogeny, and current status. Pages 1-28 in Lutz, P.L. and J.A. Musick, eds. The biology of sea turtles. Boca Raton, Florida: CRC Press.
- Read, A.J. 1999. Harbour porpoise *Phocoena phocoena* (Linnaeus, 1758). Pages 323-355 in Ridgway, S.H. and R. Harrison, eds. Handbook of marine mammals. Volume 6: The second book of dolphins and the porpoises. San Diego, California: Academic Press.
- Reichard, J.D. and T.H. Kunz. 2009. White-nose syndrome inflicts lasting injuries to the wings of little brown myotis (*Myotis lucifugus*). Acta Chiropterologica 11(2):457-464.
- Reichmuth, C. 2008. Effects of noise and tonal stimuli on hearing in pinnipeds. Report Number: A791505. Santa Cruz, CA: California University, Santa Cruz, Institute of Marine Sciences.

- Reid, J.M., J.A. Reid, C.J. Jenkins, M.E. Hastings, S.J. Williams, and L.J. Poppe. 2005. usSEABED: Atlantic Coast offshore surficial sediment data release, version 1.0: Data Series 118. [CD-ROM]. U.S. Geological Survey, Coastal and Marine Geology Program, Woods Hole Science Center, Woods Hole, MA.
- Renaud, M.L. and J.A. Carpenter. 1994. Movements and submergence patterns of loggerhead turtles (*Caretta caretta*) in the Gulf of Mexico determined through satellite telemetry. *Bulletin of Marine Science* 55:1-15.
- Reynolds, D.S. 2006. Monitoring the potential impact of a wind development site on bats in the northeast. *Journal of Wildlife Management* 70(5):1219-1227.
- Richardson, W.J. 1995. Marine mammal hearing. Pages 205-240 in Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson, eds. *Marine mammals and noise*. San Diego, California: Academic Press.
- Richardson, W.J., C.R. Greene, Jr., C.I. Malme, and D.H. Thomson. 1995. *Marine mammals and noise*. San Diego, California: Academic Press.
- Risch, D., C.W. Clark, U. Siebert, and S.M.V. Parijs. 2009. Variability and seasonality of minke whale sounds in the Stellwagen Bank national marine sanctuary, USA. Pages 215-216 in Abstracts, Eighteenth Biennial Conference on the Biology of Marine Mammals. Québec City, Canada, 12-16 October 2009.
- Robertson, G.J. and J.-P.L. Savard. 2002. Long-tailed Duck (*Clangula hyemalis*), The birds of North America online in A. Poole, Ed. Ithaca: Cornell Lab of Ornithology. <http://bna.birds.cornell.edu/bna/species/651>. Accessed: 1 January 2010.
- Robinson, D.A. 2008a. Monthly mean temperatures in coastal New Jersey (Division 3) from 1895-2008. Office of the New Jersey State Climatologist, Rutgers University, Piscataway, New Jersey. Accessed 19 December 2008. http://climate.rutgers.edu/stateclim_v1/data/coast_njhisttemp.html.
- Robinson, D.A. 2008b. Monthly precipitation in coastal New Jersey (Division 3) from 1895-2008. Office of the New Jersey State Climatologist, Rutgers University, Piscataway, New Jersey. Accessed 19 December 2008. http://climate.rutgers.edu/stateclim_v1/data/coast_njhistprecip.html.
- Roman, C.T., N.A. Jaworski, F.T. Short, S. Findlay, and R.S. Warren. 2000. Estuaries of the northeastern United States: Habitat and land use signatures. *Estuaries* 23(6):743-764.
- Russell, R.W., ed. 2005. Interactions between migrating birds and offshore oil and gas platforms in the northern Gulf of Mexico. OCS Study MMS 2005-009. New Orleans, Louisiana: Minerals Management Service.
- Rutgers Coastal Ocean Observation Lab (RU COOL). 2004. Coastal Ocean Dynamics Applications Radar (CODAR) surface current maps. Long-range CODAR archived data. Electronic data. Download date: 4 February 2010. http://marine.rutgers.edu/cool/newcodar/Codar_lr.html.
- Ryan, J.P., J.A. Yoder, and P.C. Cornillon. 1999. Enhanced chlorophyll at the shelfbreak of the Mid-Atlantic Bight and Georges Bank during the spring transition. *Limnology and Oceanography* 44(1):1-11.
- Ryland, J.S. and P.J. Hayward. 1991. Marine flora and fauna of the northeastern United States. Erect Bryozoa. NOAA Technical Report NMFS 99: 1-48.
- SAFMC (South Atlantic Fishery Management Council). 1998. Final habitat plan for the South Atlantic region: Essential fish habitat requirements for fishery management plans of the South Atlantic Fishery Management Council: The shrimp fishery management plan, the red drum fishery management plan, the snapper grouper fishery management plan, the coastal migratory pelagics fishery management plan, the golden crab fishery management plan, the spiny lobster fishery management plan, the coral, coral reefs, and live/hard bottom habitat fishery management plan, the *Sargassum* habitat fishery management plan, and the calico scallop fishery management plan. Charleston, South Carolina: South Atlantic Fishery Management Council.
- Sallenger, A.H., Jr. 2000. Storm impact scale for barrier islands. *Journal of Coastal Research* 16(3):890-895.
- Salmon, M. 2003. Artificial night lighting and sea turtles. *Biologist* 50(4):163-168.
- Saltwater Directions. 2003a. Barnegat: Barnegat Inlet to Deal. GPS detailed fishing chart: New Jersey Series map number NJ0103.
- Saltwater Directions. 2003b. Atlantic City: Ocean City to Barnegat Inlet. GPS detailed fishing chart: New Jersey Series map number NJ0102.

- Saltwater Directions. 2003c. Cape May: Cape May Point to Atlantic City. GPS detailed fishing chart: New Jersey Series map number NJ0101.
- Samuel, Y., S.J. Morreale, C.W. Clark, C.H. Greene, and M.E. Richmond. 2005. Underwater, low-frequency noise in a coastal sea turtle habitat. *Journal of the Acoustical Society of America* 117(3, Part 1):1465-1472.
- Sarà, G., J.M. Dean, D. D'Amato, G. Buscaino, A. Oliveri, S. Genovese, S. Ferro, G. Buffa, M. Lo Martire, and S. Mazzola. 2007. Effect of boat noise on the behaviour of bluefin tuna *Thunnus thynnus* in the Mediterranean Sea. *Marine Ecology Progress Series* (331):243-253.
- Sardi, K.A., M.T. Weinrich, and R.C. Connor. 2005. Social interactions of humpback whale (*Megaptera novaeangliae*) mother/calf pairs on a North Atlantic feeding ground. *Behaviour* 142:731-750.
- Scheifele, P.M. and M. Darre. 2005. Noise levels and sources in the Stellwagen Bank National Marine Sanctuary and the St. Lawrence River Estuary. *Marine Conservation Series* MSD-05-1. Silver Spring, Maryland: U. S. Department of Commerce, National Oceanic and Atmospheric Administration, Marine Sanctuaries Division.
- Schlee, J. 1964. New Jersey offshore gravel deposit. *Pit & Quarry* 57(6):80-81.
- Schofield, O., R. Chant, B. Cahill, R. Castelao, D. Gong, A. Kahl, J. Kohut, M. Montes-Hugo, R. Ramadurai, P. Ramey, X. Yi, and S. Glenn. 2008. The decadal view of the mid-Atlantic Bight from the COOLroom: is our coastal system changing? *Oceanography* 21(4):108-117.
- Scholik, A.R. and H.Y. Yan. 2002. Effects of boat engine noise on the auditory sensitivity of the fathead minnow, *Pimephales promelas*. *Environmental Biology of Fishes* 63:203-209.
- Schroeder, C.L. 2000. Population status and distribution of the harbor seal in Rhode Island waters. Master's thesis, University of Rhode Island.
- Sebens, K.P. 1998. Marine flora and fauna of the eastern United States. Anthozoa: Actiniaria, Corallimorpharia, Ceriantharia, and Zoanthidea. NOAA Technical Report NMFS 141:1-68.
- Serafy, D.K. and F.J. Fell. 1985. Marine flora and fauna of the northeastern United States. Echinodermata: Echinoidea. NOAA Technical Report NMFS 33:1-33.
- Shepard, F.P. 1948. Submarine geology. Harper and Row, New York.
- Sheridan, R.E., G.M. Ashley, K.G. Miller, J.S. Waldner, D.W. Hall, and J. Uptegrove. 2000. Onshore-offshore correlation of upper Pleistocene strata, New Jersey coastal plain to continental shelf and slope. *Sedimentary Geology* 134(1-2):197-207.
- Sherman, K., A. Solow, J. Jossi, and J. Kane. 1998. Biodiversity and abundance of the zooplankton of the Northeast Shelf ecosystem. *ICES Journal of Marine Science* 55:730-738.
- Sherman, K., W. Smith, W. Morse, M. Berman, J. Green, and L. Ejsymont. 1984. Spawning strategies of fishes in relation to circulation, phytoplankton production, and pulses in zooplankton off the northeastern United States. *Marine Ecology Progress Series* 18:1-19.
- Shire, G.G., K. Brown, and G. Winegrad. 2000. Communication towers: A deadly hazard to birds. A report compiled by American Bird Conservancy documenting the killing of 230 bird species. Washington, D.C.: American Bird Conservancy.
- Shoop, C.R. and R.D. Kenney. 1992. Seasonal distributions and abundances of loggerhead and leatherback sea turtles in waters of the northeastern United States. *Herpetological Monographs* 6:43-67.
- Shuman, M.P., J.P. Koermer, and S.D. Reynolds. 2001. Heavy precipitation events from tropical cyclone remnants in the eastern United States. Eighty-first Annual Meeting of the American Meteorological Society: Climate Variability, the Oceans and Societal Impacts. Albuquerque, New Mexico, 14-19 January 2001.
- Sibley, S. 1997. The birds of Cape May, 2nd ed. New Jersey Audubon Society's Cape May Bird Observatory.
- Sieburth, J.M., V. Smetacek, and J. Lenz. 1978. Pelagic ecosystem structure: Heterotrophic compartments of the plankton and their relationship to plankton size fractions. *Limnology and Oceanography* 23(6):1256-1263.
- Simpson, R.H. and J.R. Hope. 1972. Atlantic hurricane season of 1971. *Monthly Weather Review* 100(4):256-275.
- Sims, D.W., V.J. Wearmouth, M.J. Genner, A.J. Southward, and S.J. Hawkins. 2004. Low-temperature-driven early spawning migration of a temperate marine fish. *Journal of Animal Ecology* 73:333-341.

- Skov, H. and F. Thomsen. 2006. EIA report : Marine mammals - Horns Rev 2 offshore wind farm. Prepared by Bio/consult as, Abyhøj, Denmark and Carl Bro as, Glostrup, Denmark.
- Slocum, C.J., R. Schoelkopf, S. Tulevech, M. Stevens, S. Evert, and M. Moyer. 1999. Seal populations wintering in New Jersey (USA) have increased in abundance and diversity. Pages 174-175 in Abstracts, Thirteenth Biennial Conference on the Biology of Marine Mammals. 28 November-3 December 1999. Wailea, Hawaii.
- Smith, D.R. 2005. The life and times of a living fossil: Review of "The American Horseshoe Crab". *BioScience* 55(2):180-182.
- Smith, P.C. 1996. Nearshore ridges and underlying Pleistocene sediments on the inner continental shelf of New Jersey. Master's thesis, Rutgers University.
- Smith, T.D., R.B. Griffin, G.T. Waring, and J.G. Casey. 1996. Multispecies approaches to management of large marine predators. Pages 467-490 in Sherman, K., N.A. Jaworski, and T.J. Smayda, eds. *The Northeast Shelf Ecosystem: Assessment, sustainability, and management*. Cambridge, Massachusetts: Blackwell Science.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsbøll, J. Sigurjónsson, P.T. Stevick, and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science* 15(1):1-32.
- Smith, W.G. 1988. An analysis and evaluation of ichthyoplankton survey data from the northeast continental shelf ecosystem. NOAA Technical Memorandum NMFS-F/NEC-57:1-132.
- Smock, J.C. 1888. Climate of New Jersey. Pages 325-439 in Geological Survey of New Jersey. Final Report of the State Geologist. Volume I: Topography, magnetism, climate. Division of Geology and Waters. Trenton, New Jersey.
- Smultea, M.A., J. Mobley, J.R., D. Fertl, and G.L. Fulling. 2008. An unusual reaction and other observations of sperm whales near fixed-wing aircraft. *Gulf and Caribbean Research* 20:75-80.
- Snedden, J.W., R.W. Tillman, R.D. Kreisa, W.J. Schweller, S.J. Culver, and R.D. Winn Jr. 1994. Stratigraphy and genesis of a modern shoreface-attached sand ridge, Peahala Ridge, New Jersey. *Journal of Sedimentary Research* 64(4b):560-581.
- SNJ (State of New Jersey). 2007. Background about the state of New Jersey. Appendix E. State of New Jersey 2007 state hazard mitigation plan. New Jersey Flood Mitigation Task Force.
- Song, Y.T., D.B. Haidvogel, and S.M. Glenn. 2001. Effects of topographic variability on the formation of upwelling centers off New Jersey: A theoretical model. *Journal of Geophysical Research* 106(C5):9223-9240.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, D.K. Jr., D.R. Ketten, J.H. Miller, P.E. Nachtigall, W.J. Richardson, J.A. Thomas, and P.L. Tyack. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals (Special Issue)* 33(4):411-521.
- Spoto, M. 2006. Reef going under: Concrete sunk at Barnegat Inlet to expand fish site. Press Release. Newark, New Jersey: The Star-Ledger.
- Stahl, L., J. Koczan, and D. Swift. 1974. Anatomy of a shoreface-connected sand ridge on the New Jersey shelf: Implications for the genesis of the shelf surficial sand sheet. *Geology* 2:117-120.
- Stanford, S.D. 2010. Onshore record of Hudson River drainage to the continental shelf from the late Miocene through the late Wisconsinan deglaciation, USA: Synthesis and revision. *Boreas* 39:1-17.
- Steimle, F. 1978. Dissolved oxygen levels in New York Bight waters during 1977. NOAA Technical Series Report No. 20. Highlands, New Jersey: National Marine Fisheries Service, Northeast Fisheries Center, Sandy Hook Laboratory, Division of Environmental Assessment.
- Steimle, F.W. and C. Zetlin. 2000. Reef habitats in the Middle Atlantic Bight: Abundance, distribution, associated biological communities, and fishery resource use. *Marine Fisheries Review* 62(2):24-42.
- Steimle, F.W., Jr. and L. Ogren. 1982. Food of fish collected on artificial reefs in the New York Bight and off Charleston, South Carolina. *Marine Fisheries Review* 44(6-7):49-52.
- Stein, A.B., K.D. Friedland, and M. Sutherland. 2004. Atlantic sturgeon marine distribution and habitat use along the northeastern coast of the United States. *Transactions of the American Fisheries Society* 133:527-537.

- Stenseth, N.C., A. Mysterud, G. Ottersen, J.W. Hurrell, K.-S. Chan, and M. Lima. 2002. Ecological effects of climate fluctuations. *Science* 297:1292-1296.
- Steves, B.P., R.K. Cowen, and M.H. Malchoff. 1999. Settlement and nursery habitats for demersal fishes on the continental shelf of the New York Bight. *Fishery Bulletin* 98(1):167-188.
- Stevick, P.T., J. Allen, M. Bérubé, P.J. Clapham, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbøll, J. Robbins, J. Sigurjónsson, T.D. Smith, N. Øien, and P.S. Hammond. 2003. Segregation of migration by feeding ground origin in North Atlantic humpback whales (*Megaptera novaeangliae*). *Journal of Zoology, London* 259:231-237.
- Stubblefield, W.L. 1980. Genesis and modification of the sand ridges: Inner and middle New Jersey shelf, U.S.A. Doctoral Dissertation, Texas A & M University.
- Stubblefield, W.L. and D.W. McGrail. 1979. Ridge and swale topography revisited: Multiple working hypothesis in action. *EOS (Transactions of the American Geophysical Union)* 60:285.
- Swift, D.J.P., D.B. Duane, and T.F. McKinney. 1973. Ridge and swale topography of the Middle Atlantic Bight, North America: Secular response to the Holocene hydraulic regime. *Marine Geology* 15:227-247.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan, and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Marine Mammal Science* 9(3):309-315.
- Taylor, A.H. and J.A. Stephens. 1998. The North Atlantic Oscillation and the latitude of the Gulf Stream. *Tellus* 50A:134-142.
- Teilmann, J., J. Tougaard, J. Carstensen, R. Dietz, and S. Tougaard. 2006. Summary on seal monitoring 1999-2005 around Nysted and Horns Rev Offshore Wind Farms. Prepared for Energi E2 A/S, Copenhagen, Denmark and Vattenfall A/S, Stockholm, Sweden by the National Environmental Research Institute, Roskilde, Denmark
- Thomas, L., S.T. Buckland, E.A. Rexstad, J.L. Laake, S. Strindberg, S.L. Hedley, J.R.B. Bishop, T.A. Marques, and K.P. Burnham. 2010. Distance software: Design and analysis of distance sampling surveys for estimating population size. *Journal of Applied Ecology* doi: 10.1111/j.1365-2664.2009.01737.x.
- Thompson, N.B., J.R. Schmid, S.P. Epperly, M.L. Snover, J. Braun-McNeill, W.N. Witzell, W.G. Teas, L.A. Csuzdi, and R.A. Myers. 2001. Stock assessment of leatherback sea turtles of the western North Atlantic. Pages 67-104 in NMFS-SEFSC (National Marine Fisheries Service-Southeast Fisheries Science Center), ed. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the western North Atlantic. NOAA Technical Memorandum NMFS-SEFSC-455.
- Thomsen, F. and A. Judd. In press. Assessing and managing the potential effects of pile driving sounds on marine fish from an UK perspective. *Marine Pollution Bulletin* xx:xxx-xxx.
- Thomsen, F., K. Lüdemann, R. Kafemann, and W. Piper. 2006. Effects of offshore wind farm noise on marine mammals and fish. Hamburg, Germany: COWRIE.
- Thurman, H.V. 1997. Introductory oceanography. 8th ed. Upper Saddle River, New Jersey: Prentice Hall.
- Toth-Brown, J., A.A. Hohn, and K.W. Able. 2007. Co-occurrence of two bottlenose dolphin population subunits in coastal New Jersey, USA. In Abstracts, 17th Biennial Conference on the Biology of Marine Mammals, 29 November-3 December 2007. Cape Town, South Africa.
- Toth, J.L., A.A. Hohn, K.W. Able, and A.M. Gorgone. In Press. Patterns of seasonal occurrence, distribution and site fidelity of coastal bottlenose dolphins (*Tursiops truncatus*) in southern New Jersey, U.S.A. *Marine Mammal Science* xx(x):xxx.
- Tougaard, J., O.D. Henriksen, and L.A. Miller. 2009. Underwater noise from three types of offshore wind turbines: Estimation of impact zones for harbor porpoises and harbor seals. *Journal of the Acoustical Society of America* 125(6):3766-3773.
- Tougaard, J., J. Carstensen, N.I. Bech, and J. Teilmann. 2006. Final report on the effect of Nysted offshore wind farm in harbour porpoises: Annual report 2005. Technical report to Energi E2 A/S. NERI (National Environmental Research Institute), Roskilde, Denmark.
- Tougaard, J., J. Carstensen, O.D. Henriksen, J. Teilmann, and J.R. Hansen. 2003. Harbour porpoises on Horns Reef: Effects of the Horns Reef wind farm. Annual Status Report 2003 to Elsam Engineering A/S. NERI (National Environmental Research Institute), Roskilde, Denmark and DDH Consulting A/S, Roskilde, Denmark.

- Townsend, D.W., A.C. Thomas, L.M. Mayer, M.A. Thomas, and J.A. Quinlan. 2004. Oceanography of the Northwest Atlantic continental shelf. Chapter 5 in Robinson, A.R. and K.H.S. Brink, eds. *The sea: The global coastal ocean: Interdisciplinary regional studies and syntheses*. Cambridge, Massachusetts: Harvard University Press.
- Twitchell, D.C. and K.W. Able. 1993. Bathymetry, sidescan SONAR image, and surficial geological interpretation of the inner shelf off Little Egg Inlet, New Jersey. Miscellaneous Field Studies Map, MF-2221. Reston, Virginia: U.S. Geological Survey.
- Uccellini, L.W., P.J. Kocin, R.A. Petersen, C.H. Wash, and K.F. Brill. 1984. The Presidents' Day cyclone of 18–19 February 1979: Synoptic overview and analysis of the subtropical jet streak influencing the pre-cyclogenetic period. *Monthly Weather Review* 112(1):31-55.
- Ulmer, F.A., Jr. 1981. New Jersey's dolphins and porpoises. New Jersey Audubon Society Occasional Paper 137:1-11.
- Uptegrove, J. 2003. Late Pleistocene facies distribution, sea level changes, and paleogeography of the inner continental shelf off Long Beach Island, New Jersey. Master's thesis, Rutgers, The State University of New Jersey.
- Uptegrove, J., D.W. Hall, J.S. Waldner, R.E. Sheridan, B.J. Lubchansky, and G.M. Ashley. 1999. Geologic framework of the New Jersey inner shelf: Results from resource-based seismic and vibracore studies. Pages 45-64 in Puffer, J.H., ed. *New Jersey Beaches and Coastal Processes from Geologic and Environmental Perspectives*. Geological Association of New Jersey, Annual Proceedings Volume 16, 15-16 October 1999. Pomona, New Jersey.
- USACE (U.S. Army Corps of Engineers). 2004. Marine biological assessment for the Cape Wind Project: Nantucket Sound. Appendix 5.5-A. Prepared for U.S. Army Corps of Engineers by Battelle, Duxbury Massachusetts and ESS Group, Inc., Wellesley, MA.
- USACE (U.S. Army Corps of Engineers). 2009. U.S. Waterway Data: National Waterway Network. Electronic data. Download date: 16 April 2009. <http://www.iwr.usace.army.mil/ndc/data/datanwn.htm>.
- USFWS (U.S. Fish and Wildlife Service). 2008. Birds of conservation concern 2008. Arlington, Virginia: U.S. Fish and Wildlife Service, Division of Migratory Bird Management.
- USGS (U.S. Geological Survey). 2000. USGS East Coast sediment analysis: Procedures, databases, and georeferenced displays. <http://pubs.usgs.gov/of/2000/of00-358/>. Electronic data. Download date: 19 August 2003.
- Vabø, R., K. Olsen, and I. Huse. 2002. The effect of vessel avoidance of wintering Norwegian spring spawning herring. *Fisheries Research* 58:59-77.
- Vanderlaan, A.S.M. and C.T. Taggart. 2007. Vessel collisions with whales: The probability of lethal injury based on vessel speed. *Marine Mammal Science* 23(1):144-156.
- Vasslides, J.M. and K.W. Able. 2008. Importance of shoreface sand ridges as habitat for fishes off the northeast coast of the United States. *Fishery Bulletin* 106:93-107.
- Vecchione, M., C.F.E. Roper, and M.J. Sweeney. 1989. Marine flora and fauna of the eastern United States. Mollusca: Cephalopoda. NOAA Technical Report NMFS 73: 1-23.
- Vermeule, C.C. 1898. Notes and data pertaining to the physical geography of the state. Appendix. Salisbury, R.D., ed. *The physical geography of New Jersey*. Volume IV of the final report of the state geologist. Trenton, New Jersey: Geological Survey of New Jersey.
- Vincent, C.E., D.J.P. Swift, and B. Hillard. 1981. Sediment transport in the New York Bight, North American Atlantic Shelf. *Marine Geology* 42:369-398.
- Viscido, S.V., D.E. Stearns, and K.W. Able. 1997. Seasonal and spatial patterns of an epibenthic decapod crustacean assemblage in north-west Atlantic continental shelf waters. *Estuarine, Coastal and Shelf Science* 45:377-392.
- Wahlberg, M. and H. Westerberg. 2005. Hearing in fish and their reactions to sound from offshore wind farms. *Marine Ecology Progress Series* 288:295-309.
- Walls, E.A., J. Berkson, and S.A. Smith. 2002. The horseshoe crab, *Limulus polyphemus*: 200 million years of existence, 100 years of study. *Reviews in Fisheries Science* 10(1):39-73.
- Walsh, J., V. Elia, R. Kane, and T. Halliwell. 1999. *Birds of New Jersey*. Bernardsville, New Jersey: New Jersey Audubon Society.
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley eds. 2009. US Atlantic and Gulf of Mexico marine mammal stock assessments 2008. NOAA Technical Memorandum NMFS-NE-210: 1-429.

- Warsh, C. 1987. NOAA's Northeast Monitoring Program (NEMP): A report on progress of the first five years (1979-84) and a plan for the future. NOAA Technical Memorandum NMFS-F/NEC-44: 9-20.
- Weinrich, M., M. Martin, R. Griffiths, J. Bove, and M. Schilling. 1997. A shift in distribution of humpback whales, *Megaptera novaeangliae*, in response to prey in the southern Gulf of Maine. Fishery Bulletin 95(4):826-836.
- Wellner, R.W. 1990. High-resolution seismic stratigraphy and depositional history of Barnegat Inlet, New Jersey and vicinity. Master's thesis, Rutgers University.
- Wellner, R.W., G.M. Ashley, and R.E. Sheridan. 1993. Seismic stratigraphic evidence for a submerged middle Wisconsin barrier: Implications for sea-level history. Geology 21(2):109-112.
- Westgate, A.J., A.J. Read, T.M. Cox, T.D. Schofield, B.R. Whitaker, and K.E. Anderson. 1998. Monitoring a rehabilitated harbor porpoise using satellite telemetry. Marine Mammal Science 14(3):599-604.
- Whitehead, H. 1982. Populations of humpback whales in the northwest Atlantic. Reports of the International Whaling Commission 32:345-353.
- Whitehead, H. and M.J. Moore. 1982. Distribution and movements of West Indian humpback whales in winter. Canadian Journal of Zoology 60:2203-2211.
- Whitehurst, T. 2010. United States climate normals, 1971-2000. National Weather Service Snow Normals. National Climatic Data Center/NESDIS/NOAA, January 20,2010-Updated Computational Methodology.
- Wiebe, P.H., R.H. Backus, E.H. Backus, D.A. Caron, P.M. Gilbert, J.F. Grassle, K. Powers, and J.B. Waterbury. 1987. Biological oceanography. Milliman, J.D. and W.R. Wright, eds. The marine environment of the U.S. Atlantic continental slope and rise. Boston, Massachusetts: Jones and Bartlett Publishers.
- Wigley, R.L. and R.B. Theroux. 1981. Atlantic continental shelf and slope of the United States--Macro-benthic invertebrate fauna of the middle Atlantic Bight region--Faunal composition and quantitative distribution. Geological Survey Professional Paper 529-N. Washington, D.C.: U.S. Government Printing Office.
- Wiley, D.N., R.A. Asmutis, T.D. Pitchford, and D.P. Gannon. 1995. Stranding and mortality of humpback whales, *Megaptera novaeangliae*, in the mid-Atlantic and southeast United States, 1985-1992. Fishery Bulletin 93:196-205.
- Wiley, M.L., J.B. Gaspin, and J.F. Goertner. 1981. Effects of underwater explosions on fish with a dynamical model to predict fishkill. Ocean Science and Engineering 6(2):223-284.
- Wilhelmsson, D., T. Malm, and M.C. Ohman. 2006. The influence of offshore windpower on demersal fish. ICES Journal of Marine Science 63:775-784.
- Winn, H.E., C.A. Price, and P.W. Sorensen. 1986. The distributional biology of the right whale (*Eubalaena glacialis*) in the western North Atlantic. Reports of the International Whaling Commission (Special Issue 10):129-138.
- Witt, M.J., A.C. Broderick, D.J. Johns, C. Martin, R. Penrose, M.S. Hoogmoed, and B.J. Godley. 2007. Prey landscapes help identify potential foraging habitats for leatherback turtles in the northeast Atlantic. Marine Ecology Progress Series 337:231-243.
- Wood, S.N. 2006. Generalized additive models: An introduction with R. Boca Raton, Florida: Chapman & Hall/CRC.
- Wright, D.G. 1982. A discussion paper on the effects of explosives on fish and marine mammals in the waters of the Northwest Territories. Canadian Technical Report of Fisheries and Aquatic Sciences 1052:1-16.
- Wu, S.-Y., B. Yarnal, and A. Fisher. 2002. Vulnerability of coastal communities to sea-level rise: A case study of Cape May County, New Jersey, USA. Climate Research 22:255-270.
- Yelverton, J.T. 1975. The relationship between fish size and their response to underwater blast. Topical Report AD-A015 970. Albuquerque, New Mexico: Lovelace Foundation for Medical Education and Research.
- Yentsch, C.S. and R.W. Lee. 1966. A study of photosynthetic light reactions, and a new interpretation of sun and shade phytoplankton. Journal of Marine Research 24:319-337.
- Yoder, J.A., S.E. Schollaert, and J.E. O'Reilly. 2002. Climatological phytoplankton chlorophyll and sea surface temperature patterns in continental shelf and slope waters off the Northeast U.S. coast. Limnology and Oceanography 47(3):672-682.
- Yoneda, M. and P.J. Wright. 2005. Effects of varying temperature and food availability on growth and reproduction in first-time spawning female Atlantic cod. Journal of Fish Biology 67:1225-1241.

- Young, D.R., G. Shao, and M.M. Brinson. 1995. The impact of the October 1991 northeaster storm on barrier island shrub thickets (*Myrica cerifera*). *Journal of Coastal Research* 11(4):1322-1328.
- Zucco, C., W. Wende, T. Merck, I. Köchling, and J. Köppel. eds. 2006. Ecological research of offshore wind farms: International exchange of experiences. Part A: International exchange of experiences on the assessment of the ecological impacts of offshore wind farms. Proceedings of the International Expert Workshop 17-18 March 2005, TU Berlin, Germany. Bonn, Germany: Bundesamt für Naturschutz (BfN).

This page intentionally left blank

8.0 WEBSITES ACCESSED

- ¹ ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly Mean Temperatures in New Jersey From 1895-2010. Accessed 24 February 2010. http://climate.rutgers.edu/stateclim_v1/data/njhisttemp.html.
- ² ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly mean temperatures in southern New Jersey (Division 2) from 1895-2010. Accessed 25 February 2010. http://climate.rutgers.edu/stateclim_v1/data/south_njhisttemp.html.
- ³ ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly mean temperatures in coastal New Jersey (Division 3) from 1895-2010. Accessed 25 February 2010. http://climate.rutgers.edu/stateclim_v1/data/coast_njhisttemp.html.
- ⁴ ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly Precipitation in New Jersey From 1895-2010. Accessed 24 February 2010. http://climate.rutgers.edu/stateclim_v1/data/njhistprecip.html.
- ⁵ ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly mean precipitation in southern New Jersey (Division 2) from 1895-2010. Accessed 25 February 2010. http://climate.rutgers.edu/stateclim_v1/data/south_njhistprecip.html.
- ⁶ ONJSC (Office of the New Jersey State Climatologist) at Rutgers University. 2010. Monthly mean precipitation in coastal New Jersey (Division 3) from 1895-2010. Accessed 25 February 2010. http://climate.rutgers.edu/stateclim_v1/data/coast_njhistprecip.html.
- ⁷ NCDC (National Climatic Data Center). 2010. National Weather Service Snow Normals 1971-2000. Accessed 26 February 2010. <http://cdo.ncdc.noaa.gov/cgi-bin/climatenormals/climatenormals.pl>
- ⁸ NOAA (National Oceanic And Atmospheric Administration). 2009. Tides and Currents. Atlantic City, NJ 8534720. Accessed 24 February 2010. <http://Tidesandcurrents.Noaa.Gov/Geo.Shtml?Location=8534720>
- ⁹ NOAA/NWS (National Oceanic and Atmospheric Administration/National Weather Service). 2007. Worldwide tropical cyclone names. Accessed 22 February 2010. http://www.nhc.noaa.gov/aboutnames_history.shtml.
- ¹⁰ NOAA/NWS (National Oceanic and Atmospheric Administration/National Weather Service). 2010. North Atlantic Oscillation (NAO). Accessed 16 March 2010. <http://www.cpc.ncep.noaa.gov/products/precip/CWlink/pna/nao.shtml>.
- ¹¹ CMBO (Cape May Bird Observatory). 2010. Sea Watch: Autumn Vigil on the Jersey Shore. Accessed 23 March 2010. <http://www.birdcapemay.org/seawatch.shtml>.
- ¹² NMFS (National Marine Fisheries Service). 2008. Office of Protected Resources. Annual Symposia on Sea Turtle Biology & Conservation. Accessed 26 March 2010. <http://www.nmfs.noaa.gov/pr/species/turtles/symposia.htm>.
- ¹³ NMFS (National Marine Fisheries Service). 2010. NMFS Commercial Fishery Landing Data. Accessed 07 January 2010. <http://www.st.nmfs.noaa.gov/st1/commercial/index.html>.
- ¹⁴ NMFS (National Marine Fisheries Service). 2010. NMFS Recreational Fishery Statistics Data. Accessed 20 January 2010. <http://www.st.nmfs.noaa.gov/st1/recreational/queries/index.html>.
- ¹⁵ ASMFC (Atlantic States Marine Fisheries Commission). 2010. Managed species. Accessed 13 January 2010. <http://www.asmf.org>.

-
- ¹⁶ NMFS (National Marine Fisheries Service). 2008. NMFS Office of Protected Species. Accessed 08 January 2009. <http://www.nmfs.noaa.gov/pr/species/esa/fish.htm>.
- ¹⁷ NJDFW (New Jersey Division of Fish and Wildlife). 2004. New Jersey's Endangered and Threatened Wildlife. Accessed 11 March 2010. <http://www.state.nj.us/dep/fgw/tandespp.htm>.
- ¹⁸ Atlantic Anglers. 2009. 2009 fishing tournaments. Accessed 13 February 2009. <http://www.atlanticanglers.com/forum/maryland/6796-2009-fishing-tournaments.html>.
- ¹⁹ Binnacle Custom Tackle. 2009. 2009 tournaments. Accessed 19 February 2009. <http://www.binnacletackle.com/2009Tournaments.html>.
- ²⁰ Sportfishermen. 2009. New Jersey fishing tournaments. Accessed 13 February 2009. <http://www.sportfishermen.com/tournamentsnew-jersey/>.
- ²¹ NJDEP (New Jersey Department of Environmental Protection). 2009. New Jersey's endangered and threatened wildlife. Accessed 7 January 2009. <http://www.state.nj.us/dep/fgw/tandespp.htm>.
- ²² Secretary Salazar Announces Approval of Cape Wind Energy Project on Outer Continental Shelf off Massachusetts (2010). <http://www.doi.gov/news/doinews/Secretary-Salazar-Announces-Approval-of-Cape-Wind-Energy-Project-on-Outer-Continental-Shelf-off-Massachusetts.cfm>. Accessed 6/2/10.
- ²³ MMS Office of Energy and Minerals Management Renewable Energy Program. Accessed 17 February 2010. <http://www.mms.gov/offshore/RenewableEnergy/Projects.htm>.
- ²⁴ Operational offshore wind farms in Europe, end 2009. Accessed 24 March 2010. http://www.ewea.org/fileadmin/ewea_documents/documents/statistics/OperationalOffshoreFarms2009.pdf.
- ²⁵ Offshore statistics. Accessed 24 March 2010. <http://www.ewea.org/index.php?id=1861>.
- ²⁶ Port Industry Statistics. U.S. Port Rankings by Cargo Tonnage (2008). <http://www.aapa-ports.org/Industry/content.cfm?ItemNumber=900>. Accessed 5/25/10
- ²⁷ Pees, Samuel T. 2004. Oil History. Petroleum History Institute. Accessed 05 February 2010. <http://www.petroleumhistory.org/OilHistory/pages/Cable/cable.html>.
- ²⁸ Marine Sonic Technology—Side Scan Sonar Systems. Accessed 22 February 2010. <http://marinesonic.us/>.
- ²⁹ Attainment Areas Status. Accessed 12 March 2010. <http://www.nj.gov/dep/baqp/aas.html>.
- ³⁰ NOAA Fisheries Office of Protected Resources, Marine Turtles Species Descriptions. Accessed 24 February 2010. <http://www.nmfs.noaa.gov/pr/species/turtles/#species>.
- ³¹ Directional Technologies, Inc. Horizontal Directional Drilling Services. Accessed 29 March 2010. <http://www.directionaltech.com/DirectionalDrilling.asp>.
- ³² U.S. Coast Guard Light List. Accessed 12 March 2010. <http://www.navcen.uscg.gov/pubs/LightLists/2010%20Light%20List%20V1.pdf>.
- ³³ MMS to Study Effects of Electromagnetic Fields from Undersea Transmission Lines on Marine Wildlife. Accessed 24 March 2010. <http://www.mms.gov/ooc/press/2009/press0326.htm>.
- ³⁴ Atlantic Anglers. 2009. 2009 fishing tournaments. Accessed 13 February 2009. <http://www.atlanticanglers.com/forum/maryland/6796-2009-fishing-tournaments.html>.
-

³⁵ Sportfishermen. 2009. New Jersey fishing tournaments. Accessed 13 February 2009. <http://www.sportfishermen.com/tournamentsnew-jersey/>.

This page intentionally left blank