

10.0 LITERATURE CITED

- Able, K.P. 1970. A radar study of the altitude of nocturnal passerine migration. *Bird-Banding* 41(4):282-290.
- Anselin, L. 1995. Local indicators of spatial association - LISA. *Geographical Analysis* 27:93-115.
- Anselin, L., I. Syabri, and Y. Kho. 2006. GeoDa: An introduction to spatial data analysis. *Geographical Analysis* 38:5-22.
- Araújo, M.B., W. Thuiller, and R.G. Pearson. 2006. Climate warming and the decline of amphibians and reptiles in Europe. *Journal of Biogeography* 33:1712-1728.
- Austin, M.P. 2002. Spatial prediction of species distribution: An interface between ecological theory and statistical modelling. *Ecological Modelling* 157:101-118.
- Avery, M., P.F. Springer, and J.F. Cassel. 1977. Weather influences on nocturnal bird mortality at a North Dakota tower. *Wilson Bulletin* 89(2):291-299.
- Bailey, T.C. and A.C. Gatrell. 1995. *Interactive spatial data analysis*. Essex, England: Pearson Education Ltd.
- Bailey, H. and P.M. Thompson. 2009. Using marine mammal habitat modeling to identify priority conservation zones within a marine protected area. *Marine Ecology Progress Series* 378:279-287.
- Ballance, L.T. 2007. *Seabird survey instruction manual. Star-Lite 2007: Stenella abundance research-Line transect and ecosystem survey- Eastern tropical Pacific*. La Jolla, California: Southwest Fisheries Science Center, Ecosystems Studies (Ecology) Program.
- Barry, S.C. and A.H. Welsh. 2002. Generalized additive modelling and zero inflated count data. *Ecological Modelling* 157(2-3):179-188.
- Bellrose, F.C. 1971. The distribution of nocturnal migrants in the air space. *Auk* 88(2):397-424.
- Black, J.E. 2000. Application of weather radar to monitoring numbers of birds in migration. Symposium on Weather Radar Ornithology at the joint meeting of the Association of Field Ornithologists/Wilson Ornithological Society/Gulf Coast Bird Observatory. Galveston, Texas, April 2000.
- Blew, J., A. Diederichs, T. Grünkorn, M. Hoffmann, and G. Nehls. 2006. Investigations of the bird collision risk and the responses of harbour porpoises in the offshore wind farms Horns Rev, North Sea, and Nysted, Baltic Sea, in Denmark. Status report 2005. Prepared by Universität Hamburg, Hamburg, Germany and BioConsult SH, Husum, Germany.
- Bruderer, B. and A. Boldt. 2001. Flight characteristics of birds: I. Radar measurements of speeds. *Ibis* 143:178-204.
- Bruderer, B. and F. Liechti. 1994. Quantification of bird migration-different means compared. Proceedings of the Bird Strike Committee Europe 22. Vienna, Austria.
- Buckland, S.T., D.R. Anderson, K.P. Burnham, J.L. Laake, D.L. Borchers, and L. Thomas. 2001. *Introduction to distance sampling: Estimating abundance of biological populations*. New York, New York: Oxford University Press.
- Burnham K.P. and D.R. Anderson. 2002. *Model selection and multi-model inference: A practical information-theoretic approach*. 2nd Ed. New York, New York: Springer.
- Burt, J.E. and G.M. Barber. 1996. *Elementary statistics for geographers*. 2nd Ed. New York, New York: The Guilford Press.
- Buurma, L.S. 1988. Thermal imaging, a new remote sensing technique for nocturnal wildlife studies. Proceedings of the Bird Strike Committee Europe 22. Vienna, Austria.
- Camphuysen, K.C.J., T.A.D. Fox, M.M.F. Leopold, and I.K. Peterson. 2004. Towards standardised seabirds at sea census techniques in connection with environmental impact assessments for offshore wind farms in the U.K. Texel, The Netherlands: Koninklijk Nederlands Instituut voor Onderzoek der Zee.
- Cape May Bird Observatory. 2009. Avalon Seawatch. Unpublished data. Received 10 December 2009. Goshen, New Jersey: Cape May Bird Observatory.
- Certain, G., E. Bellier, B. Planque, and V. Bretagnolle. 2007. Characterising the temporal variability of the spatial distribution of animals: An application to seabirds at sea. *Ecography* 30:695-708.
- Christensen, T.K., J.P. Hounisen, I. Clausager, and I.K. Petersen. 2004. Visual and radar observations of birds in relation to collision risk at the Horns Rev offshore wind farm. Annual status report 2003. Prepared for Elsam Engineering A/S, Kraftværksvej, Denmark by National Environment Research Institute, Roskilde, Denmark.

- Clarke, E.D., L.B. Spear, M.L. McCracken, F.F.C. Marques, D.L. Borchers, S.T. Buckland, and D.J. Ainley. 2003. Validating the use of generalized additive models and at-sea surveys to estimate size and temporal trends of seabird populations. *Journal of Applied Ecology* 40:278-292.
- Crawford, R. L. 1981. Weather, migration and autumn bird kills at a north Florida TV tower. *Wilson Bulletin* 93:189-195.
- Crum, T.D. and R.L. Alberty. 1993. The WSR-88D and the WSR-88D operational support facility. *Bulletin of the American Meteorological Society* 74(9):1669-1687.
- Crum, T.D., R.L. Alberty, and D.W. Burgess. 1993. Recording, archiving, and using WSR-88D data. *Bulletin of the American Meteorological Society* 74(4):645-653.
- Daskalov, G. 1999. Relating fish recruitment to stock biomass and physical environment in the Black Sea using generalized additive models. *Fisheries Research* 41(1):1-23.
- Denis, V., J. Lejeune, and J.P. Robin. 2002. Spatio-temporal analysis of commercial trawler data using General Additive Models: Patterns of Loliginid squid abundance in the north-east Atlantic. *ICES Journal of Marine Science* 59:633-648.
- Diehl, R.H. and R.P. Larkin. 2005. Introduction to the WSR-88D (NEXRAD) for ornithological research. USDA Forest Service General Technical Report PSW-GTR-191.
- Diehl, R.H., R.P. Larkin, and J.E. Black. 2003. Radar observations of bird migration over the Great Lakes. *Auk* 120(2):278-290.
- Dormann, C.F., J.M. McPherson, M.B. Araújo, R. Bivand, J. Bolliger, G. Carl, R.G. Davies, A. Hirzel, W. Jetz, W.D. Kissling, I. Kühn, R. Ohlemüller, P.R. Peres-Neto, B. Reineking, B. Schröder, F.M. Schurr, and R. Wilson. 2007. Methods to account for spatial autocorrelation in the analysis of species distributional data: A review. *Ecography* 30:609-628.
- Farnsworth, A., S.A. Gauthreaux, Jr., and D.E. Van Blaricom. 2004. A comparison of nocturnal call counts of migrating birds and reflectivity measurements on Doppler radar. *Journal of Avian Biology* 35:365-369.
- Fauchald, P., K.E. Erikstad, and G.H. Systad. 2002. Seabirds and marine oil incidents: Is it possible to predict the spatial distribution of pelagic seabirds? *Journal of Applied Ecology* 39:349-360.
- Ferguson, J.W.H. and M.N. Bester. 2002. The treatment of spatial autocorrelation in biological surveys: The case of line transect surveys. *Antarctic Science* 14(2):115-122.
- Ferrier, S., G. Watson, J. Pearce, and M. Drielsma. 2002. Extended statistical approaches to modelling spatial pattern in biodiversity in northeast New South Wales. I. Species-level modelling. *Biodiversity and Conservation* 11:2275-2307.
- Fonseca, C., M. Kolecki, D. Merta, and B. Bobek. 2007. Use of line intercept track index and plot sampling for estimating wild boar, *Sus scrofa* (Suidae), densities in Poland. *Folia Zoologica* 56(4):389-398.
- GAO (Government Accountability Office). 2005. Wind power: Impacts on wildlife and government responsibilities for regulating development and protecting wildlife. Washington, D.C.: U.S. Government Accountability Office.
- Gauthreaux, S.A., Jr. 2007a. Spring and fall bird migration over Long Island, New York recorded by WSR-88D radar at Brookhaven (KOKX): A five-year analysis (2001-2005). Final Report. Prepared for Florida Power and Light Energy. January 2007.
- Gauthreaux, S.A., Jr. 2007b. Spring and fall bird migration over the Steel Winds Energy Project in Lackawana, New York: A WSR-88D radar analysis. Final Report. Prepared for BQ Energy, LLC. July 2007.
- Gauthreaux, S.A., Jr., and C.G. Belser. 1998. Displays of bird movements on the WSR-88D: Patterns and quantification. *Weather and Forecasting* 13(2):453-464.
- Gauthreaux, S.A., Jr., and C.G. Belser. 1999. Reply to: Comments on "Display of bird movements on the WSR-88D: Patterns and quantification". *Weather and Forecasting* 14(6):1041-1042.
- Gauthreaux, S.A., Jr., and C.G. Belser. 2003. Bird movements on Doppler weather surveillance radar. *Birding* 35:616-628.
- Gauthreaux, S.A., Jr., and J.W. Livingston. 2006. Monitoring bird migration with a fixed-beam radar and a thermal-imaging camera. *Journal of Field Ornithology* 77(3):319-328.
- Gauthreaux, S.A., Jr., C.G. Belser, and A. Farnsworth. 2000. How to use Doppler weather surveillance radar to study hawk migration. Pages 149-160 in Bildstein, K.L. and D. Klem Jr., eds. *Hawkwatching in the Americas: Proceedings of the 25th anniversary meeting of the Hawk*

- Migration Association of North America. Split Rock Resort, Lake Harmony, Pennsylvania, 8-11 June 2000.
- Gauthreaux, S.A., Jr., C.G. Belser, J.W. Livingston, and D. Van Blaricom. 2007. The identification of military installations as important migratory bird stopover sites and the development of bird migration forecast models: A radar ornithology approach. Annual Report of Research Accomplishments, Strategic Environmental Research and Development Program (SERDP), U. S. Department of Defense. January 2007.
- Gauthreaux, S.A., Jr., M.P. Guilfoyle, R.A. Fischer, and G.W. Fleming. 2005. Seasonal bird surveys and the development of bird migration forecast models for Grand Forks Air Force Base, ND. Final Report. Prepared for the U.S. Air Force, Grand Forks Air Force Base, North Dakota. March 2005.
- Gauthreaux, S.A., Jr., J.W. Livingston, and C.G. Belser. 2008. Detection and discrimination of fauna in the aerosphere using Doppler weather surveillance radar. *Integrative and Comparative Biology* 48(1):12-23.
- Geo-Marine, Inc. 2008a. New Jersey Department of Environmental Protection Quality Assurance Work Plan Revision III. Prepared for New Jersey Department of Environmental Protection.
- Geo-Marine, Inc. 2008b. New Jersey Department of Environmental Protection Baseline Studies. April-June Quarterly Report. Prepared for New Jersey Department of Environmental Protection.
- Getis, A. and J.K. Ord. 1992. The analysis of spatial association by use of distance statistics. *Geographical Analysis* 24:189-206.
- Gould, P.J., and D.J. Forsell. 1989. Techniques for shipboard surveys of marine birds. *Fish and Wildlife Technical Report* 25:1-22.
- Guisan, A. and N.E. Zimmermann. 2000. Predictive habitat models in ecology. *Ecological Modelling* 135:147-186.
- Gustafson, E.J. 1998. Quantifying landscape spatial pattern: What is the state of the art? *Ecosystems* 1(2):143-156.
- Hastie, T.J. and R.J. Tibshirani. 1990. Generalized additive models. *Monographs on Statistics and Applied Probability* 43. London: Chapman and Hall.
- Heinemann, D. 1981. A range finder for pelagic bird censusing. *Journal of Wildlife management* 42:489-493.
- Horn, J.W. and T.H. Kunz. 2008. Analyzing NEXRAD doppler radar images to assess nightly dispersal patterns and population trends in Brazilian free-tailed bats (*Tadarida brasiliensis*). *Integrative and Comparative Biology* 48(1):24-39.
- Hyrenbach, K.D. and R.R. Veit. 2003. Ocean warming and seabird communities of the southern California Current System (1987-98): Response at multiple temporal scales. *Deep Sea Research II* 50:2537-2565.
- Jensen, O.P., R. Seppelt, T.J. Miller, and L.J. Bauer. 2005. Winter distribution of blue crab *Callinectes sapidus* in Chesapeake Bay: Application and cross-validation of a two-stage generalized additive model. *Marine Ecology Progress Series* 299:239-255.
- Karpouzi, V.S., R. Watson, and D. Pauly. 2007. Modelling and mapping resource overlap between seabirds and fisheries on a global scale: A preliminary assessment. *Marine Ecology Progress Series* 343:87-99.
- Klazura, G.E. and D.A. Imy. 1993. A description of the initial set of analysis products available from the NEXRAD WSR-88D System. *Bulletin of the American Meteorological Society* 73:1293-1311.
- Kolmogorov, A. 1933. Sulla determinazione empirica di una legge di distribuzione. *Giornale dell Istituto Italiano degli Attuari* 4:1-11.
- Krijgsveld, K.L., R. Lensink, H. Schekkerman, P. Wiersma, M.J.M. Poot, E.H.W.G. Meesters, and S. Dirksen. 2005. Baseline studies North Sea wind farms: Fluxes, flight paths and altitudes of flying birds 2003-2004. Prepared for National Institute for Coastal and Marine Management, The Hague, The Netherlands by Bureau Waardeburg bv, Culemborg, The Netherlands and ALTERRA, Wageningen, The Netherlands.
- Legendre P. and L. Legendre. 1998. Numerical ecology. 2nd Ed. Developments in environmental modeling 20. Amsterdam, The Netherlands: Elsevier Science.
- Liechti, F., B. Bruderer, and H. Paproth. 1995. Quantification of nocturnal bird migration by moonwatching: Comparison with radar and infrared observations. *Journal of Field Ornithology* 66(4):457-468.

- Mabee, T.J., B.A. Cooper, J.H. Plissner, and D.P. Young. 2006. Nocturnal bird migration over an Appalachian ridge at a proposed wind power project. *Wildlife Society Bulletin* 34(3):682-690.
- McCracken, G.F. 1996. Bats aloft: A study of high-altitude feeding. *Bats* 14(3):7-10.
- McCracken, G.F. and J.K. Westbrook. 2002. Bat patrol. *National Geographic* April:114-123.
- Nisbet, I.C.T. 1963. Measurements with radar of the height of nocturnal migration over Cape Cod, Massachusetts. *Bird-Banding* 34(2):57-67.
- Ord, J.K. and A. Getis. 1995. Local spatial autocorrelation statistics: Distribution issues and an application. *Geographical Analysis* 27(4):286-306.
- Preston, F.W. 1966. The mathematical representation of migration. *Ecology* 47:375-392.
- Redfern, J.V., M.C. Ferguson, E.A. Becker, K.D. Hyrenbach, C. Good, J. Barlow, K. Kaschner, M.F. Baumgartner, K.A. Forney, L.T. Ballance, P. Fauchald, P. Halpin, T. Hamazaki, A.J. Pershing, S.S. Qian, A. Read, S.B. Reilly, L. Torres, and F. Werner. 2006. Techniques for cetacean-habitat modeling. *Marine Ecology Progress Series* 310:271-295.
- Reid, K., M. Sims, R.W. White, and K.W. Gillon. 2004. Spatial distribution of predator/prey interactions in the Scotia Sea: Implications for measuring predator/fisheries overlap. *Deep Sea Research II* 51:1383-1396.
- Russell, K.R. and S.A. Gauthreaux, Jr. 1998. Use of weather radar to characterize movements of roosting purple martins. *Wildlife Society Bulletin* 26(1):5-16.
- Russell, K.R., D.S. Mizrahi, and S.A. Gauthreaux, Jr. 1998. Large-scale mapping of purple martin pre-migratory roosts using WSR-88D weather surveillance radar. *Journal of Field Ornithology* 69(2):316-325.
- Santora, J.A., C.S. Reiss, A.M. Cossio, and R.R. Veit. 2009. Interannual spatial variability of krill (*Euphausia superba*) influences seabird foraging behavior near Elephant Island, Antarctica. *Fisheries Oceanography* 18(1):20-35.
- Sibley, S. 1997. *The birds of Cape May*. 2nd Ed. New Jersey Audubon Society's Cape May Bird Observatory.
- Silverman, B.W. 1986. *Density estimation for statistics and data analysis*. New York: Chapman and Hall.
- Smirnov, N.V. 1939a. Sur les écarts de la courbe de distribution empirique. *Recueil Mathématique N.S.* 6:3-26.
- Smirnov, N.V. 1939b. On the estimation of the discrepancy between empirical curves of distribution for two independent samples. (In Russian) *Bull. Moscow Univ. Intern. Ser. (Math.)* 2:3-16.
- Stoner, A.W., J.P. Manderson, and J.P. Pessutti. 2001. Spatially explicit analysis of estuarine habitat for juvenile winter flounder: Combining generalized additive models and geographic information systems. *Marine Ecology Progress Series* 213:253-271.
- Sutherland, W.J. 2006. *Ecological census techniques: A handbook*. 2nd Ed. Cambridge, New York: Cambridge University Press.
- The R Development Core Team. 2008. *R: A language and environment for statistical computing*. R Foundation for Statistical Computing. Vienna, Austria.
- Tobin, P.C. and O.N. Bjørnstad. 2003. Spatial dynamics and cross-correlation in a transient predator-prey system. *Journal of Animal Ecology* 72:460-467.
- Tulp, I., H. Schekkerman, J.K. Larsen, J. van der Winden, R.J.W. van de Haterd, P. van Horsen, S. Dirksen, and A.L. Spaans. 1999. Nocturnal flight activity of sea ducks near the windfarm Tunø Knob in the Kattegat. Utrecht, The Netherlands: Instituut voor bos- en Natuuronderzoek.
- Veit, R.R., J.A. McGowan, D.G. Ainley, T.R. Wahl, and P. Pyle. 1997. Apex marine predator declines ninety percent in association with changing ocean climate. *Global Change Biology* 3:23-28.
- Venables, W.N. and C.M. Dichmont. 2004. GLMs, GAMs and GLMMs: An overview of theory for applications in fisheries research. *Fisheries Research* 70(2-3):319-337.
- Walsh, J., V. Elia, R. Kane, and T. Halliwell. 1999. *Birds of New Jersey*. Barnardsville, New Jersey: New Jersey Audubon Society.
- Westbrook, J.K. and W.W. Wolf. 1998. Migratory flights of bollworms, *Helicoverpa zea* (Boddie), indicated by Doppler weather radar. Pages 354-355 in *Preprints, Second Urban Environment Symposium and Thirteenth Conference on Biometeorology and Aerobiology*. Albuquerque, New Mexico, 2-6 November 1998: American Meteorological Society.
- Winkelman, J.E. 1992. The impact of the Sep wind park near Oosterbierum (Fr.), the Netherlands, on birds, I: Collision victims. DLO-Instituut voor Bos-en-Natuuronderzoek. RIN Report 92/2. Rijksinstituut voor Natuurbeheer, Arnhem, The Netherlands. In Dutch with English summary.

- Wintle, B.A. and D.C. Bards. 2006. Modeling species-habitat relationships with spatially autocorrelated observation data. *Ecological Applications* 16(5):1945-1958.
- Wood, S.N. and N.H. Augustin. 2002. GAMs with integrated model selection using penalized regression splines and applications to environmental modelling. *Ecological Modelling* 157:157-177.
- Wright, P.J. and G.S. Begg. 1997. A spatial comparison of common guillemots and sandeels in Scottish waters. *ICES Journal of Marine Science* 54:578-592.
- Zador, S.G., J.K. Parrish, A.E. Punt, J.L. Burke, and S.M. Fitzgerald. 2008. Determining spatial and temporal overlap of an endangered seabird with a large commercial trawl fishery. *Endangered Species Research* 5:103-115.
- Zar, J.H. 1999. *Biostatistical analysis*. 4th Ed. Upper Saddle River, New Jersey: Prentice Hall.
- Zehnder, S., S. Akesson, F. Liechti, and B. Bruderer. 2001. Nocturnal autumn bird migration at Falsterbo, South Sweden. *Journal of Avian Biology* 32:239-248.

This page intentionally left blank

11.0 WEBSITES ACCESSED

¹ Cory's Shearwater. Accessed 05 March 2010. <http://www.neseabirds.com/BirdsShearwaterCory.htm>.

² Sea watch: Autumn vigil on the Jersey shore. Accessed 26 February 2010. <http://www.birdcapemay.org/seawatch.shtml>.

This page intentionally left blank