



## State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION  
DIVISION OF ENVIRONMENTAL SAFETY AND HEALTH  
Bureau of X-ray Compliance  
PO Box 420, Mail Code 25-0, Trenton, NJ 08625-0420  
Ph: (609) 984-5890 Fax: (609) 984-5811  
[www.xray.nj.gov](http://www.xray.nj.gov)

CHRIS CHRISTIE  
*Governor*

KIM GUADAGNO  
*Lt. Governor*

BOB MARTIN  
*Commissioner*

### **PUBLIC MEETING NOTICE**

To: All Interested Parties

From: Albert V. Orlandi, Secretary  
Radiologic Technology Board of Examiners

Date: April 20, 2011

Subject: Radiologic Technology Board of Examiners (Board) Meeting

Please be advised that a meeting of the Board has been scheduled for:

Date: Thursday, May 12, 2011

Time: 9:30 a.m.

Place: New Jersey Department Environmental Protection  
Radiation Protection and Release Prevention Element  
Dr. Bruce Wilcomb Memorial Conference Room  
25 Arctic Parkway  
Ewing Township, New Jersey 08638

Attached is an agenda for this meeting. This meeting is open to the public. If you plan to attend, it is recommended that, before you leave, you call the Bureau of X-ray Compliance at (609) 984-5890 to verify that no changes have occurred.

Thank you for your interest in the Board's activities.

Attachment (1)

**Radiologic Technology Board of Examiners**  
**May 12, 2011**  
**NJDEP - Radiation Protection and Release Prevention Element**  
**Dr. Bruce Wilcomb Memorial Conference Room**  
**25 Arctic Parkway Ewing Township, New Jersey 08638**  
**609-984-5890**

1. Call to Order
2. Roll Call
3. Review of February 8, 2011 Open and Close Session Meeting Minutes
4. Chairperson's Report
5. Program Evaluation Committee Report
6. Credentials Committee Report
7. Technologist Certification Section Report
  - a. Program Changes
  - b. Radiologic Technologist Licensure and Renewal Update
  - c. Enforcement Report
8. Old Business
  - a. S788 Update
  - b. S619 and A2871 Update
9. New Business

Two Board vacancies (hospital administrator and public members)
10. Public Comments
11. Closed Session, if needed
12. Adjournment