

**DOCKET NO. D-1988-043-6**

**DELAWARE RIVER BASIN COMMISSION**

**Giorgio Foods, Inc.  
Industrial Wastewater Treatment Plant Modification  
Maidencreek Township, Berks County, Pennsylvania**

**PROCEEDINGS**

This docket is issued in response to an Application submitted to the Delaware River Basin Commission (DRBC or Commission) by Brinjac Engineering on behalf of Giorgio Foods, Inc. (docket holder) on May 24, 2017 (Application), for review of a modification to the docket holder's existing industrial wastewater treatment plant (IWTP). National Pollutant Discharge Elimination System (NPDES) Permit No. PA0053091 for this facility was issued by the Pennsylvania Department of Environmental Protection (PADEP) on January 26, 2017. Water Quality Management (Part II) Permit Amendment No. 0688201 A-1 for the project modification was issued by the PADEP on July 20, 2017.

The Application was reviewed for approval under Section 3.8 of the *Delaware River Basin Compact (Compact)*. The Berks County Planning Commission has been notified of pending action. A public hearing on this project was held by the DRBC on August 16, 2017.

**A. DESCRIPTION**

**1. Purpose.** The purpose of this docket is to approve an upgrade of the docket holder's existing 0.5 million gallons per day (mgd) IWTP. The upgrades consist of retrofitting the existing filter building with a new chilled water plant, replacing the existing outfall pipe with an insulated effluent pipe, and appurtenant improvements. The IWTP will remain at an average annual flow of 0.5 mgd.

**2. Location.** The docket holder's food processing facility is located on Park Road in Maidencreek Township, Berks County, Pennsylvania. The IWTP will continue to discharge to Willow Creek, which is tributary to Maiden Creek, which is tributary to the Schuylkill River, at River Mile 92.5 – 86.7 – 0.6 – 2.4 (Delaware River – Schuylkill River– Maiden Creek –Willow Creek).

The project outfall is located in Schuylkill River Watershed as follows:

<b>OUTFALL NO.</b>	<b>LATITUDE (N)</b>	<b>LONGITUDE (W)</b>
001	40° 26' 23"	75° 54' 21"

3. **Area Served.** The docket holder's IWTP will continue to serve the Giorgio Foods canning and frozen foods processing facility, including domestic and process wastewater generated at the facility where vegetables are cleaned, cooked and packaged for distribution. The facility is located in Maidencreek Township in Berks County, Pennsylvania.

For the purpose of defining the Area Served, Section B (Type of Discharge) and D (Service Area) of the docket holder's Application are incorporated herein by reference, to the extent consistent with all other conditions contained in the DECISION Section of this docket.

4. **Physical features.**

a. **Design criteria.** The docket holder's 0.5 mgd IWTP treats domestic and process wastewater utilizing an activated sludge process to provide secondary biological treatment, in conjunction with a sand filter to provide tertiary treatment, and followed by disinfection via chlorination. The proposed upgrades are being performed in order to provide side stream temperature control of the IWTP effluent. No changes to the design capacity of the IWTP are proposed.

b. **Facilities.** Existing facilities include a splitter box, a raw water pump station, a mechanically cleaned fine screen with a bypass manually cleaned bar screen, two (2) 60,000-gallon anaerobic tanks, a 2.7 million gallon capacity aeration basin with a Biolac floating aeration chain system, two (2) 60-foot diameter secondary clarifies, a belt filter press sludge dewatering facility, a sand filtration unit and chemical feed system, a chlorine disinfection contact tank and chlorination equipment and post-aeration, dechlorination equipment, a blower building and blowers, and a Parshall flume and effluent flow meter. The facility also includes a forced draft cooling tower along with temperature controllers/recorders, cooling tower pumps, and recirculation pumps.

On September 14, 2016, DRBC Docket No. D-1988-043-5 approved an upgrade to the existing IWTP consisting of the replacement of the existing sand filter with new cloth media filters, the replacement of the existing chlorination/dechlorination disinfection system with ultraviolet light (UV) disinfection, and the addition of an additional blower and additional fine bubble diffusers to the existing aeration system. These improvements have yet to be constructed, but approval of these improvements is continued in this docket (D-1988-043-6).

The proposed upgrades consist of retrofitting the existing filter building with a new chilled water plant, replacing the existing outfall pipe with an insulated effluent pipe, and appurtenant improvements.

The project facilities are not located in the 100-year floodplain.

Wasted sludge will continue to be de-watered and land applied to fields located at the docket holder's facility.

c. **Water withdrawals.** The potable and process water supply for the Giorgio Foods facility is provided by three (3) wells owned and operated by the docket holder, which were approved via Docket No. D-2014-016-1 on September 16, 2015.

d. **NPDES Permit / DRBC Docket.** PADEP issued NPDES Permit No. PA00053091 for the project discharge on January 26, 2017, which includes final effluent limitations for the project discharge of 0.50 mgd to surface waters classified by the PADEP as high quality - cold water fishery (HQ-CWF). The following average monthly effluent limits are among those listed in the NPDES permit that meet or are more stringent than the effluent requirements of the DRBC.

**EFFLUENT TABLE A-1: DRBC Parameters Included in NPDES permit**

<b>OUTFALL 001 (Willow Creek)</b>		
<b>PARAMETER</b>	<b>LIMIT</b>	<b>MONITORING</b>
pH (Standard Units)	6 to 9 at all times	As required by NPDES permit
Total Suspended Solids	10 mg/l	As required by NPDES permit
CBOD (5-Day at 20° C)		As required by NPDES permit
5/1 – 10/31	10 mg/l	
11/ 1-4/30	20 mg/l	
Ammonia-Nitrogen		As required by NPDES permit
5/1 – 10/31	1.4 mg/l	
11/ 1-4/30	4.2 mg/l	
Fecal Coliform		As required by NPDES permit
(5/1 to 9/30)	200 colonies per 100 ml as a geo. avg.	
(10/1 to 4/30)	2000 colonies per 100 ml as a geo. avg.	
Total Dissolved Solids*	1,000 mg/l	As required by NPDES permit
Color (Pt-Co)	100 Units	As required by NPDES permit

\* See DECISION Condition C.II.t.

The requirements in EFFLUENT TABLE A-2 are not listed in the NPDES Permit, but are Commission basin-wide parameters that must be met as a condition of this docket approval.

**EFFLUENT TABLE A-2: DRBC Parameters Not Included in NPDES permit**

<b>OUTFALL 001 (Willow Creek)</b>		
<b>PARAMETER</b>	<b>LIMIT</b>	<b>MONITORING</b>
CBOD (5-Day at 20° C)	85% minimum removal	Monthly
CBOD (5-Day at 20° C) Influent	Monitor & Report	Monthly

## B. FINDINGS

This docket approves an upgrade to the docket holder's existing 0.50 mgd IWTP consisting of retrofitting the existing filter building with a new chilled water plant, replacing the existing outfall pipe with an insulated effluent pipe, and appurtenant improvements. No changes to the design capacity of the IWTP are proposed. This docket also continues the approval of an upgrade consisting of the replacement of the existing filters, replacement of the existing disinfection system, and aeration system improvements that was approved by Docket No. D-1988-043-5 on September 14, 2016.

At the project site, the Willow Creek has an estimated seven-day low flow with a recurrence interval of ten years ( $Q_{7-10}$ ) of 0.9 mgd (1.3 cfs). The ratio of this low flow to the design discharge rate from the 0.50 mgd IWTP is approximately 2:1.

The nearest downstream surface water intake of record for public water supply is located approximately 35 miles downstream of the docket holder's IWTP on the Schuylkill River, and is owned and operated by the City of Pottstown.

The project does not conflict with the Comprehensive Plan and is designed to prevent substantial adverse impact on the water resources related environment, while sustaining the current and future water uses and development of the water resources of the Basin.

The effluent limits in the NPDES Permit are in compliance with Commission effluent quality requirements, where applicable.

The project is designed to produce a discharge meeting the effluent requirements as set forth in the Commission's *Water Quality Regulations (WQR)*.

## C. DECISION

I. Effective on the approval date for Docket No. D-1988-043-6 below, Docket No. D-1988-043-5 is terminated and replaced by Docket No. D-1988-043-6.

II. The project and appurtenant facilities as described in the Section A "Physical features" of this docket are approved pursuant to Section 3.8 of the *Compact*, subject to the following conditions:

a. Docket approval is subject to all conditions, requirements, and limitations imposed by the PADEP in its NPDES permit and Part II permit. Commission approval of the project upgrade is contingent upon PADEP's approval of the Part II permit.

b. The facility and operational records shall be available at all times for inspection by the DRBC.

c. The facility shall be operated at all times to comply with the requirements of the Commission's *WQR* and Flood Plain Regulations (*FPR*).

d. The docket holder shall comply with the requirements contained in the EFFLUENT TABLES in Section A.4.d. of this docket. The docket holder shall submit the required monitoring results electronically to the DRBC Project Review Section via email [aemr@drbc.state.nj.us](mailto:aemr@drbc.state.nj.us) on the **Annual Effluent Monitoring Report Form** located at this web address: <http://www.state.nj.us/drbc/programs/project/pr/info.html>. The monitoring results shall be submitted annually, absent any observed limit violations, by January 31. If a DRBC effluent limit is violated, the docket holder shall submit the result(s) to the DRBC within 30 days of the violation(s) and provide a written explanation that states the action(s) the docket holder has taken to correct the violation(s) and protect against any future violations.

e. Except as otherwise authorized by this docket, if the docket holder seeks relief from any limitation based upon a DRBC water quality standard or minimum treatment requirement, the docket holder shall apply for approval from the Executive Director or for a docket revision in accordance with Section 3.8 of the *Compact* and the *Rules of Practice and Procedure*.

f. If at any time the receiving treatment plant proves unable to produce an effluent that is consistent with the requirements of this docket approval, no further connections shall be permitted until the deficiency is remedied.

g. Nothing herein shall be construed to exempt the docket holder from obtaining all necessary permits and/or approvals from other State, Federal or local government agencies having jurisdiction over this project.

h. Sound practices of excavation, backfill and reseedling shall be followed to minimize erosion and deposition of sediment in streams.

i. Within 10 days of the date that construction of the project has started, the docket holder shall notify the DRBC of the starting date and scheduled completion date.

j. Within 30 days of completion of construction of the approved project, the docket holder is to submit to the attention of the Project Review Section of DRBC a Construction Completion Statement (“Statement”) signed by the docket holder’s professional engineer for the project. The Statement must (1) either confirm that construction has been completed in a manner consistent with any and all DRBC-approved plans or explain how the as-built project deviates from such plans; and (2) indicate the date on which the project was (or is to be) placed in operation.

k. The WWTP modifications shall be completed within three years of approval of this docket or the docket holder shall demonstrate to the Executive Director that it has expended substantial funds (in relation to the cost of the project) in reliance upon this docket approval. If the modifications have not been completed by the expiration date of this docket and the docket holder does not submit a cost analysis demonstrating substantial funds have been expended, Commission approval of the modifications to the existing WWTP shall expire. If the docket expires under this condition, the docket holder shall file a new application with the Commission and receive Commission approval prior to initiating construction of any modifications.

l. The docket holder is permitted to treat and discharge wastewaters as set forth in the Area Served Section of this docket, which incorporates by reference Sections B (Type of Discharge) and D (Service Area) of the docket holder's Application to the extent consistent with all other conditions of this DECISION Section.

m. The docket holder shall discharge wastewater in such a manner as to avoid injury or damage to fish or wildlife and shall avoid any injury to public or private property.

n. No sewer service connections shall be made to newly constructed premises with plumbing fixtures and fittings that do not comply with water conservation performance standards contained in Resolution No. 88-2 (Revision 2).

o. Nothing in this docket approval shall be construed as limiting the authority of DRBC to adopt and apply charges or other fees to this discharge or project.

p. The issuance of this docket approval shall not create any private or proprietary rights in the waters of the Basin, and the Commission reserves the right to amend, suspend or rescind the docket for cause, in order to ensure proper control, use and management of the water resources of the Basin.

q. The docket holder is responsible for timely submittal to the DRBC of a docket renewal application on the appropriate application form including the appropriate docket application filing fee (see 18 CFR 401.43) at least 6 months in advance of the docket expiration date set forth below. The docket holder will be subject to late filed renewal surcharges in the event of untimely submittal of its renewal application, whether or not DRBC issues a reminder notice in advance of the deadline or the docket holder receives such notice. In the event that a timely and complete application for renewal has been submitted and the DRBC is unable, through no fault of the docket holder, to reissue the docket before the expiration date below, the terms and conditions of the current docket will remain fully effective and enforceable against the docket holder pending the grant or denial of the application for docket approval.

r. The docket holder shall be subject to applicable DRBC regulatory program fees, in accordance with duly adopted DRBC resolutions and/or regulations (see 18 CFR 401.43).

s. This approval is transferable by request to the DRBC Executive Director provided that the project purpose and area served approved by the Commission in this docket will not be materially altered because of the change in project ownership. The request shall be submitted on the appropriate form and be accompanied by the appropriate fee (see 18 CFR 401.43).

t. The docket holder shall request a name change of the entity to which this approval is issued if the name of the entity to which this approval is issued changes its name. The request for name change shall be submitted on the appropriate form and be accompanied by the appropriate fee (see 18 CFR 401.43).

u. The Executive Director may modify or suspend this approval or any condition thereof, or require mitigating measures pending additional review, if in the Executive Director's judgment such modification or suspension is required to protect the water resources of the Basin.

v. Any person who objects to a docket decision by the Commission may request a hearing in accordance with Article 6 of the Rules of Practice and Procedure. In accordance with Section 15.1(p) of the Delaware River Basin Compact, cases and controversies arising under the Compact are reviewable in the United States district courts.

w. The docket holder may request of the Executive Director in writing the substitution of specific conductance for TDS. The request should include information that supports the effluent specific correlation between TDS and specific conductance. Upon review, the Executive Director may modify the docket to allow the substitution of specific conductance for TDS monitoring.

x. The docket holder is prohibited from treating/pre-treating any hydraulic fracturing wastewater from sources in or out of the Basin at this time. Should the docket holder wish to treat/pre-treat hydraulic fracturing wastewater in the future, the docket holder will need to first apply to the Commission to renew this docket and be issued a revised docket allowing such treatment and an expanded service area. Failure to obtain this approval prior to treatment/pre-treatment will result in action by the Commission.

**BY THE COMMISSION**

**DATE APPROVED: September 13, 2017**

**EXPIRATION DATE: January 31, 2022**