


2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who described their general health as fair or poor




QN7 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who never or rarely wore a seat belt when riding in a car




QN8 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet




QN9 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet




QN10 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever rode in a car driven by someone who had been drinking alcohol




QN11 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever carried a weapon, such as a gun, knife, or club




QN12 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who have ever been in a physical fight




QN13 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse




QN14 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever seriously thought about killing themselves




QN15 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever made a plan about how they would kill themselves




QN16 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever tried to kill themselves




QN17 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever tried cigarette smoking, even one or two puffs




QN18 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who smoked a whole cigarette for the first time before age 11 years




QN19 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days




QN20 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days




QNFRSIG - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days




QN21 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever had a drink of alcohol, other than a few sips




QN26 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had their first drink of alcohol other than a few sips before age 11 years




QN27 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever used marijuana




QN28 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who tried marijuana for the first time before age 11 years




QN29 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever used any form of cocaine, including powder, crack, or freebase




QN30 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high




QN31 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever used steroids




QN32 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who ever used a needle to inject any illegal drug into their body




QN33 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*




*QNROVWGT - Unweighted Data - Based on reference data from the National Health and Nutrition Examination Survey I. Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*




*QNOVWGT - Unweighted Data - Based on reference data from the National Health and Nutrition Examination Survey I.
Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who described themselves as slightly or very overweight




QN38 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who were trying to lose weight




QN39 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever exercised to lose weight or to keep from gaining weight




QN40 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight




QN41 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight




QN42 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight




QN43 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight




QN44 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days




QN45 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who watched three or more hours per day of TV on an average school day




QN46 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who attended physical education (PE) classes one or more days during an average school week




QN47 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who attended physical education (PE) classes daily in an average week when they were in school




QNDLYPE - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who played on some sports teams




QN48 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months




QN50 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school




QN51 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days




QN52 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who used marijuana one or more times during the past 30 days




QN53 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more days of the past seven days




QN54 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days




QN55 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class




QN56 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who drank three or more glasses of milk per day during the past seven days




QN57 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who have been taught about AIDS or HIV infection in school




QN58 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who responded that the last time they saw a dentist for a checkup, exam, teeth cleaning, or other dental work was during the past 12 months




QN59 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who had ever been told by a doctor or nurse that they had asthma




QN60 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.

2005 Youth Risk Behavior Survey Results

New Jersey Middle School Survey

Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)



QN61 - Unweighted Data

Missing bars indicate less than 100 respondents in the subgroup.