



Right to Know Hazardous Substance Fact Sheet

Common Name: **ACEPHATE**

Synonyms: N-(Methoxy(methylthio)phosphinoyl)acetamide;
Orthene™; Lancer®

Chemical Name: Phosphoramidothioic Acid, Acetyl-, O, S-Dimethyl
Ester

Date: June 2008

Revision: February 2017

CAS Number: 30560-19-1

RTK Substance Number: 3140

DOT Number: UN 2783

Description and Use

Acephate is a colorless to white crystal or powder with an odor of rotten cabbage. It may also be dissolved in a liquid solvent or "carrier." Consumer products containing **Acephate** may be in granule, spray or pellet form. It is an *Organophosphate* insecticide.

Reasons for Citation

- ▶ **Acephate** is on the Right to Know Hazardous Substance List because it is cited by DOT, DEP and EPA.
- ▶ This chemical is on the Special Health Hazard Substance List.

SEE GLOSSARY ON PAGE 5.

FIRST AID

Eye Contact

- ▶ Immediately flush with large amounts of water for at least 15 minutes, lifting upper and lower lids. Remove contact lenses, if worn, while flushing. Seek medical attention immediately.

Skin Contact

- ▶ Quickly remove contaminated clothing. Immediately wash contaminated skin with large amounts of soap and water. Seek medical attention immediately.
- ▶ Shampoo hair immediately if contaminated.

Inhalation

- ▶ Remove the person from exposure.
- ▶ Begin rescue breathing (using universal precautions) if breathing has stopped and CPR if heart action has stopped.
- ▶ Transfer promptly to a medical facility.

EMERGENCY NUMBERS

Poison Control: 1-800-222-1222

CHEMTREC: 1-800-424-9300

NJDEP Hotline: 1-877-927-6337

National Response Center: 1-800-424-8802

EMERGENCY RESPONDERS >>>> SEE BACK PAGE

Hazard Summary

| Hazard Rating | NJDHSS | NFPA |
|---|--------|------|
| HEALTH | 3 | - |
| FLAMMABILITY | 1 | - |
| REACTIVITY | 1 | - |
| CARCINOGEN POISONOUS GASES ARE PRODUCED IN FIRE DOES NOT BURN | | |

Hazard Rating Key: 0=minimal; 1=slight; 2=moderate; 3=serious; 4=severe

- ▶ **Acephate** can affect you when inhaled and quickly enters the body by passing through the skin.
- ▶ **Acephate** should be handled as a CARCINOGEN--WITH EXTREME CAUTION.
- ▶ Contact can irritate and burn the skin and eyes.
- ▶ Exposure to **Acephate** can cause rapid, severe *Organophosphate poisoning*.
- ▶ High or repeated exposure may damage the nerves, causing weakness, "pins and needles," and poor coordination in the arms and legs.
- ▶ Repeated exposure may cause personality changes, such as depression, anxiety or irritability.
- ▶ **Acephate** does not burn, however it is often dissolved in a liquid carrier which may be flammable or combustible.

Workplace Exposure Limits

No occupational exposure limits have been established for **Acephate**. However, it may pose a health risk. Always follow safe work practices.

- ▶ **Acephate** may be a CARCINOGEN in humans. There may be no safe level of exposure to a carcinogen, so all contact should be reduced to the lowest possible level.
- ▶ As **Acephate** is absorbed through your skin, contact should be eliminated.

Determining Your Exposure

- ▶ Read the product manufacturer's Material Safety Data Sheet (MSDS) and the label to determine product ingredients and important safety and health information about the product mixture.
- ▶ For each individual hazardous ingredient, read the New Jersey Department of Health Hazardous Substance Fact Sheet, available on the RTK Program website (<http://nj.gov/health/workplacehealthandsafety/right-to-know/>) or in your facility's RTK Central File or Hazard Communication Standard file.
- ▶ You have a right to this information under the New Jersey Worker and Community Right to Know Act, the Public Employees Occupational Safety and Health (PEOSH) Act if you are a public worker in New Jersey, and under the federal Occupational Safety and Health Act (OSHA) if you are a private worker.
- ▶ The New Jersey Right to Know Act and the PEOSH Hazard Communication Standard (N.J.A.C. 12:100-7) requires most employers to label chemicals in the workplace and requires public employers to provide their employees with information concerning chemical hazards and controls. The federal OSHA Hazard Communication Standard (29 CFR 1910.1200) requires private employers to provide similar information and training to their employees.

This Fact Sheet is a summary of available information regarding the health hazards that may result from exposure. Duration of exposure, concentration of the substance and other factors will affect your susceptibility to any of the potential effects described below.

Health Hazard Information

Acute Health Effects

The following acute (short-term) health effects may occur immediately or shortly after exposure to **Acephate**:

- ▶ Contact can irritate and burn the skin and eyes.
- ▶ Exposure can cause rapid, severe, *Organophosphate poisoning* with headache, dizziness, blurred vision, tightness in the chest, sweating, nausea and vomiting, diarrhea, muscle twitching, loss of coordination, convulsions, coma and death.

Chronic Health Effects

The following chronic (long-term) health effects can occur at some time after exposure to **Acephate** and can last for months or years:

Cancer Hazard

- ▶ **Acephate** may be a CARCINOGEN in humans since it has been shown to cause liver cancer in animals.
- ▶ Many scientists believe there is no safe level of exposure to a carcinogen.

Reproductive Hazard

- ▶ There is limited evidence that **Acephate** may damage the developing fetus.

Other Effects

- ▶ High or repeated exposure may damage the nerves causing weakness, "pins and needles," and poor coordination in the arms and legs.
- ▶ Repeated exposure may cause personality changes, such as depression, anxiety or irritability.

Medical

Medical Testing

Before employment and at regular times after that, the following are recommended:

- ▶ Plasma and red blood cell cholinesterase levels (tests for the enzyme poisoned by this chemical). If exposure stops, plasma levels return to normal in 1-2 weeks, but red blood cell levels may be reduced for 1-3 months.
- ▶ When cholinesterase enzyme levels are reduced by 25% or more below pre-employment levels, risk of poisoning is increased, even if results are in the lower ranges of "normal." Reassignment to work not involving *Organophosphate* or *Carbamate* pesticides is recommended until enzyme levels recover.

If symptoms develop or overexposure occurs, repeat the preceding tests as soon as possible and get an exam of the nervous system.

Any evaluation should include a careful history of past and present symptoms with an exam. Medical tests that look for damage already done are not a substitute for controlling exposure.

Request copies of your medical testing. You have a legal right to this information under the OSHA Access to Employee Exposure and Medical Records Standard (29 CFR 1910.1020).

Mixed Exposures

- ▶ You may be at higher risk if you are exposed to other chemicals that affect cholinesterase levels in the body, such as *Carbamates*.

Workplace Controls and Practices

Very toxic chemicals, or those that are reproductive hazards or sensitizers, require expert advice on control measures if a less toxic chemical cannot be substituted. Control measures include: (1) enclosing chemical processes for severely irritating and corrosive chemicals, (2) using local exhaust ventilation for chemicals that may be harmful with a single exposure, and (3) using general ventilation to control exposures to skin and eye irritants. For further information on workplace controls, consult the NIOSH document on Control Banding at www.cdc.gov/niosh/topics/ctrlbanding/.

The following work practices are also recommended:

- ▶ Label process containers.
- ▶ Provide employees with hazard information and training.
- ▶ Monitor airborne chemical concentrations.
- ▶ Use engineering controls if concentrations exceed recommended exposure levels.
- ▶ Provide eye wash fountains and emergency showers.
- ▶ Wash or shower if skin comes in contact with a hazardous material.
- ▶ Always wash at the end of the workshift.
- ▶ Change into clean clothing if clothing becomes contaminated.
- ▶ Do not take contaminated clothing home.
- ▶ Get special training to wash contaminated clothing.
- ▶ Do not eat, smoke, or drink in areas where chemicals are being handled, processed or stored.
- ▶ Wash hands carefully before eating, smoking, drinking, applying cosmetics or using the toilet.

In addition, the following may be useful or required:

- ▶ Use a vacuum or a wet method to reduce dust during clean-up. DO NOT DRY SWEEP.
- ▶ Use a high efficiency particulate air (HEPA) filter when vacuuming. Do not use a standard shop vacuum.

Personal Protective Equipment

The OSHA Personal Protective Equipment Standard (29 CFR 1910.132) requires employers to determine the appropriate personal protective equipment for each hazard and to train employees on how and when to use protective equipment.

The following recommendations are only guidelines and may not apply to every situation.

Gloves and Clothing

- ▶ Avoid skin contact with **Acephate**. Wear personal protective equipment made from material which can not be permeated or degraded by this substance. Safety equipment suppliers and manufacturers can provide recommendations on the most protective glove and clothing material for your operation.
- ▶ Safety equipment manufacturers recommend Nitrile, Neoprene and Silver Shield®/4H® for gloves and DuPont Tyvek®, or the equivalent, as a protective material for *solid* **Acephate**.
- ▶ All protective clothing (suits, gloves, footwear, headgear) should be clean, available each day, and put on before work.
- ▶ Do not wear leather shoes. **Acephate** is absorbed into the leather and can not be removed by cleaning.

Eye Protection

- ▶ For *solid* **Acephate** wear eye protection with side shields or goggles.
- ▶ Wear indirect-vent, impact and splash resistant goggles when working with liquids.
- ▶ Wear a face shield along with goggles when working with corrosive, highly irritating or toxic substances.
- ▶ Do not wear contact lenses when working with this substance.

Respiratory Protection

Improper use of respirators is dangerous. Respirators should only be used if the employer has implemented a written program that takes into account workplace conditions, requirements for worker training, respirator fit testing, and medical exams, as described in the OSHA Respiratory Protection Standard (29 CFR 1910.134).

- ▶ For field applications check with your supervisor and your safety equipment supplier regarding the appropriate respiratory equipment.
- ▶ Where the potential exists for exposure to **Acephate**, use a NIOSH approved respirator with an organic vapor cartridge and particulate prefilters approved for pesticides. Increased protection is obtained from full facepiece powered-air purifying respirators.
- ▶ Leave the area immediately if (1) while wearing a filter or cartridge respirator you can smell, taste, or otherwise detect **Acephate**, (2) while wearing particulate filters abnormal resistance to breathing is experienced, or (3) eye irritation occurs while wearing a full facepiece respirator. Check to make sure the respirator-to-face seal is still good. If it is, replace the filter or cartridge. If the seal is no longer good, you may need a new respirator.
- ▶ Consider all potential sources of exposure in your workplace. You may need a combination of filters, prefilters or cartridges to protect against different forms of a chemical (such as vapor and mist) or against a mixture of chemicals.
- ▶ Where the potential for high exposure exists, use a NIOSH approved supplied-air respirator with a full facepiece operated in a pressure-demand or other positive-pressure mode. For increased protection use in combination with an auxiliary self-contained breathing apparatus operated in a pressure-demand or other positive-pressure mode.

Fire Hazards

If employees are expected to fight fires, they must be trained and equipped as stated in the OSHA Fire Brigades Standard (29 CFR 1910.156).

- ▶ **Acephate** does not burn, however it is often dissolved in a liquid carrier which may be flammable or combustible.
- ▶ Use dry chemical, CO₂, water spray or foam as extinguishing agents.
- ▶ POISONOUS GASES ARE PRODUCED IN FIRE, including *Phosphorus Oxides*, *Sulfur Oxides*, and *Nitrogen Oxides*.
- ▶ Use water spray to keep fire-exposed containers cool.

Spills and Emergencies

If employees are required to clean-up spills, they must be properly trained and equipped. The OSHA Hazardous Waste Operations and Emergency Response Standard (29 CFR 1910.120) may apply.

If **Acephate** is spilled or leaked, take the following steps:

- ▶ Evacuate personnel and secure and control entrance to the area.
- ▶ Eliminate all ignition sources.
- ▶ For *solid* **Acephate**, moisten spilled material first, or use a HEPA-filter vacuum for clean-up, and deposit in sealed containers.
- ▶ Absorb liquids in vermiculite, dry sand, earth, or a similar material and deposit in sealed containers.
- ▶ Ventilate and wash area after clean-up is complete.
- ▶ DO NOT wash into sewer.
- ▶ It may be necessary to contain and dispose of **Acephate** as a HAZARDOUS WASTE. Contact your state Department of Environmental Protection (DEP) or your regional office of the federal Environmental Protection Agency (EPA) for specific recommendations.

Handling and Storage

Prior to working with **Acephate** you should be trained on its proper handling and storage.

- ▶ **Acephate** is not compatible with OXIDIZING AGENTS (such as PERCHLORATES, PEROXIDES, PERMANGANATES, CHLORATES, NITRATES, CHLORINE, BROMINE and FLUORINE); ALKALINE MATERIALS or STRONG BASES (such as SODIUM HYDROXIDE and POTASSIUM HYDROXIDE); and HYPOCHLORITES.
- ▶ Store in tightly closed containers in a cool, well-ventilated area away from SUNLIGHT and MOISTURE.
- ▶ Sources of ignition, such as smoking and open flames, are prohibited where **Acephate** is used, handled, or stored in a manner that could create a potential fire or explosion hazard.
- ▶ Use only non-sparking tools and equipment, especially when opening and closing containers containing *liquid solutions* of **Acephate**.

Occupational Health Information Resources

The New Jersey Department of Health, Occupational Health Service, offers multiple services in occupational health. These services include providing informational resources, educational materials, public presentations, and industrial hygiene and medical investigations and evaluations.

For more information, please contact:

New Jersey Department of Health
 Right to Know Program
 PO Box 368
 Trenton, NJ 08625-0368
 Phone: 609-984-2202
 Fax: 609-984-7407
 E-mail: rtk@doh.nj.gov
 Web address:
<http://nj.gov/health/workplacehealthandsafety/right-to-know/>

*The Right to Know Hazardous Substance Fact Sheets
 are not intended to be copied and sold
 for commercial purposes.*

GLOSSARY

ACGIH is the American Conference of Governmental Industrial Hygienists. They publish guidelines called Threshold Limit Values (TLVs) for exposure to workplace chemicals.

Acute Exposure Guideline Levels (AEGs) are established by the EPA. They describe the risk to humans resulting from once-in-a-lifetime, or rare, exposure to airborne chemicals.

Boiling point is the temperature at which a substance can change its physical state from a liquid to a gas.

A **carcinogen** is a substance that causes cancer.

The **CAS number** is unique, identifying number, assigned by the Chemical Abstracts Service, to a specific chemical.

CFR is the Code of Federal Regulations, which are the regulations of the United States government.

A **combustible** substance is a solid, liquid or gas that will burn.

A **corrosive** substance is a gas, liquid or solid that causes destruction of human skin or severe corrosion of containers.

DEP is the New Jersey Department of Environmental Protection.

DOT is the Department of Transportation, the federal agency that regulates the transportation of chemicals.

EPA is the Environmental Protection Agency, the federal agency responsible for regulating environmental hazards.

ERG is the Emergency Response Guidebook. It is a guide for emergency responders for transportation emergencies involving hazardous substances.

Emergency Response Planning Guideline (ERPG) values are intended to provide estimates of concentration ranges where one reasonably might anticipate observing adverse effects.

A **fetus** is an unborn human or animal.

A **flammable** substance is a solid, liquid, vapor or gas that will ignite easily and burn rapidly.

The **flash point** is the temperature at which a liquid or solid gives off vapor that can form a flammable mixture with air.

IARC is the International Agency for Research on Cancer, a scientific group.

Ionization Potential is the amount of energy needed to remove an electron from an atom or molecule. It is measured in electron volts.

IRIS is the Integrated Risk Information System database maintained by federal EPA. The database contains information on human health effects that may result from exposure to various chemicals in the environment.

LEL or Lower Explosive Limit, is the lowest concentration of a combustible substance (gas or vapor) in the air capable of continuing an explosion.

mg/m³ means milligrams of a chemical in a cubic meter of air. It is a measure of concentration (weight/volume).

A **mutagen** is a substance that causes mutations. A **mutation** is a change in the genetic material in a body cell. Mutations can lead to birth defects, miscarriages, or cancer.

NFPA is the National Fire Protection Association. It classifies substances according to their fire and explosion hazard.

NIOSH is the National Institute for Occupational Safety and Health. It tests equipment, evaluates and approves respirators, conducts studies of workplace hazards, and proposes standards to OSHA.

NTP is the National Toxicology Program which tests chemicals and reviews evidence for cancer.

OSHA is the federal Occupational Safety and Health Administration, which adopts and enforces health and safety standards.

PEOSHA is the New Jersey Public Employees Occupational Safety and Health Act, which adopts and enforces health and safety standards in public workplaces.

Permeated is the movement of chemicals through protective materials.

PIH is a DOT designation for chemicals which are Poison Inhalation Hazards.

ppm means parts of a substance per million parts of air. It is a measure of concentration by volume in air.

A **reactive** substance is a solid, liquid or gas that releases energy under certain conditions.

STEL is a Short Term Exposure Limit which is usually a 15-minute exposure that should not be exceeded at any time during a work day.

A **teratogen** is a substance that causes birth defects by damaging the fetus.

UEL or Upper Explosive Limit is the highest concentration in air above which there is too much fuel (gas or vapor) to begin a reaction or explosion.

Vapor Density is the ratio of the weight of a given volume of one gas to the weight of another (usually *Hydrogen*), at the same temperature and pressure.

The **vapor pressure** is a measure of how readily a liquid or a solid mixes with air at its surface. A higher vapor pressure indicates a higher concentration of the substance in air and therefore increases the likelihood of breathing it in.

Common Name: **ACEPHATE**

Synonyms: N-(Methoxy(methylthio)phosphinoyl)acetamide; Orthene™; Lancer®

CAS No: 30560-19-1

Molecular Formula: C₄H₁₀NO₃PS

RTK Substance No: 3140

Description: Colorless to white crystal or powder with an odor of rotten cabbage. It may be dissolved in a liquid "carrier."

HAZARD DATA

| Hazard Rating | Firefighting | Reactivity |
|--|---|---|
| <p>3 - Health</p> <p>1 - Fire</p> <p>1 - Reactivity</p> <p>DOT#: UN 2783</p> <p>ERG Guide #: 152</p> <p>Hazard Class: 6.1 (Poison)</p> | <p>Acephate does not burn, however it is often dissolved in a liquid carrier which may be flammable or combustible.</p> <p>Use dry chemical, CO₂, water spray or foam as extinguishing agents.</p> <p>POISONOUS GASES ARE PRODUCED IN FIRE, including <i>Phosphorus Oxides</i>, <i>Sulfur Oxides</i> and <i>Nitrogen Oxides</i>.</p> <p>Use water spray to keep fire-exposed containers cool.</p> | <p>Acephate is not compatible with OXIDIZING AGENTS (such as PERCHLORATES, PEROXIDES, PERMANGANATES, CHLORATES, NITRATES, CHLORINE, BROMINE and FLUORINE); ALKALINE MATERIALS or STRONG BASES (such as SODIUM HYDROXIDE and POTASSIUM HYDROXIDE); and HYPOCHLORITES.</p> |

SPILL/LEAKS

Isolation Distance:

Solid Spill: 25 meters (50 feet)

Liquid Spill: 50 meters (175 feet)

Fire: 800 meters (1/2 mile)

Moisten solid spilled material, or use a HEPA-filter vacuum for clean-up, and deposit in sealed containers.

Absorb liquids in vermiculite, dry sand, earth, or a similar material and deposit in sealed containers. DO NOT wash into sewer.

Acephate is hazardous to the environment and specific attention should be given to birds and honeybees.

PHYSICAL PROPERTIES

| | |
|--------------------------|-----------------------------|
| Odor Threshold: | Rotten cabbage |
| Flash Point: | 199°F (93°C) |
| Vapor Pressure: | <1 mm Hg at 77°F (25°C) |
| Specific Gravity: | 1.35 (Water = 1) |
| Water Solubility: | Soluble |
| Melting Point: | 149° to 194°F (65° to 90°C) |
| Decomposes: | 311°F (155°C) |
| Molecular Weight: | 183.2 |
| pH: | 3.5-4.5 (1% in water) |

EXPOSURE LIMITS

No occupational exposure limits have been established for **Acephate**.

Acephate is skin absorbable.

PROTECTIVE EQUIPMENT

| | |
|--------------------|--|
| Gloves: | Nitrile, Neoprene and SilverShield®/4H® |
| Coveralls: | DuPont Tyvek® for <i>solid Acephate</i> |
| Respirator: | Outdoors: Full facepiece APR with Organic vapor cartridge and pesticide pre-filters |
| | Indoors or Liquid: Supplied air or SCBA |

HEALTH EFFECTS

| | |
|--------------------|---|
| Eyes: | Irritation and burns |
| Skin: | Irritation and burns |
| Inhalation: | Headache, dizziness, blurred vision, sweating, nausea and vomiting, muscle twitching, loss of coordination, convulsions, coma and death |
| Chronic: | Carcinogen (liver) in animals |

FIRST AID AND DECONTAMINATION

Remove the person from exposure.

Flush eyes with large amounts of water for at least 15 minutes. Remove contact lenses if worn. Seek medical attention immediately.

Quickly remove contaminated clothing and wash contaminated skin with large amounts of soap and water. Seek medical attention immediately.

Begin artificial respiration if breathing has stopped and CPR if necessary.

Transfer to a medical facility.