

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-----|------------------|----------------------|-------------------------|--------------|-------|
| 1 | Craniotomy age >17 w CC | 131 | 360 | 29 | 122 | 6 | 121 | 71 | 6 | 846 |
| 2 | Craniotomy age >17 w/o CC | 148 | 236 | 20 | 143 | 17 | 141 | 92 | 5 | 802 |
| 6 | Carpal tunnel release | 2 | 6 | 0 | 3 | 2 | 10 | 1 | 0 | 24 |
| 7 | Periph & cranial nerve & other nerv syst proc w CC | 45 | 254 | 16 | 45 | 4 | 68 | 31 | 2 | 465 |
| 8 | Periph & cranial nerve & other nerv syst proc w/o CC | 36 | 71 | 12 | 52 | 1 | 77 | 23 | 6 | 278 |
| 9 | Spinal disorders & injuries | 13 | 38 | 8 | 15 | 3 | 28 | 14 | 1 | 120 |
| 10 | Nervous system neoplasms w CC | 158 | 456 | 47 | 165 | 11 | 161 | 75 | 3 | 1,076 |
| 11 | Nervous system neoplasms w/o CC | 64 | 115 | 10 | 50 | 6 | 54 | 35 | 1 | 335 |
| 12 | Degenerative nervous system disorders | 95 | 2,252 | 55 | 175 | 13 | 237 | 78 | 14 | 2,919 |
| 13 | Multiple sclerosis & cerebellar ataxia | 155 | 237 | 41 | 157 | 13 | 159 | 96 | 9 | 867 |
| 14 | Stroke w infarct | 590 | 4,764 | 157 | 792 | 59 | 883 | 573 | 35 | 7,853 |
| 15 | Nonspecific CVA & precerebral occlusion w/o infarct | 42 | 460 | 9 | 56 | 2 | 87 | 25 | 4 | 685 |
| 16 | Nonspecific cerebrovascular disorders w CC | 39 | 517 | 12 | 60 | 6 | 54 | 10 | 4 | 702 |
| 17 | Nonspecific cerebrovascular disorders w/o CC | 84 | 159 | 7 | 95 | 10 | 74 | 32 | 4 | 465 |
| 18 | Cranial & peripheral nerve disorders w CC | 136 | 851 | 67 | 209 | 14 | 189 | 181 | 9 | 1,656 |
| 19 | Cranial & peripheral nerve disorders w/o CC | 139 | 297 | 28 | 206 | 16 | 183 | 145 | 7 | 1,021 |
| 20 | Nervous system infection except viral meningitis | 84 | 81 | 21 | 111 | 12 | 93 | 72 | 2 | 476 |
| 21 | Viral meningitis | 139 | 33 | 25 | 206 | 16 | 190 | 94 | 6 | 709 |
| 22 | Hypertensive encephalopathy | 17 | 94 | 2 | 21 | 1 | 18 | 20 | 0 | 173 |
| 23 | Nontraumatic stupor & coma | 19 | 92 | 5 | 23 | 1 | 27 | 16 | 1 | 184 |
| 24 | Seizure & headache age >17 w CC | 389 | 1,697 | 227 | 496 | 39 | 577 | 498 | 28 | 3,951 |
| 25 | Seizure & headache age >17 w/o CC | 798 | 1,167 | 227 | 980 | 112 | 1,036 | 690 | 47 | 5,057 |
| 34 | Other disorders of nervous system w CC | 106 | 987 | 42 | 145 | 18 | 168 | 54 | 11 | 1,531 |
| 35 | Other disorders of nervous system w/o CC | 206 | 371 | 23 | 224 | 25 | 258 | 95 | 10 | 1,212 |
| 36 | Retinal procedures | 6 | 11 | 0 | 6 | 0 | 12 | 2 | 0 | 37 |
| 37 | Orbital procedures | 20 | 24 | 5 | 32 | 2 | 53 | 57 | 1 | 194 |
| 38 | Primary iris procedures | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 3 |
| 39 | Lens procedures with or without vitrectomy | 1 | 5 | 1 | 0 | 0 | 2 | 2 | 0 | 11 |
| 40 | Extraocular procedures except orbit age >17 | 6 | 34 | 0 | 1 | 0 | 17 | 19 | 0 | 77 |
| 41 | Extraocular procedures except orbit age <18 | 3 | 0 | 0 | 7 | 1 | 7 | 2 | 0 | 20 |
| 42 | Intraocular procedures except retina, iris & lens | 4 | 21 | 0 | 2 | 0 | 11 | 7 | 0 | 45 |
| 43 | Hyphema | 0 | 5 | 0 | 4 | 0 | 2 | 1 | 0 | 12 |
| 44 | Acute major eye infections | 57 | 50 | 11 | 76 | 7 | 97 | 41 | 4 | 343 |
| 45 | Neurological eye disorders | 56 | 113 | 7 | 73 | 7 | 76 | 34 | 5 | 371 |
| 46 | Other disorders of the eye age >17 w CC | 15 | 115 | 11 | 27 | 3 | 29 | 43 | 0 | 243 |
| 47 | Other disorders of the eye age >17 w/o CC | 37 | 48 | 2 | 32 | 2 | 31 | 31 | 3 | 186 |
| 48 | Other disorders of the eye age <18 | 16 | 1 | 8 | 35 | 1 | 42 | 6 | 1 | 110 |
| 49 | Major head & neck procedures except for malignancy | 8 | 12 | 0 | 13 | 2 | 7 | 3 | 0 | 45 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|--------|
| 50 | Sialoadenectomy | 34 | 58 | 3 | 40 | 7 | 37 | 3 | 4 | 186 |
| 51 | Salivary gland procedures except sialoadenectomy | 5 | 6 | 0 | 7 | 2 | 6 | 5 | 0 | 31 |
| 52 | Cleft lip & palate repair | 94 | 10 | 14 | 126 | 11 | 109 | 2 | 1 | 367 |
| 53 | Sinus & mastoid procedures age >17 | 30 | 25 | 1 | 35 | 1 | 19 | 5 | 0 | 116 |
| 54 | Sinus & mastoid procedures age <18 | 2 | 0 | 0 | 5 | 0 | 4 | 1 | 0 | 12 |
| 55 | Miscellaneous ear, nose, mouth & throat procedures | 28 | 29 | 2 | 41 | 3 | 58 | 17 | 1 | 179 |
| 56 | Rhinoplasty | 9 | 8 | 1 | 8 | 2 | 30 | 5 | 0 | 63 |
| 57 | T&A proc,except tonsillectomy &/or adenoidect only,age >17 | 39 | 10 | 3 | 56 | 6 | 55 | 73 | 5 | 247 |
| 58 | T&A proc,except tonsillectomy &/or adenoidect only,age <18 | 34 | 0 | 6 | 53 | 7 | 46 | 6 | 2 | 154 |
| 59 | Tonsillectomy &/or adenoidectomy only, age >17 | 6 | 4 | 0 | 14 | 0 | 0 | 1 | 0 | 25 |
| 60 | Tonsillectomy &/or adenoidectomy only, age <18 | 59 | 0 | 4 | 93 | 9 | 92 | 1 | 5 | 263 |
| 61 | Myringotomy w tube insertion age >17 | 4 | 2 | 0 | 7 | 0 | 4 | 2 | 1 | 20 |
| 62 | Myringotomy w tube insertion age <18 | 27 | 0 | 3 | 38 | 6 | 31 | 3 | 0 | 108 |
| 63 | Other ear, nose, mouth & throat O.R. procedures | 81 | 51 | 17 | 146 | 10 | 160 | 200 | 10 | 675 |
| 64 | Ear, nose, mouth & throat malignancy | 23 | 70 | 17 | 26 | 1 | 15 | 31 | 1 | 184 |
| 65 | Dysequilibrium | 391 | 1,595 | 42 | 507 | 53 | 483 | 213 | 17 | 3,301 |
| 66 | Epistaxis | 47 | 290 | 9 | 49 | 4 | 49 | 23 | 4 | 475 |
| 67 | Epiglottitis | 12 | 7 | 0 | 12 | 1 | 16 | 11 | 2 | 61 |
| 68 | Otitis media & URI age >17 w CC | 84 | 262 | 11 | 91 | 8 | 126 | 80 | 4 | 666 |
| 69 | Otitis media & URI age >17 w/o CC | 181 | 154 | 18 | 212 | 15 | 176 | 206 | 12 | 974 |
| 70 | Otitis media & URI age <18 | 202 | 0 | 120 | 407 | 44 | 527 | 69 | 16 | 1,385 |
| 71 | Laryngotracheitis | 66 | 0 | 23 | 112 | 9 | 171 | 28 | 6 | 415 |
| 72 | Nasal trauma & deformity | 12 | 82 | 2 | 13 | 1 | 26 | 18 | 0 | 154 |
| 73 | Other ear, nose, mouth & throat diagnoses age >17 | 90 | 256 | 19 | 117 | 11 | 114 | 82 | 7 | 696 |
| 74 | Other ear, nose, mouth & throat diagnoses age <18 | 47 | 0 | 25 | 78 | 3 | 87 | 15 | 4 | 259 |
| 75 | Major chest procedures | 334 | 874 | 32 | 334 | 33 | 339 | 112 | 16 | 2,074 |
| 76 | Other resp system O.R. procedures w CC | 118 | 471 | 23 | 102 | 6 | 109 | 71 | 6 | 906 |
| 77 | Other resp system O.R. procedures w/o CC | 26 | 81 | 7 | 39 | 2 | 41 | 25 | 6 | 227 |
| 78 | Pulmonary embolism | 256 | 607 | 27 | 290 | 19 | 270 | 131 | 13 | 1,613 |
| 79 | Respiratory infections & inflammations exc simple pneumonia age >17 w cc | 78 | 1,667 | 65 | 112 | 11 | 136 | 53 | 8 | 2,130 |
| 80 | Respiratory infections & inflammations exc simple pneumonia age >17 w/o cc | 22 | 257 | 22 | 27 | 2 | 43 | 19 | 0 | 392 |
| 82 | Respiratory neoplasms | 201 | 1,108 | 55 | 229 | 13 | 292 | 110 | 19 | 2,027 |
| 83 | Major chest trauma w CC | 19 | 141 | 1 | 19 | 3 | 95 | 22 | 0 | 300 |
| 84 | Major chest trauma w/o CC | 12 | 53 | 0 | 17 | 1 | 76 | 24 | 1 | 184 |
| 85 | Pleural effusion w CC | 36 | 378 | 13 | 58 | 5 | 66 | 31 | 2 | 589 |
| 86 | Pleural effusion w/o CC | 17 | 74 | 3 | 14 | 1 | 25 | 15 | 0 | 149 |
| 87 | Pulmonary edema & respiratory failure | 106 | 1,166 | 54 | 99 | 4 | 153 | 55 | 5 | 1,642 |
| 88 | Chronic obstructive pulmonary disease | 1,064 | 10,490 | 606 | 1,379 | 82 | 1,839 | 859 | 73 | 16,392 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|--------|
| 89 | Simple pneumonia & pleurisy age >17 w CC | 946 | 7,786 | 322 | 1,177 | 90 | 1,349 | 791 | 61 | 12,522 |
| 90 | Simple pneumonia & pleurisy age >17 w/o CC | 448 | 1,347 | 88 | 523 | 46 | 501 | 447 | 30 | 3,430 |
| 92 | Interstitial lung disease w CC | 40 | 252 | 21 | 53 | 5 | 66 | 17 | 1 | 455 |
| 93 | Interstitial lung disease w/o CC | 15 | 52 | 3 | 21 | 2 | 27 | 16 | 0 | 136 |
| 94 | Pneumothorax w CC | 69 | 221 | 7 | 84 | 8 | 113 | 86 | 4 | 592 |
| 95 | Pneumothorax w/o CC | 94 | 53 | 7 | 117 | 17 | 141 | 112 | 6 | 547 |
| 96 | Bronchitis & asthma age >17 w CC | 299 | 1,266 | 140 | 441 | 31 | 452 | 475 | 29 | 3,133 |
| 97 | Bronchitis & asthma age >17 w/o CC | 535 | 959 | 156 | 785 | 66 | 763 | 781 | 50 | 4,095 |
| 99 | Respiratory signs & symptoms w CC | 97 | 474 | 46 | 120 | 17 | 141 | 65 | 10 | 970 |
| 100 | Respiratory signs & symptoms w/o CC | 140 | 222 | 51 | 215 | 20 | 203 | 96 | 12 | 959 |
| 101 | Other respiratory system diagnoses w CC | 69 | 419 | 24 | 79 | 13 | 151 | 67 | 3 | 825 |
| 102 | Other respiratory system diagnoses w/o CC | 86 | 171 | 19 | 101 | 9 | 151 | 88 | 6 | 631 |
| 103 | Heart transplant or implant of heart assist system | 13 | 33 | 11 | 15 | 2 | 15 | 3 | 0 | 92 |
| 104 | Cardiac valve & other major cardiothoracic proc w cardiac cath | 59 | 258 | 7 | 43 | 5 | 65 | 28 | 1 | 466 |
| 105 | Cardiac valve & other major cardiothoracic proc w/o cardiac cath | 149 | 570 | 13 | 134 | 11 | 163 | 65 | 4 | 1,109 |
| 106 | Coronary bypass w PTCA | 12 | 20 | 1 | 6 | 2 | 7 | 7 | 0 | 55 |
| 107 | Coronary bypass w/o PTCA w cardiac cath | 214 | 552 | 21 | 237 | 23 | 200 | 99 | 5 | 1,351 |
| 108 | Other cardiothoracic proc w/o PDX congenital anomaly | 25 | 92 | 4 | 30 | 5 | 43 | 19 | 0 | 218 |
| 109 | Coronary bypass w/o PTCA w/o cardiac cath | 259 | 639 | 14 | 248 | 22 | 209 | 71 | 4 | 1,466 |
| 110 | Major cardiovascular procedures w CC | 95 | 668 | 17 | 107 | 9 | 139 | 43 | 4 | 1,082 |
| 111 | Major cardiovascular procedures w/o CC | 101 | 385 | 7 | 96 | 7 | 84 | 23 | 1 | 704 |
| 112 | Percutaneous cardiovascular proc w/o AMI, heart failure or shock | 505 | 1,185 | 38 | 591 | 76 | 584 | 164 | 14 | 3,157 |
| 113 | Amputation for circ system disord except upper limb & toe | 18 | 327 | 17 | 25 | 1 | 39 | 13 | 1 | 441 |
| 114 | Upper limb & toe amputation for circ system disorders | 15 | 103 | 6 | 19 | 0 | 27 | 16 | 2 | 188 |
| 115 | Prm card pacem impl w AMI/HF/Shock or AICD lead or gntr proc | 29 | 349 | 7 | 46 | 5 | 61 | 20 | 3 | 520 |
| 116 | Other permanent cardiac pacemaker implant | 216 | 3,100 | 27 | 237 | 20 | 447 | 91 | 14 | 4,152 |
| 117 | Cardiac pacemaker revision except device replacement | 27 | 157 | 4 | 36 | 1 | 48 | 14 | 2 | 289 |
| 118 | Cardiac pacemaker device replacement | 10 | 248 | 4 | 12 | 2 | 43 | 7 | 2 | 328 |
| 119 | Vein ligation & stripping | 14 | 23 | 1 | 8 | 0 | 10 | 5 | 0 | 61 |
| 120 | Other circulatory system O.R. procedures | 41 | 409 | 21 | 48 | 3 | 61 | 29 | 3 | 615 |
| 121 | Circulatory disorders w AMI & major comp, discharged alive | 293 | 5,116 | 97 | 408 | 36 | 569 | 188 | 16 | 6,723 |
| 122 | Circulatory disorders w AMI w/o major comp, discharged alive | 471 | 1,802 | 44 | 547 | 69 | 515 | 336 | 29 | 3,813 |
| 123 | Circulatory disorders w AMI, expired | 37 | 742 | 7 | 31 | 3 | 76 | 27 | 1 | 924 |
| 124 | Circulatory disord except AMI, w card cath & complex diag | 626 | 2,512 | 103 | 796 | 52 | 787 | 502 | 23 | 5,401 |
| 125 | Circulatory disord except AMI, w card cath w/o complex diag | 1,049 | 2,358 | 135 | 1,153 | 113 | 1,048 | 587 | 55 | 6,498 |
| 126 | Acute & subacute endocarditis | 46 | 220 | 22 | 32 | 6 | 34 | 62 | 1 | 423 |
| 127 | Heart failure & shock | 730 | 14,520 | 474 | 1,272 | 58 | 1,849 | 1,062 | 52 | 20,017 |
| 128 | Deep vein thrombophlebitis | 31 | 103 | 2 | 28 | 3 | 25 | 6 | 1 | 199 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|--------|
| 129 | Cardiac arrest, unexplained | 5 | 22 | 1 | 0 | 0 | 1 | 4 | 0 | 33 |
| 130 | Peripheral vascular disorders w CC | 265 | 2,036 | 95 | 286 | 32 | 371 | 229 | 13 | 3,327 |
| 131 | Peripheral vascular disorders w/o CC | 266 | 711 | 41 | 348 | 39 | 300 | 178 | 15 | 1,898 |
| 132 | Atherosclerosis w CC | 162 | 1,754 | 73 | 196 | 16 | 281 | 131 | 8 | 2,621 |
| 133 | Atherosclerosis w/o CC | 243 | 1,089 | 36 | 285 | 30 | 286 | 162 | 11 | 2,142 |
| 134 | Hypertension | 398 | 1,258 | 93 | 541 | 39 | 508 | 617 | 33 | 3,487 |
| 135 | Cardiac congenital & valvular disorders age >17 w CC | 13 | 225 | 5 | 17 | 2 | 31 | 14 | 1 | 308 |
| 136 | Cardiac congenital & valvular disorders age >17 w/o CC | 17 | 78 | 1 | 19 | 0 | 21 | 10 | 0 | 146 |
| 137 | Cardiac congenital & valvular disorders age <18 | 3 | 0 | 3 | 5 | 0 | 12 | 1 | 0 | 24 |
| 138 | Cardiac arrhythmia & conduction disorders w CC | 768 | 5,261 | 122 | 860 | 68 | 972 | 447 | 29 | 8,527 |
| 139 | Cardiac arrhythmia & conduction disorders w/o CC | 1,171 | 3,145 | 64 | 1,332 | 135 | 1,114 | 471 | 65 | 7,497 |
| 140 | Angina pectoris | 265 | 732 | 57 | 371 | 31 | 338 | 241 | 12 | 2,047 |
| 141 | Syncope & collapse w CC | 535 | 4,837 | 127 | 685 | 55 | 815 | 358 | 35 | 7,447 |
| 142 | Syncope & collapse w/o CC | 678 | 2,669 | 77 | 881 | 76 | 924 | 395 | 45 | 5,745 |
| 143 | Chest pain | 3,952 | 7,449 | 717 | 5,175 | 447 | 4,339 | 3,625 | 276 | 25,980 |
| 144 | Other circulatory system diagnoses w CC | 130 | 884 | 45 | 178 | 11 | 175 | 102 | 9 | 1,534 |
| 145 | Other circulatory system diagnoses w/o CC | 109 | 208 | 15 | 143 | 14 | 133 | 99 | 13 | 734 |
| 146 | Rectal resection w CC | 66 | 190 | 5 | 80 | 3 | 53 | 12 | 3 | 412 |
| 147 | Rectal resection w/o CC | 37 | 95 | 2 | 71 | 2 | 47 | 8 | 4 | 266 |
| 148 | Major small & large bowel procedures w CC | 577 | 1,821 | 45 | 645 | 56 | 535 | 194 | 24 | 3,897 |
| 149 | Major small & large bowel procedures w/o CC | 414 | 624 | 25 | 484 | 51 | 323 | 122 | 20 | 2,063 |
| 150 | Peritoneal adhesiolysis w CC | 189 | 407 | 13 | 165 | 19 | 153 | 66 | 8 | 1,020 |
| 151 | Peritoneal adhesiolysis w/o CC | 238 | 174 | 9 | 246 | 40 | 209 | 74 | 12 | 1,002 |
| 152 | Minor small & large bowel procedures w CC | 30 | 57 | 1 | 27 | 3 | 24 | 18 | 1 | 161 |
| 153 | Minor small & large bowel procedures w/o CC | 52 | 55 | 9 | 62 | 4 | 55 | 31 | 2 | 270 |
| 154 | Stomach, esophageal & duodenal procedures age >17 w CC | 81 | 311 | 17 | 85 | 8 | 99 | 29 | 2 | 632 |
| 155 | Stomach, esophageal & duodenal procedures age >17 w/o CC | 112 | 125 | 4 | 95 | 8 | 82 | 42 | 3 | 471 |
| 156 | Stomach, esophageal & duodenal procedures age <18 | 30 | 0 | 31 | 59 | 6 | 63 | 6 | 1 | 196 |
| 157 | Anal & stomal procedures w CC | 64 | 190 | 12 | 98 | 3 | 59 | 29 | 6 | 461 |
| 158 | Anal & stomal procedures w/o CC | 96 | 103 | 11 | 198 | 16 | 139 | 101 | 11 | 675 |
| 159 | Hernia procedures except inguinal & femoral age >17 w CC | 99 | 300 | 15 | 129 | 9 | 109 | 38 | 11 | 710 |
| 160 | Hernia procedures except inguinal & femoral age >17 w/o CC | 272 | 298 | 20 | 317 | 25 | 261 | 130 | 19 | 1,342 |
| 161 | Inguinal & femoral hernia procedures age >17 w CC | 18 | 288 | 8 | 33 | 1 | 44 | 24 | 2 | 418 |
| 162 | Inguinal & femoral hernia procedures age >17 w/o CC | 59 | 224 | 10 | 86 | 4 | 90 | 100 | 2 | 575 |
| 163 | Hernia procedures age <18 | 43 | 0 | 13 | 52 | 7 | 49 | 5 | 0 | 169 |
| 164 | Appendectomy w complicated principal diag w CC | 35 | 65 | 8 | 69 | 4 | 73 | 40 | 5 | 299 |
| 165 | Appendectomy w complicated principal diag w/o CC | 113 | 37 | 18 | 165 | 13 | 161 | 141 | 4 | 652 |
| 166 | Appendectomy w/o complicated principal diag w CC | 56 | 38 | 4 | 61 | 6 | 68 | 46 | 1 | 280 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| 167 | Appendectomy w/o complicated principal diag w/o CC | 444 | 76 | 41 | 628 | 63 | 590 | 511 | 26 | 2,379 |
| 168 | Mouth procedures w CC | 13 | 19 | 4 | 22 | 1 | 16 | 22 | 0 | 97 |
| 169 | Mouth procedures w/o CC | 15 | 10 | 3 | 28 | 3 | 26 | 18 | 2 | 105 |
| 170 | Other digestive system O.R. procedures w CC | 64 | 207 | 15 | 62 | 9 | 62 | 28 | 2 | 449 |
| 171 | Other digestive system O.R. procedures w/o CC | 50 | 41 | 1 | 56 | 9 | 61 | 30 | 3 | 251 |
| 172 | Digestive malignancy w CC | 132 | 745 | 41 | 161 | 7 | 155 | 76 | 4 | 1,321 |
| 173 | Digestive malignancy w/o CC | 25 | 102 | 6 | 33 | 1 | 33 | 22 | 1 | 223 |
| 174 | G.I. hemorrhage w CC | 438 | 4,597 | 123 | 520 | 49 | 724 | 463 | 37 | 6,951 |
| 175 | G.I. hemorrhage w/o CC | 457 | 1,881 | 65 | 556 | 45 | 572 | 365 | 21 | 3,962 |
| 176 | Complicated peptic ulcer | 63 | 278 | 12 | 77 | 6 | 74 | 66 | 3 | 579 |
| 177 | Uncomplicated peptic ulcer w CC | 29 | 149 | 5 | 49 | 1 | 51 | 42 | 4 | 330 |
| 178 | Uncomplicated peptic ulcer w/o CC | 55 | 74 | 6 | 61 | 2 | 64 | 57 | 4 | 323 |
| 179 | Inflammatory bowel disease | 426 | 459 | 38 | 478 | 29 | 422 | 278 | 22 | 2,152 |
| 180 | G.I. obstruction w CC | 253 | 1,834 | 63 | 254 | 24 | 321 | 127 | 12 | 2,888 |
| 181 | G.I. obstruction w/o CC | 358 | 829 | 38 | 449 | 38 | 394 | 198 | 21 | 2,325 |
| 182 | Esophagitis, gastroent & misc digest disord age >17 w CC | 829 | 4,300 | 182 | 1,009 | 82 | 1,010 | 514 | 58 | 7,984 |
| 183 | Esophagitis, gastroent & misc digest disord age >17 w/o CC | 1,514 | 2,224 | 119 | 1,711 | 180 | 1,336 | 853 | 65 | 8,002 |
| 185 | Dental & oral dis except extractions & restorations, age >17 | 61 | 150 | 21 | 94 | 5 | 91 | 131 | 6 | 559 |
| 186 | Dental & oral dis except extractions & restorations, age <18 | 33 | 0 | 11 | 55 | 6 | 96 | 12 | 1 | 214 |
| 187 | Dental extractions & restorations | 6 | 23 | 2 | 15 | 1 | 25 | 20 | 1 | 93 |
| 188 | Other digestive system diagnoses age >17 w CC | 338 | 1,918 | 103 | 418 | 49 | 441 | 225 | 21 | 3,513 |
| 189 | Other digestive system diagnoses age >17 w/o CC | 299 | 611 | 44 | 336 | 27 | 290 | 197 | 33 | 1,837 |
| 191 | Pancreas, liver & shunt procedures w CC | 46 | 114 | 7 | 37 | 1 | 50 | 30 | 4 | 289 |
| 192 | Pancreas, liver & shunt procedures w/o CC | 35 | 42 | 1 | 37 | 0 | 24 | 16 | 2 | 157 |
| 193 | Biliary tract proc except only cholecyst w or w/o C.D.E. w CC | 20 | 61 | 5 | 9 | 0 | 9 | 8 | 1 | 113 |
| 194 | Biliary tract proc except only cholecyst w or w/o C.D.E. w/o CC | 13 | 9 | 0 | 12 | 0 | 9 | 15 | 0 | 58 |
| 195 | Cholecystectomy w C.D.E. w CC | 3 | 27 | 1 | 8 | 1 | 7 | 1 | 0 | 48 |
| 196 | Cholecystectomy w C.D.E. w/o CC | 5 | 10 | 0 | 6 | 0 | 4 | 9 | 0 | 34 |
| 197 | Cholecystectomy w/o C.D.E. w CC | 48 | 216 | 12 | 61 | 3 | 52 | 39 | 3 | 434 |
| 198 | Cholecystectomy w/o C.D.E. w/o CC | 56 | 69 | 8 | 67 | 8 | 60 | 59 | 5 | 332 |
| 199 | Hepatobiliary diagnostic procedure for malignancy | 11 | 26 | 2 | 8 | 0 | 10 | 6 | 0 | 63 |
| 200 | Hepatobiliary diagnostic procedure for non-malignancy | 2 | 21 | 1 | 7 | 2 | 10 | 1 | 1 | 45 |
| 201 | Other hepatobiliary or pancreas O.R. procedures | 11 | 29 | 2 | 10 | 1 | 8 | 3 | 0 | 64 |
| 202 | Cirrhosis & alcoholic hepatitis | 141 | 412 | 112 | 188 | 11 | 194 | 483 | 12 | 1,553 |
| 203 | Malignancy of hepatobiliary system or pancreas | 176 | 659 | 40 | 148 | 12 | 194 | 98 | 3 | 1,330 |
| 204 | Disorders of pancreas except malignancy | 707 | 1,384 | 141 | 914 | 75 | 811 | 1,219 | 35 | 5,286 |
| 205 | Disorders of liver except malig,cirr,alc hepa w CC | 156 | 577 | 118 | 206 | 20 | 222 | 221 | 9 | 1,529 |
| 206 | Disorders of liver except malig,cirr,alc hepa w/o CC | 70 | 62 | 12 | 99 | 7 | 96 | 103 | 8 | 457 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| 207 | Disorders of the biliary tract w CC | 157 | 834 | 39 | 187 | 14 | 219 | 168 | 10 | 1,628 |
| 208 | Disorders of the biliary tract w/o CC | 252 | 369 | 28 | 273 | 20 | 241 | 279 | 9 | 1,471 |
| 209 | Maj joint & limb reattach proc of low ext, exc hip, exc for comp | 1,288 | 4,528 | 44 | 1,360 | 118 | 1,254 | 52 | 61 | 8,705 |
| 210 | Hip & femur procedures except major joint age >17 w CC | 120 | 2,628 | 29 | 150 | 10 | 304 | 64 | 5 | 3,310 |
| 211 | Hip & femur procedures except major joint age >17 w/o CC | 92 | 798 | 11 | 106 | 14 | 245 | 79 | 6 | 1,351 |
| 212 | Hip & femur procedures except major joint age <18 | 44 | 1 | 11 | 64 | 7 | 114 | 11 | 1 | 253 |
| 213 | Amputation for musculoskelet system & conn tissue disorders | 2 | 46 | 10 | 5 | 1 | 21 | 6 | 0 | 91 |
| 216 | Biopsies of musculoskeletal system & connective tissue | 37 | 332 | 11 | 50 | 2 | 63 | 29 | 3 | 527 |
| 217 | Wnd debrid & skin grft exc opn wnd,for MS & conn tis dis,exc hand | 63 | 191 | 16 | 71 | 7 | 159 | 76 | 2 | 585 |
| 218 | Lower extrem & humer proc exc hip,foot,femur age >17 w CC | 137 | 617 | 43 | 165 | 21 | 345 | 147 | 7 | 1,482 |
| 219 | Lower extrem & humer proc exc hip,foot,femur age >17 w/o CC | 442 | 492 | 26 | 510 | 57 | 898 | 500 | 31 | 2,956 |
| 220 | Lower extrem & humer proc exc hip,foot,femur age <18 | 106 | 0 | 23 | 168 | 22 | 246 | 46 | 1 | 612 |
| 221 | Knee procedures w CC | 16 | 44 | 3 | 16 | 1 | 27 | 10 | 0 | 117 |
| 222 | Knee procedures w/o CC | 61 | 47 | 1 | 81 | 6 | 77 | 15 | 3 | 291 |
| 223 | Major shoulder/elbow proc, or oth upper extremity proc w CC | 37 | 202 | 3 | 49 | 4 | 117 | 29 | 2 | 443 |
| 224 | Shoulder,elbow or forearm proc,exc major joint proc, w/o CC | 136 | 216 | 10 | 149 | 17 | 305 | 126 | 9 | 968 |
| 225 | Foot procedures | 61 | 149 | 12 | 76 | 10 | 149 | 74 | 6 | 537 |
| 226 | Soft tissue procedures w CC | 56 | 171 | 17 | 62 | 6 | 72 | 42 | 4 | 430 |
| 227 | Soft tissue procedures w/o CC | 132 | 145 | 9 | 150 | 19 | 204 | 120 | 7 | 786 |
| 228 | Major thumb or joint proc,or oth hand or wrist proc w CC | 21 | 41 | 5 | 22 | 0 | 55 | 33 | 2 | 179 |
| 229 | Hand or wrist proc, except major joint proc, w/o CC | 51 | 19 | 11 | 65 | 7 | 144 | 121 | 3 | 421 |
| 230 | Local excision & removal of int fix devices of hip & femur | 15 | 40 | 4 | 24 | 1 | 35 | 10 | 1 | 130 |
| 232 | Arthroscopy | 1 | 0 | 1 | 1 | 0 | 3 | 1 | 0 | 7 |
| 233 | Other musculoskelet sys & conn tiss O.R. proc w CC | 25 | 271 | 6 | 42 | 1 | 78 | 23 | 0 | 446 |
| 234 | Other musculoskelet sys & conn tiss O.R. proc w/o CC | 55 | 154 | 9 | 68 | 3 | 124 | 21 | 4 | 438 |
| 235 | Fractures of femur | 13 | 139 | 10 | 30 | 3 | 39 | 11 | 1 | 246 |
| 236 | Fractures of hip & pelvis | 56 | 1,207 | 6 | 59 | 3 | 210 | 42 | 2 | 1,585 |
| 237 | Sprains, strains, & dislocations of hip, pelvis & thigh | 7 | 63 | 3 | 10 | 0 | 19 | 8 | 1 | 111 |
| 238 | Osteomyelitis | 62 | 162 | 31 | 63 | 4 | 63 | 71 | 3 | 459 |
| 239 | Pathological fractures & muscskelet & conn tiss malignancy | 103 | 1,010 | 46 | 118 | 8 | 140 | 60 | 2 | 1,487 |
| 240 | Connective tissue disorders w CC | 64 | 196 | 18 | 84 | 8 | 90 | 45 | 3 | 508 |
| 241 | Connective tissue disorders w/o CC | 55 | 78 | 11 | 68 | 6 | 109 | 40 | 4 | 371 |
| 242 | Septic arthritis | 20 | 67 | 6 | 37 | 2 | 37 | 33 | 4 | 206 |
| 243 | Medical back problems | 541 | 2,715 | 71 | 688 | 58 | 1,073 | 457 | 32 | 5,635 |
| 244 | Bone diseases & specific arthropathies w CC | 36 | 404 | 16 | 39 | 7 | 68 | 29 | 2 | 601 |
| 245 | Bone diseases & specific arthropathies w/o CC | 27 | 238 | 9 | 50 | 3 | 72 | 37 | 2 | 438 |
| 246 | Non-specific arthropathies | 9 | 38 | 2 | 17 | 1 | 13 | 15 | 0 | 95 |
| 247 | Signs & symptoms of musculoskeletal system & conn tissue | 120 | 476 | 29 | 167 | 15 | 185 | 114 | 8 | 1,114 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMER-CIAL INSUR-ANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|------------------------|-------------------------|--------------|-------|
| 248 | Tendonitis, myositis & bursitis | 122 | 521 | 37 | 166 | 6 | 200 | 159 | 15 | 1,226 |
| 249 | Malfunction, reaction or complication of orthopedic device O.R. proc | 48 | 438 | 14 | 67 | 6 | 87 | 29 | 5 | 694 |
| 250 | Fx, sprn, strn & disl of forearm, hand, foot age >17 w CC | 13 | 152 | 5 | 13 | 1 | 45 | 25 | 0 | 254 |
| 251 | Fx, sprn, strn & disl of forearm, hand, foot age >17 w/o CC | 19 | 100 | 1 | 23 | 5 | 64 | 43 | 4 | 259 |
| 252 | Fx, sprn, strn & disl of forearm, hand, foot age <18 | 29 | 0 | 10 | 59 | 5 | 78 | 11 | 5 | 197 |
| 253 | Fx, sprn, strn & disl of uparm, lowleg ex foot age >17 w CC | 41 | 623 | 17 | 43 | 2 | 135 | 45 | 1 | 907 |
| 254 | Fx, sprn, strn & disl of uparm, lowleg ex foot age >17 w/o CC | 64 | 434 | 6 | 93 | 9 | 199 | 107 | 3 | 915 |
| 255 | Fx, sprn, strn & disl of uparm, lowleg ex foot age <18 | 40 | 0 | 7 | 37 | 5 | 88 | 22 | 1 | 200 |
| 256 | Other musculoskeletal system & connective tissue diagnoses | 35 | 126 | 11 | 44 | 3 | 84 | 42 | 5 | 350 |
| 257 | Total mastectomy for malignancy w CC | 145 | 325 | 20 | 149 | 9 | 113 | 31 | 8 | 800 |
| 258 | Total mastectomy for malignancy w/o CC | 288 | 354 | 28 | 306 | 20 | 221 | 48 | 8 | 1,273 |
| 259 | Subtotal mastectomy for malignancy w CC | 20 | 89 | 10 | 27 | 3 | 23 | 16 | 0 | 188 |
| 260 | Subtotal mastectomy for malignancy w/o CC | 43 | 85 | 3 | 48 | 3 | 33 | 11 | 0 | 226 |
| 261 | Breast proc for non-malignancy except biopsy & local excision | 67 | 19 | 3 | 72 | 2 | 68 | 61 | 1 | 293 |
| 262 | Breast biopsy & local excision for non-malignancy | 15 | 20 | 0 | 14 | 1 | 16 | 15 | 0 | 81 |
| 263 | Skin graft &/or debrid for skn ulcer, cellulitis w CC | 87 | 388 | 25 | 96 | 10 | 105 | 99 | 4 | 814 |
| 264 | Skin graft &/or debrid for skn ulcer, cellulitis w/o CC | 79 | 100 | 8 | 85 | 9 | 101 | 59 | 3 | 444 |
| 265 | Skin graft &/or debrid exc for skin ulcer, cellulitis w CC | 39 | 93 | 2 | 34 | 2 | 25 | 16 | 0 | 211 |
| 266 | Skin graft &/or debrid exc for skin ulcer, cellulitis w/o CC | 56 | 76 | 1 | 69 | 6 | 76 | 33 | 5 | 322 |
| 267 | Perianal & pilonidal procedures | 9 | 4 | 2 | 14 | 1 | 14 | 9 | 5 | 58 |
| 268 | Skin, subcutaneous tissue & breast plastic procedures | 88 | 37 | 4 | 127 | 14 | 234 | 211 | 3 | 718 |
| 269 | Other skin, subcut tiss & breast proc w CC | 60 | 231 | 17 | 69 | 8 | 73 | 90 | 3 | 551 |
| 270 | Other skin, subcut tiss & breast proc w/o CC | 73 | 56 | 13 | 88 | 11 | 91 | 95 | 5 | 432 |
| 271 | Skin ulcers | 29 | 504 | 46 | 59 | 7 | 78 | 54 | 5 | 782 |
| 272 | Major skin disorders w CC | 34 | 142 | 4 | 32 | 2 | 27 | 24 | 2 | 267 |
| 273 | Major skin disorders w/o CC | 21 | 64 | 2 | 40 | 2 | 38 | 19 | 1 | 187 |
| 274 | Malignant breast disorders w CC | 19 | 79 | 6 | 27 | 0 | 22 | 18 | 1 | 172 |
| 275 | Malignant breast disorders w/o CC | 2 | 8 | 0 | 3 | 1 | 2 | 2 | 1 | 19 |
| 276 | Non-malignant breast disorders | 41 | 45 | 12 | 59 | 6 | 85 | 53 | 1 | 302 |
| 277 | Cellulitis age >17 w CC | 656 | 3,586 | 286 | 794 | 79 | 973 | 1,160 | 48 | 7,582 |
| 278 | Cellulitis age >17 w/o CC | 901 | 1,480 | 133 | 1,249 | 120 | 1,078 | 1,240 | 62 | 6,263 |
| 279 | Cellulitis age <18 | 291 | 0 | 104 | 539 | 43 | 693 | 91 | 25 | 1,786 |
| 280 | Trauma to the skin, subcut tiss & breast age >17 w CC | 20 | 420 | 9 | 34 | 4 | 100 | 85 | 1 | 673 |
| 281 | Trauma to the skin, subcut tiss & breast age >17 w/o CC | 51 | 227 | 11 | 68 | 10 | 178 | 178 | 5 | 728 |
| 282 | Trauma to the skin, subcut tiss & breast age <18 | 12 | 0 | 10 | 23 | 5 | 68 | 19 | 2 | 139 |
| 283 | Minor skin disorders w CC | 53 | 162 | 18 | 71 | 8 | 62 | 58 | 3 | 435 |
| 284 | Minor skin disorders w/o CC | 86 | 72 | 17 | 96 | 11 | 125 | 82 | 6 | 495 |
| 285 | Amputat of low limb for endocrine, nutrit, & metabol disorders | 75 | 306 | 33 | 90 | 6 | 104 | 97 | 4 | 715 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| 286 | Adrenal & pituitary procedures | 55 | 47 | 6 | 53 | 7 | 45 | 21 | 6 | 240 |
| 287 | Skin graft & wound debrid for endoc,nutrit & metab disorders | 40 | 128 | 13 | 55 | 5 | 36 | 40 | 3 | 320 |
| 288 | Gastric procedures for obesity | 1,212 | 382 | 13 | 1,350 | 117 | 745 | 80 | 56 | 3,955 |
| 289 | Parathyroid procedures | 62 | 142 | 2 | 90 | 4 | 69 | 15 | 4 | 388 |
| 290 | Thyroid procedures | 531 | 402 | 10 | 526 | 46 | 439 | 80 | 24 | 2,058 |
| 291 | Thyroglossal procedures | 7 | 4 | 0 | 12 | 0 | 6 | 2 | 0 | 31 |
| 292 | Other endocrine, nutrit & metab O.R. proc w CC | 35 | 138 | 15 | 46 | 4 | 40 | 22 | 3 | 303 |
| 293 | Other endocrine, nutrit & metab O.R. proc w/o CC | 3 | 9 | 1 | 11 | 0 | 4 | 7 | 1 | 36 |
| 294 | Diabetes age >35 | 494 | 2,935 | 296 | 800 | 58 | 820 | 1,035 | 42 | 6,480 |
| 295 | Diabetes age <36 | 319 | 57 | 91 | 426 | 37 | 446 | 530 | 34 | 1,940 |
| 296 | Nutritional & misc metabolic disorders age >17 w CC | 417 | 4,307 | 197 | 475 | 50 | 667 | 250 | 24 | 6,387 |
| 297 | Nutritional & misc metabolic disorders age >17 w/o CC | 305 | 1,906 | 56 | 438 | 31 | 419 | 199 | 23 | 3,377 |
| 298 | Nutritional & misc metabolic disorders age <18 | 458 | 0 | 143 | 909 | 109 | 1,236 | 98 | 32 | 2,985 |
| 299 | Inborn errors of metabolism | 21 | 17 | 11 | 19 | 5 | 24 | 13 | 0 | 110 |
| 300 | Endocrine disorders w CC | 88 | 547 | 34 | 106 | 10 | 119 | 68 | 8 | 980 |
| 301 | Endocrine disorders w/o CC | 68 | 131 | 14 | 99 | 11 | 105 | 87 | 3 | 518 |
| 302 | Kidney transplant | 68 | 241 | 6 | 69 | 2 | 41 | 1 | 0 | 428 |
| 303 | Kidney,ureter & maj bladder proc for neoplasm | 200 | 440 | 11 | 175 | 15 | 144 | 47 | 10 | 1,042 |
| 304 | Kidney,ureter & maj bladder proc for non-neoplasm w CC | 106 | 255 | 13 | 126 | 13 | 146 | 78 | 7 | 744 |
| 305 | Kidney,ureter & maj bladder proc for non-neoplasm w/o CC | 165 | 121 | 6 | 196 | 20 | 194 | 130 | 6 | 838 |
| 306 | Prostatectomy w CC | 5 | 104 | 4 | 9 | 1 | 15 | 3 | 0 | 141 |
| 307 | Prostatectomy w/o CC | 9 | 77 | 0 | 13 | 3 | 18 | 4 | 0 | 124 |
| 308 | Minor bladder procedures w CC | 19 | 99 | 2 | 17 | 4 | 13 | 7 | 0 | 161 |
| 309 | Minor bladder procedures w/o CC | 39 | 83 | 2 | 41 | 5 | 40 | 6 | 2 | 218 |
| 310 | Transurethral procedures w CC | 279 | 717 | 31 | 375 | 32 | 289 | 156 | 24 | 1,903 |
| 311 | Transurethral procedures w/o CC | 145 | 449 | 9 | 216 | 39 | 153 | 86 | 14 | 1,111 |
| 312 | Urethral procedures age >17 w CC | 4 | 24 | 3 | 4 | 0 | 3 | 0 | 0 | 38 |
| 313 | Urethral procedures age >17 w/o CC | 4 | 14 | 1 | 5 | 1 | 7 | 3 | 1 | 36 |
| 314 | Urethral procedures age <18 | 2 | 0 | 0 | 7 | 0 | 3 | 0 | 0 | 12 |
| 315 | Other kidney & urinary tract procedures | 120 | 803 | 59 | 151 | 15 | 163 | 78 | 16 | 1,405 |
| 316 | Renal failure | 473 | 4,662 | 207 | 561 | 37 | 708 | 382 | 39 | 7,069 |
| 317 | Admit for renal dialysis | 6 | 29 | 2 | 4 | 0 | 16 | 3 | 0 | 60 |
| 318 | Kidney & urinary tract neoplasms w CC | 21 | 125 | 6 | 15 | 4 | 34 | 21 | 1 | 227 |
| 319 | Kidney & urinary tract neoplasms w/o CC | 7 | 24 | 1 | 12 | 0 | 13 | 5 | 0 | 62 |
| 320 | Kidney & urinary tract infections age >17 w CC | 329 | 4,445 | 139 | 439 | 35 | 600 | 279 | 22 | 6,288 |
| 321 | Kidney & urinary tract infections age >17 w/o CC | 402 | 2,016 | 81 | 548 | 42 | 534 | 447 | 21 | 4,091 |
| 322 | Kidney & urinary tract infections age <18 | 190 | 0 | 98 | 385 | 40 | 529 | 63 | 13 | 1,318 |
| 323 | Urinary stones w CC, &/or ESW lithotripsy | 514 | 552 | 28 | 658 | 64 | 450 | 306 | 49 | 2,621 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMER-CIAL INSUR-ANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|-------|------------------|------------------------|-------------------------|--------------|-------|
| 324 | Urinary stones w/o CC | 198 | 176 | 14 | 308 | 22 | 209 | 153 | 11 | 1,091 |
| 325 | Kidney & urinary tract signs & symptoms age >17 w CC | 21 | 343 | 10 | 39 | 2 | 51 | 24 | 1 | 491 |
| 326 | Kidney & urinary tract signs & symptoms age >17 w/o CC | 40 | 214 | 6 | 52 | 5 | 48 | 24 | 3 | 392 |
| 327 | Kidney & urinary tract signs & symptoms age <18 | 5 | 0 | 3 | 5 | 0 | 10 | 1 | 0 | 24 |
| 328 | Urethral stricture age >17 w CC | 0 | 11 | 1 | 2 | 0 | 0 | 1 | 0 | 15 |
| 329 | Urethral stricture age >17 w/o CC | 1 | 6 | 1 | 7 | 0 | 1 | 3 | 1 | 20 |
| 330 | Urethral stricture age <18 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 331 | Other kidney & urinary tract diagnoses age >17 w CC | 119 | 766 | 48 | 176 | 10 | 178 | 169 | 17 | 1,483 |
| 332 | Other kidney & urinary tract diagnoses age >17 w/o CC | 59 | 128 | 15 | 60 | 8 | 77 | 52 | 3 | 402 |
| 333 | Other kidney & urinary tract diagnoses age <18 | 22 | 0 | 4 | 41 | 4 | 53 | 8 | 0 | 132 |
| 334 | Major male pelvic procedures w CC | 77 | 96 | 3 | 66 | 9 | 45 | 7 | 6 | 309 |
| 335 | Major male pelvic procedures w/o CC | 508 | 306 | 3 | 397 | 39 | 303 | 27 | 20 | 1,603 |
| 336 | Transurethral prostatectomy w CC | 36 | 405 | 6 | 47 | 5 | 47 | 6 | 7 | 559 |
| 337 | Transurethral prostatectomy w/o CC | 119 | 525 | 9 | 126 | 17 | 124 | 26 | 7 | 953 |
| 338 | Testes procedures, for malignancy | 3 | 5 | 0 | 5 | 0 | 2 | 6 | 0 | 21 |
| 339 | Testes procedures, non-malignancy age >17 | 13 | 18 | 3 | 26 | 3 | 12 | 22 | 3 | 100 |
| 340 | Testes procedures, non-malignancy age <18 | 14 | 0 | 2 | 36 | 2 | 20 | 6 | 0 | 80 |
| 341 | Penis procedures | 37 | 92 | 4 | 35 | 6 | 34 | 25 | 3 | 236 |
| 342 | Circumcision age >17 | 1 | 7 | 0 | 1 | 0 | 3 | 1 | 0 | 13 |
| 343 | Circumcision age <18 | 0 | 0 | 0 | 3 | 0 | 6 | 0 | 0 | 9 |
| 344 | Other male reproductive syst O.R. proc for malignancy | 30 | 62 | 0 | 27 | 2 | 21 | 6 | 1 | 149 |
| 345 | Other male reproductive syst O.R. proc except for malignancy | 3 | 43 | 1 | 13 | 2 | 8 | 3 | 1 | 74 |
| 346 | Malignancy, male reproductive system, w CC | 11 | 82 | 5 | 6 | 0 | 26 | 12 | 2 | 144 |
| 347 | Malignancy, male reproductive system, w/o CC | 2 | 14 | 1 | 2 | 0 | 4 | 1 | 0 | 24 |
| 348 | Benign prostatic hypertrophy w CC | 11 | 121 | 1 | 11 | 0 | 13 | 3 | 0 | 160 |
| 349 | Benign prostatic hypertrophy w/o CC | 13 | 64 | 4 | 5 | 3 | 11 | 4 | 1 | 105 |
| 350 | Inflammation of the male reproductive system | 86 | 177 | 18 | 120 | 14 | 104 | 114 | 6 | 639 |
| 351 | Sterilization, male | . | . | . | . | . | . | . | . | . |
| 352 | Other male reproductive system diagnoses | 12 | 30 | 7 | 17 | 1 | 23 | 20 | 1 | 111 |
| 353 | Pelvic evisceration,radical hysterect & radical vulvectomy | 66 | 72 | 5 | 82 | 10 | 60 | 24 | 3 | 322 |
| 354 | Uterine,adnexa proc for non-ovarian/adnexal malignancy w CC | 67 | 158 | 6 | 61 | 6 | 52 | 26 | 4 | 380 |
| 355 | Uterine,adnexa proc for non-ovarian/adnexal malignancy w/o CC | 126 | 168 | 5 | 151 | 8 | 81 | 22 | 2 | 563 |
| 356 | Female reproductive system reconstructive procedures | 397 | 611 | 5 | 403 | 39 | 340 | 38 | 16 | 1,849 |
| 357 | Uterine & adnexa proc for ovarian or adnexal malignancy | 81 | 118 | 2 | 89 | 8 | 72 | 34 | 1 | 405 |
| 358 | Uterine & adnexa proc for ca in situ & non-malignancy w CC | 518 | 264 | 25 | 627 | 62 | 448 | 208 | 26 | 2,178 |
| 359 | Uterine & adnexa proc for ca in situ & non-malignancy w/o CC | 2,336 | 585 | 49 | 2,749 | 251 | 1,883 | 580 | 97 | 8,530 |
| 360 | Vagina, cervix & vulva procedures | 56 | 84 | 4 | 78 | 10 | 80 | 46 | 4 | 362 |
| 361 | Laparoscopy or incisional tubal interruption | 395 | 112 | 9 | 487 | 54 | 324 | 85 | 19 | 1,485 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|--------|------------------|----------------------|-------------------------|--------------|--------|
| 362 | Endoscopic tubal interruption | 2 | 0 | 0 | 4 | 0 | 3 | 0 | 0 | 9 |
| 363 | D&C, conization & radio-implant, for malignancy | 16 | 56 | 12 | 18 | 0 | 14 | 23 | 1 | 140 |
| 364 | D&C, conization except for malignancy | 49 | 58 | 7 | 81 | 6 | 60 | 65 | 0 | 326 |
| 365 | Other female reproductive system O.R. procedures | 26 | 20 | 1 | 26 | 4 | 32 | 7 | 0 | 116 |
| 366 | Malignancy, female reproductive system, w CC | 28 | 129 | 18 | 35 | 8 | 57 | 32 | 2 | 309 |
| 367 | Malignancy, female reproductive system, w/o CC | 7 | 18 | 2 | 9 | 1 | 11 | 6 | 0 | 54 |
| 368 | Infections, female reproductive system | 96 | 72 | 18 | 154 | 14 | 157 | 151 | 10 | 672 |
| 369 | Menstrual & other female reproductive system disorders | 291 | 154 | 27 | 411 | 33 | 333 | 235 | 16 | 1,500 |
| 370 | Cesarean section w CC | 1,422 | 55 | 841 | 2,257 | 196 | 2,276 | 470 | 81 | 7,598 |
| 371 | Cesarean section w/o CC | 5,760 | 62 | 2,481 | 9,058 | 964 | 7,689 | 1,345 | 343 | 27,702 |
| 372 | Vaginal delivery w complicating diagnoses | 2,666 | 48 | 1,877 | 4,652 | 404 | 4,347 | 1,105 | 165 | 15,264 |
| 373 | Vaginal delivery w/o complicating diagnoses | 8,796 | 93 | 5,825 | 14,337 | 1,377 | 14,343 | 3,367 | 557 | 48,695 |
| 374 | Vaginal delivery w sterilization &/or D&C | 118 | 6 | 216 | 170 | 17 | 389 | 125 | 6 | 1,047 |
| 375 | Vaginal delivery w O.R. proc except steril &/or D&C | 89 | 2 | 54 | 116 | 17 | 158 | 21 | 5 | 462 |
| 376 | Postpartum & post abortion diagnoses w/o O.R. procedure | 205 | 18 | 140 | 374 | 27 | 437 | 159 | 25 | 1,385 |
| 377 | Postpartum & post abortion diagnoses w O.R. procedure | 55 | 5 | 22 | 79 | 6 | 87 | 33 | 4 | 291 |
| 378 | Ectopic pregnancy | 162 | 2 | 78 | 247 | 21 | 249 | 250 | 12 | 1,021 |
| 379 | Threatened abortion | 378 | 8 | 173 | 630 | 58 | 624 | 171 | 33 | 2,075 |
| 380 | Abortion w/o D&C | 88 | 6 | 89 | 140 | 8 | 140 | 144 | 5 | 620 |
| 381 | Abortion w D&C, aspiration curettage or hysterotomy | 179 | 3 | 132 | 246 | 16 | 287 | 392 | 9 | 1,264 |
| 382 | False labor | 32 | 1 | 22 | 66 | 6 | 77 | 20 | 5 | 229 |
| 392 | Splenectomy age >17 | 30 | 27 | 2 | 13 | 3 | 20 | 10 | 2 | 107 |
| 393 | Splenectomy age <18 | 5 | 0 | 0 | 5 | 0 | 7 | 0 | 0 | 17 |
| 394 | Other O.R. procedures of blood and blood forming organs | 30 | 48 | 7 | 33 | 4 | 33 | 23 | 1 | 179 |
| 395 | Red blood cell disorders age >17 | 664 | 3,487 | 566 | 907 | 64 | 1,251 | 741 | 52 | 7,732 |
| 397 | Coagulation disorders | 115 | 355 | 27 | 157 | 12 | 163 | 70 | 7 | 906 |
| 398 | Reticuloendothelial & immunity disorders w CC | 165 | 369 | 47 | 192 | 22 | 208 | 83 | 3 | 1,089 |
| 399 | Reticuloendothelial & immunity disorders w/o CC | 88 | 66 | 17 | 134 | 20 | 175 | 50 | 7 | 557 |
| 401 | Lymphoma & non-acute leukemia w other O.R. proc w CC | 36 | 90 | 5 | 25 | 1 | 33 | 25 | 3 | 218 |
| 402 | Lymphoma & non-acute leukemia w other O.R. proc w/o CC | 24 | 49 | 3 | 27 | 2 | 23 | 14 | 2 | 144 |
| 403 | Lymphoma & non-acute leukemia w CC | 81 | 393 | 24 | 100 | 8 | 77 | 48 | 3 | 734 |
| 404 | Lymphoma & non-acute leukemia w/o CC | 47 | 88 | 11 | 51 | 1 | 38 | 16 | 0 | 252 |
| 406 | Myeloprolif disord or poor diff neopl w maj O.R.proc w CC | 11 | 25 | 1 | 14 | 3 | 11 | 3 | 0 | 68 |
| 407 | Myeloprolif disord or poor diff neopl w maj O.R.proc w/o CC | 14 | 13 | 3 | 11 | 1 | 16 | 4 | 1 | 63 |
| 408 | Myeloprolif disord or poorly diff neopl w other O.R.proc | 16 | 43 | 1 | 17 | 0 | 15 | 7 | 0 | 99 |
| 409 | Radiotherapy | 16 | 40 | 6 | 18 | 0 | 13 | 9 | 2 | 104 |
| 410 | Chemotherapy | 626 | 1,474 | 279 | 641 | 75 | 747 | 429 | 15 | 4,286 |
| 413 | Other myeloprolif dis or poor diff neopl diag w CC | 31 | 79 | 6 | 15 | 1 | 19 | 14 | 1 | 166 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|--------|
| 414 | Other myeloprolif dis or poor diff neopl diag w/o CC | 9 | 11 | 2 | 9 | 0 | 8 | 4 | 2 | 45 |
| 415 | O.R. procedure for infectious & parasitic diseases | 166 | 562 | 36 | 169 | 14 | 207 | 86 | 11 | 1,251 |
| 416 | Septicemia age >17 | 266 | 2,288 | 112 | 291 | 32 | 310 | 141 | 16 | 3,456 |
| 417 | Septicemia age <18 | 25 | 0 | 25 | 55 | 4 | 69 | 5 | 0 | 183 |
| 418 | Postoperative & post-traumatic infections | 281 | 593 | 46 | 289 | 30 | 317 | 141 | 16 | 1,713 |
| 419 | Fever of unknown origin age >17 w CC | 86 | 410 | 27 | 108 | 14 | 98 | 49 | 4 | 796 |
| 420 | Fever of unknown origin age >17 w/o CC | 65 | 144 | 14 | 86 | 13 | 61 | 30 | 4 | 417 |
| 421 | Viral illness age >17 | 215 | 356 | 13 | 220 | 25 | 168 | 87 | 11 | 1,095 |
| 422 | Viral illness & fever of unknown origin age <18 | 266 | 1 | 172 | 570 | 50 | 826 | 95 | 24 | 2,004 |
| 423 | Other infectious & parasitic diseases diagnoses | 148 | 438 | 37 | 236 | 15 | 231 | 136 | 13 | 1,254 |
| 424 | O.R. procedure w principal diagnoses of mental illness | 5 | 75 | 24 | 6 | 1 | 13 | 22 | 0 | 146 |
| 425 | Acute adjustment reaction & psychosocial dysfunction | 124 | 247 | 68 | 170 | 16 | 158 | 200 | 8 | 991 |
| 426 | Depressive neuroses | 362 | 455 | 713 | 393 | 40 | 452 | 2,406 | 28 | 4,849 |
| 427 | Neuroses except depressive | 84 | 98 | 208 | 112 | 8 | 109 | 327 | 12 | 958 |
| 428 | Disorders of personality & impulse control | 17 | 51 | 74 | 21 | 1 | 35 | 88 | 2 | 289 |
| 429 | Organic disturbances & mental retardation | 66 | 1,023 | 77 | 110 | 6 | 169 | 42 | 6 | 1,499 |
| 430 | Psychoses | 1,822 | 8,039 | 6,204 | 3,054 | 175 | 3,205 | 8,744 | 580 | 31,823 |
| 431 | Childhood mental disorders | 102 | 41 | 633 | 148 | 14 | 191 | 133 | 7 | 1,269 |
| 432 | Other mental disorder diagnoses | 9 | 24 | 7 | 17 | 0 | 10 | 13 | 0 | 80 |
| 439 | Skin grafts for injuries | 18 | 34 | 2 | 28 | 4 | 32 | 21 | 0 | 139 |
| 440 | Wound debridements for injuries except open wounds | 15 | 58 | 6 | 32 | 3 | 53 | 21 | 1 | 189 |
| 441 | Hand procedures for injuries | 10 | 14 | 4 | 27 | 1 | 109 | 53 | 1 | 219 |
| 442 | Other O.R. procedures for injuries w CC | 79 | 239 | 17 | 108 | 12 | 97 | 46 | 3 | 601 |
| 443 | Other O.R. procedures for injuries w/o CC | 159 | 126 | 8 | 172 | 15 | 185 | 82 | 5 | 752 |
| 444 | Injuries to unspecified or multiple sites age >17 w CC | 14 | 141 | 7 | 14 | 3 | 46 | 40 | 0 | 265 |
| 445 | Injuries to unspecified or multiple sites age >17 w/o CC | 23 | 70 | 3 | 37 | 2 | 90 | 76 | 4 | 305 |
| 446 | Injuries to unspecified or multiple sites age <18 | 20 | 0 | 3 | 36 | 2 | 38 | 4 | 1 | 104 |
| 447 | Allergic reactions age >17 | 101 | 211 | 14 | 130 | 15 | 107 | 77 | 3 | 658 |
| 448 | Allergic reactions age <18 | 24 | 0 | 3 | 25 | 4 | 32 | 4 | 0 | 92 |
| 449 | Poisoning & toxic effects of drugs age >17 w CC | 290 | 670 | 142 | 378 | 35 | 421 | 799 | 16 | 2,751 |
| 450 | Poisoning & toxic effects of drugs age >17 w/o CC | 198 | 215 | 56 | 303 | 32 | 271 | 400 | 16 | 1,491 |
| 451 | Poisoning & toxic effects of drugs age <18 | 109 | 0 | 39 | 173 | 19 | 183 | 50 | 5 | 578 |
| 452 | Complications of treatment w CC | 154 | 494 | 21 | 159 | 12 | 175 | 55 | 11 | 1,081 |
| 453 | Complications of treatment w/o CC | 196 | 275 | 11 | 214 | 17 | 182 | 49 | 7 | 951 |
| 454 | Other injury, poisoning & toxic effect diagnosis w CC | 8 | 79 | 11 | 18 | 3 | 34 | 25 | 4 | 182 |
| 455 | Other injury, poisoning & toxic effect diagnosis w/o CC | 15 | 36 | 14 | 27 | 3 | 59 | 45 | 5 | 204 |
| 461 | O.R. proc w diagnoses of other contact w health services | 80 | 230 | 10 | 75 | 6 | 95 | 16 | 5 | 517 |
| 462 | Rehabilitation | 111 | 1,410 | 41 | 186 | 14 | 243 | 39 | 2 | 2,046 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|--------|
| 463 | Signs & symptoms w CC | 228 | 1,766 | 139 | 245 | 25 | 339 | 153 | 21 | 2,916 |
| 464 | Signs & symptoms w/o CC | 148 | 541 | 26 | 202 | 24 | 193 | 109 | 4 | 1,247 |
| 465 | Aftercare w history of malignancy as secondary diagnosis | 0 | 9 | 0 | 3 | 0 | 2 | 0 | 0 | 14 |
| 466 | Aftercare w/o history of malignancy as secondary diagnosis | 7 | 41 | 1 | 17 | 0 | 13 | 8 | 0 | 87 |
| 467 | Other factors influencing health status | 21 | 57 | 17 | 38 | 5 | 498 | 88 | 1 | 725 |
| 468 | Extensive O.R. procedure unrelated to principal diagnosis | 496 | 6,047 | 204 | 620 | 59 | 1,003 | 308 | 38 | 8,775 |
| 469 | Principal diagnosis invalid as discharge diagnosis | 8 | 0 | 4 | 12 | 0 | 11 | 1 | 0 | 36 |
| 470 | Ungroupable | . | . | . | . | . | . | . | . | . |
| 471 | Bilateral or multiple major joint procs of lower extremity | 303 | 815 | 6 | 303 | 26 | 272 | 15 | 12 | 1,752 |
| 476 | Prostatic O.R. procedure unrelated to principal diagnosis | 7 | 99 | 0 | 9 | 0 | 9 | 1 | 0 | 125 |
| 477 | Non-extensive O.R. procedure unrelated to principal diagnosis | 292 | 1,935 | 110 | 321 | 24 | 443 | 231 | 15 | 3,371 |
| 478 | Other vascular procedures w CC | 152 | 1,544 | 50 | 209 | 19 | 269 | 75 | 8 | 2,326 |
| 479 | Other vascular procedures w/o CC | 147 | 702 | 27 | 184 | 22 | 200 | 59 | 8 | 1,349 |
| 480 | Liver transplant and/or intestinal transplant | 14 | 17 | 3 | 15 | 0 | 11 | 3 | 0 | 63 |
| 482 | Tracheostomy for face,mouth & neck diagnoses | 20 | 72 | 20 | 20 | 1 | 27 | 40 | 1 | 201 |
| 491 | Major joint & limb reattachment procedures of upper extremity | 74 | 350 | 1 | 71 | 10 | 77 | 12 | 2 | 597 |
| 493 | Laparoscopic cholecystectomy w/o C.D.E. w CC | 566 | 1,187 | 62 | 645 | 62 | 613 | 350 | 26 | 3,511 |
| 494 | Laparoscopic cholecystectomy w/o C.D.E. w/o CC | 1,149 | 811 | 69 | 1,480 | 157 | 1,246 | 907 | 76 | 5,895 |
| 530 | Craniotomy w major CC | 111 | 328 | 40 | 139 | 8 | 147 | 102 | 7 | 882 |
| 531 | Nervous system procedures except craniotomy w major CC | 61 | 578 | 36 | 112 | 6 | 140 | 55 | 2 | 990 |
| 532 | TIA, precerebral occlusions, seizure & headache w major CC | 160 | 1,255 | 164 | 220 | 19 | 272 | 167 | 10 | 2,267 |
| 533 | Other nervous system disord except TIA, seizure & headache w major CC | 436 | 4,576 | 225 | 534 | 47 | 806 | 445 | 32 | 7,101 |
| 534 | Eye procedures w major CC | 1 | 20 | 2 | 4 | 0 | 8 | 8 | 1 | 44 |
| 535 | Eye disorders w major CC | 7 | 46 | 7 | 7 | 0 | 15 | 12 | 0 | 94 |
| 536 | ENT & mouth procedures except major head & neck w major CC | 25 | 41 | 7 | 22 | 2 | 25 | 26 | 0 | 148 |
| 538 | Major chest procedures w major CC | 204 | 656 | 33 | 184 | 12 | 210 | 105 | 7 | 1,411 |
| 539 | Respiratory procedures except major chest w major CC | 147 | 1,345 | 47 | 169 | 19 | 202 | 75 | 6 | 2,010 |
| 540 | Respiratory infections & inflammations exc simple pneumonia w major cc | 103 | 3,009 | 137 | 133 | 11 | 220 | 80 | 9 | 3,702 |
| 541 | Simple pneumonia & oth respiratory disord exc bronchitis, asthma w major cc | 1,141 | 13,347 | 580 | 1,362 | 104 | 2,045 | 664 | 53 | 19,296 |
| 543 | Circ disorders except AMI, endocarditis, CHF & arrhythmia w major CC | 551 | 4,788 | 236 | 640 | 61 | 844 | 490 | 48 | 7,658 |
| 544 | CHF & cardiac arrhythmia w major CC | 523 | 11,004 | 342 | 794 | 59 | 1,235 | 470 | 34 | 14,461 |
| 545 | Cardiac valve procedure w major CC | 102 | 896 | 35 | 135 | 12 | 186 | 75 | 2 | 1,443 |
| 546 | Coronary bypass w major CC | 196 | 817 | 30 | 192 | 19 | 200 | 95 | 4 | 1,553 |
| 547 | Other cardiothoracic procedures w major CC | 23 | 124 | 6 | 24 | 3 | 41 | 14 | 1 | 236 |
| 548 | Oth cardiac pacemaker implant/revision or AICD proc w major CC | 49 | 1,195 | 11 | 62 | 8 | 137 | 25 | 6 | 1,493 |
| 549 | Major cardiovascular procedures w major CC | 289 | 1,981 | 86 | 315 | 28 | 427 | 171 | 12 | 3,309 |
| 550 | Other vascular procedures w major CC | 518 | 3,973 | 148 | 550 | 38 | 674 | 322 | 21 | 6,244 |
| 551 | Esophagitis, gastroenteritis & uncomplicated ulcers w major CC | 345 | 3,097 | 147 | 473 | 46 | 545 | 234 | 25 | 4,912 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-----|------------------|----------------------|-------------------------|--------------|--------|
| 552 | Digest syst disord except esoph,gastroent & uncompl ulcers w major CC | 515 | 5,437 | 282 | 661 | 45 | 714 | 343 | 34 | 8,031 |
| 553 | Digest syst proc exc hernia & major stomach or bowel proc w major CC | 191 | 1,091 | 45 | 235 | 25 | 209 | 121 | 11 | 1,928 |
| 554 | Hernia procedures w major CC | 31 | 179 | 12 | 21 | 0 | 26 | 5 | 0 | 274 |
| 555 | Pancreas,liver & oth bil tract proc except liver transplnt w major CC | 42 | 159 | 16 | 49 | 4 | 42 | 33 | 5 | 350 |
| 556 | Cholecystectomy and other hepatobiliary procedures w major CC | 135 | 768 | 27 | 138 | 10 | 170 | 62 | 7 | 1,317 |
| 557 | Hepatobiliary and pancreas disorders w major CC | 455 | 2,033 | 258 | 541 | 35 | 583 | 633 | 25 | 4,563 |
| 558 | Major musculoskeletal procedures w major cc | 326 | 3,267 | 78 | 384 | 27 | 601 | 112 | 13 | 4,808 |
| 559 | Non-major musculoskeletal procedures w major CC | 124 | 735 | 46 | 149 | 17 | 277 | 111 | 10 | 1,469 |
| 560 | Musculoskel disord exc osteo,septic arth & conn tissue dis w major CC | 129 | 1,784 | 73 | 147 | 12 | 276 | 131 | 12 | 2,564 |
| 561 | Osteomyelitis, septic arthritis & conn tissue disorder w major CC | 84 | 613 | 53 | 113 | 12 | 128 | 59 | 9 | 1,071 |
| 562 | Major skin & breast disorders w major CC | 25 | 324 | 26 | 37 | 4 | 67 | 18 | 0 | 501 |
| 563 | Other skin disorders w major CC | 159 | 1,711 | 89 | 220 | 19 | 252 | 169 | 10 | 2,629 |
| 564 | Skin & breast procedures w major CC | 73 | 558 | 42 | 92 | 8 | 117 | 60 | 8 | 958 |
| 565 | Endocrine, nutrit & metab proc except lower limb amputat w major CC | 94 | 434 | 34 | 110 | 9 | 87 | 36 | 6 | 810 |
| 566 | Endocrine, nutrit & metab disord exc eating disorder or CF w major CC | 431 | 3,946 | 251 | 575 | 43 | 686 | 440 | 24 | 6,396 |
| 567 | Kidney & urinary tract procedures except kidney transplant w major CC | 171 | 1,478 | 70 | 196 | 23 | 265 | 110 | 16 | 2,329 |
| 568 | Renal failure w major CC | 175 | 3,033 | 152 | 254 | 20 | 372 | 163 | 13 | 4,182 |
| 569 | Kidney & urinary tract disorders except renal failure w major CC | 286 | 5,177 | 321 | 434 | 38 | 561 | 278 | 28 | 7,123 |
| 570 | Male reproductive disorders w major CC | 20 | 155 | 17 | 29 | 1 | 35 | 25 | 1 | 283 |
| 571 | Male reproductive procedures w major CC | 31 | 178 | 8 | 37 | 4 | 31 | 17 | 2 | 308 |
| 572 | Female reproductive disorders w major CC | 27 | 177 | 23 | 27 | 0 | 44 | 31 | 2 | 331 |
| 573 | Non-radical female reproductive procedures w major CC | 141 | 217 | 17 | 151 | 11 | 121 | 59 | 9 | 726 |
| 574 | Blood, blood forming organs & immunological disorders w major CC | 266 | 1,684 | 167 | 323 | 26 | 395 | 108 | 16 | 2,985 |
| 575 | Blood, blood forming organs & immunological procedures w major CC | 17 | 82 | 9 | 23 | 1 | 20 | 15 | 3 | 170 |
| 576 | Acute leukemia w major CC | 48 | 125 | 16 | 40 | 8 | 54 | 26 | 1 | 318 |
| 577 | Myeloprolif disorders & poorly differentiated neoplasms w major CC | 125 | 221 | 35 | 54 | 4 | 82 | 39 | 2 | 562 |
| 578 | Lymphoma & non-acute leukemia w major CC | 63 | 363 | 14 | 54 | 5 | 83 | 39 | 1 | 622 |
| 579 | Procedures for lymphoma, leukemia, myeloprolif disorders w major CC | 69 | 233 | 14 | 69 | 3 | 62 | 28 | 2 | 480 |
| 580 | Systemic infections & parasitic disord except septicemia w major CC | 306 | 1,175 | 111 | 372 | 42 | 401 | 116 | 21 | 2,544 |
| 581 | Systemic infections & parasitic disorder procedures w major CC | 316 | 3,041 | 193 | 330 | 30 | 432 | 189 | 18 | 4,549 |
| 582 | Injuries, poisonings & toxic effects of drugs exc multiple trauma w major cc | 248 | 881 | 131 | 325 | 33 | 417 | 503 | 13 | 2,551 |
| 583 | Procedures for injuries except multiple trauma w major CC | 78 | 369 | 27 | 83 | 5 | 114 | 60 | 7 | 743 |
| 584 | Septicemia w major CC | 684 | 10,128 | 649 | 804 | 70 | 1,131 | 389 | 24 | 13,879 |
| 585 | Major stomach,esophageal,duodenal,small & large bowel proc w major CC | 412 | 2,408 | 63 | 478 | 48 | 504 | 219 | 24 | 4,156 |
| 586 | ENT & mouth disorders age >17 w major CC | 68 | 476 | 53 | 84 | 7 | 82 | 61 | 3 | 834 |
| 587 | ENT & mouth disorders age <18 w major CC | 13 | 0 | 12 | 16 | 1 | 19 | 3 | 1 | 65 |
| 588 | Bronchitis & asthma age >17 w major cc | 82 | 418 | 62 | 105 | 8 | 113 | 118 | 6 | 912 |
| 589 | Bronchitis & asthma age <18 w major cc | 62 | 0 | 34 | 139 | 12 | 203 | 21 | 4 | 475 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|---|-----------------------|-----------|-----------|--------|------------------|----------------------|-------------------------|--------------|--------|
| 602 | Neonate, birthwt <750g, discharged alive | 37 | 0 | 49 | 66 | 3 | 46 | 5 | 4 | 210 |
| 603 | Neonate, birthwt <750g, died | 13 | 0 | 13 | 22 | 0 | 14 | 9 | 0 | 71 |
| 604 | Neonate, birthwt 750-999g, discharged alive | 60 | 0 | 75 | 96 | 8 | 78 | 4 | 2 | 323 |
| 605 | Neonate, birthwt 750-999g, died | 1 | 0 | 5 | 4 | 1 | 4 | 2 | 0 | 17 |
| 606 | Neonate, birthwt 1000-1499g, w signif O.R. proc, discharged alive | 10 | 0 | 14 | 15 | 0 | 12 | 3 | 1 | 55 |
| 607 | Neonate, birthwt 1000-1499g, w/o signif O.R. proc, discharged alive | 176 | 0 | 156 | 268 | 16 | 210 | 31 | 6 | 863 |
| 608 | Neonate, birthwt 1000-1499g, died | 1 | 0 | 1 | 6 | 0 | 4 | 2 | 0 | 14 |
| 609 | Neonate, birthwt 1500-1999g, w signif O.R. proc, w mult major prob | 1 | 0 | 1 | 5 | 1 | 10 | 1 | 0 | 19 |
| 610 | Neonate, birthwt 1500-1999g, w signif O.R. proc, w/o mult major prob | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| 611 | Neonate, bwt 1500-1999G, w/o sign O.R. proc,w mult maj prob or MV 96+ hrs | 85 | 0 | 99 | 160 | 16 | 172 | 20 | 0 | 552 |
| 612 | Neonate, birthwt 1500-1999g, w/o signif O.R. proc, w major prob | 143 | 0 | 70 | 245 | 24 | 171 | 31 | 9 | 693 |
| 613 | Neonate, birthwt 1500-1999g, w/o signif O.R. proc, w minor prob | 25 | 0 | 20 | 35 | 3 | 25 | 7 | 2 | 117 |
| 614 | Neonate, birthwt 1500-1999g, w/o signif O.R. proc, w other prob | 95 | 0 | 56 | 128 | 11 | 130 | 10 | 6 | 436 |
| 615 | Neonate, birthwt 2000-2499g, w signif O.R. proc, w mult major prob | 6 | 0 | 10 | 10 | 2 | 13 | 1 | 0 | 42 |
| 616 | Neonate, birthwt 2000-2499g, w signif O.R. proc, w/o mult major prob | 1 | 0 | 1 | 4 | 0 | 4 | 0 | 1 | 11 |
| 617 | Neonate, bwt 2000-2499G, w/o sign O.R. proc,w mult maj prob or MV 96+ hrs | 99 | 0 | 100 | 142 | 12 | 157 | 46 | 5 | 561 |
| 618 | Neonate, birthwt 2000-2499g, w/o signif O.R. proc, w major prob | 218 | 0 | 150 | 314 | 46 | 339 | 70 | 18 | 1,155 |
| 619 | Neonate, birthwt 2000-2499g, w/o signif O.R. proc, w minor prob | 65 | 0 | 71 | 135 | 13 | 111 | 26 | 8 | 429 |
| 620 | Neonate, bwt 2000-2499g, w/o signif O.R. proc, w norm newborn diag | 577 | 0 | 366 | 957 | 78 | 909 | 193 | 37 | 3,117 |
| 621 | Neonate, birthwt 2000-2499g, w/o signif O.R. proc, w other prob | 111 | 0 | 58 | 177 | 20 | 126 | 35 | 4 | 531 |
| 622 | Neonate, birthwt >2499g, w signif O.R. proc, w mult major prob | 19 | 0 | 21 | 31 | 0 | 46 | 4 | 0 | 121 |
| 623 | Neonate, birthwt >2499g, w signif O.R. proc, w/o mult major prob | 20 | 0 | 6 | 42 | 1 | 37 | 6 | 1 | 113 |
| 624 | Neonate, birthwt >2499g, w minor abdom procedure | 14 | 0 | 9 | 19 | 2 | 27 | 2 | 1 | 74 |
| 626 | Neonate, bwt >2499G, w/o sign O.R. proc,w mult maj prob or MV 96+ hrs | 403 | 0 | 400 | 651 | 71 | 747 | 162 | 8 | 2,442 |
| 627 | Neonate, birthwt >2499g, w/o signif O.R. proc, w major prob | 849 | 0 | 717 | 1,415 | 112 | 1,487 | 354 | 55 | 4,989 |
| 628 | Neonate, birthwt >2499g, w/o signif O.R. proc, w minor prob | 819 | 0 | 607 | 1,351 | 128 | 1,319 | 229 | 61 | 4,514 |
| 629 | Neonate, bwt >2499g, w/o signif O.R. proc, w normal newborn diag | 16,660 | 9 | 9,761 | 26,649 | 2,684 | 25,519 | 6,065 | 1,018 | 88,365 |
| 630 | Neonate, birthwt >2499g, w/o signif O.R. proc, w other prob | 212 | 0 | 147 | 346 | 25 | 325 | 76 | 8 | 1,139 |
| 631 | BPD and oth chronic respiratory diseases arising in perinatal period | 14 | 0 | 14 | 12 | 0 | 20 | 1 | 2 | 63 |
| 633 | Multiple, other and unspecified congenital anomalies, w CC | 0 | 2 | 1 | 2 | 0 | 4 | 0 | 0 | 9 |
| 634 | Multiple, other and unspecified congenital anomalies, w/o CC | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 3 |
| 635 | Neonatal aftercare for weight gain | 0 | 0 | 1 | 2 | 0 | 2 | 0 | 0 | 5 |
| 636 | Infant aftercare for weight gain, age >28 days <1 year | 1 | 0 | 1 | 1 | 0 | 6 | 0 | 0 | 9 |
| 637 | Neonate, died w/in one day of birth, born here | 42 | 0 | 37 | 54 | 3 | 63 | 19 | 2 | 220 |
| 638 | Neonate, died w/in one day of birth, not born here | 0 | 0 | 2 | 7 | 0 | 4 | 3 | 0 | 16 |
| 639 | Neonate, transferred <5 days old, born here | 129 | 0 | 126 | 225 | 17 | 248 | 65 | 7 | 817 |
| 640 | Neonate, transferred <5 days old, not born here | 4 | 0 | 3 | 6 | 0 | 6 | 3 | 0 | 22 |
| 641 | Neonate, birthweight >2499g, w ECMO | 0 | 0 | 1 | 3 | 0 | 1 | 1 | 0 | 6 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| 650 | High risk cesarean section w CC | 325 | 11 | 235 | 575 | 46 | 547 | 132 | 17 | 1,888 |
| 651 | High risk cesarean section w/o CC | 750 | 10 | 315 | 1,174 | 105 | 957 | 206 | 40 | 3,557 |
| 652 | High risk vaginal delivery w sterilization and/or D&C | 24 | 4 | 55 | 46 | 5 | 87 | 25 | 0 | 246 |
| 700 | Tracheostomy for HIV infection | 3 | 10 | 8 | 1 | 0 | 5 | 7 | 0 | 34 |
| 701 | HIV w O.R. procedure & ventilator or nutritional support | 10 | 32 | 21 | 7 | 0 | 11 | 16 | 2 | 99 |
| 702 | HIV w O.R. procedure w multiple major related infections | 0 | 3 | 8 | 2 | 0 | 2 | 8 | 0 | 23 |
| 703 | HIV w O.R. procedure w major related diagnosis | 9 | 31 | 23 | 13 | 0 | 14 | 25 | 1 | 116 |
| 704 | HIV w O.R. procedure w/o major related diagnosis | 15 | 61 | 43 | 26 | 3 | 33 | 45 | 5 | 231 |
| 705 | HIV w multiple major related infections w TB | 1 | 1 | 2 | 0 | 0 | 4 | 5 | 0 | 13 |
| 706 | HIV w multiple major related infections w/o TB | 4 | 24 | 37 | 15 | 1 | 18 | 57 | 0 | 156 |
| 707 | HIV w ventilator or nutritional support | 23 | 121 | 88 | 29 | 2 | 40 | 57 | 2 | 362 |
| 708 | HIV w major related diagnosis, discharged AMA | 2 | 13 | 24 | 2 | 0 | 8 | 29 | 1 | 79 |
| 709 | HIV w major related diag w mult major or signif diag w TB | 3 | 6 | 11 | 2 | 0 | 4 | 9 | 0 | 35 |
| 710 | HIV w major related diag w mult major or signif diag w/o TB | 47 | 251 | 257 | 65 | 4 | 123 | 172 | 6 | 925 |
| 711 | HIV w major related diag w/o mult major or signif diag w TB | 0 | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 4 |
| 712 | HIV w major related diag w/o mult major or signif diag w/o TB | 16 | 36 | 34 | 18 | 1 | 30 | 54 | 3 | 192 |
| 713 | HIV w significant related diagnosis, discharged AMA | 4 | 45 | 56 | 18 | 0 | 32 | 96 | 1 | 252 |
| 714 | HIV w significant related diagnosis | 146 | 689 | 567 | 191 | 9 | 327 | 554 | 17 | 2,500 |
| 715 | HIV w other related diagnosis | 16 | 82 | 121 | 19 | 1 | 51 | 211 | 1 | 502 |
| 716 | HIV w/o other related diagnosis | 4 | 2 | 7 | 5 | 1 | 8 | 16 | 0 | 43 |
| 730 | Craniotomy for multiple significant trauma | 0 | 2 | 0 | 1 | 0 | 7 | 10 | 0 | 20 |
| 731 | Spine, hip, femur or limb proc for multiple significant trauma | 14 | 62 | 5 | 16 | 3 | 105 | 25 | 1 | 231 |
| 732 | Other O.R. procedure for multiple significant trauma | 20 | 12 | 5 | 19 | 3 | 186 | 101 | 6 | 352 |
| 733 | Head, chest and lower limb diagnoses of multiple significant trauma | 25 | 85 | 2 | 33 | 2 | 177 | 81 | 4 | 409 |
| 734 | Other diagnoses of multiple significant trauma | 19 | 10 | 1 | 30 | 3 | 54 | 18 | 0 | 135 |
| 737 | Ventricular shunt revision | 25 | 24 | 6 | 30 | 2 | 40 | 3 | 0 | 130 |
| 738 | Craniotomy age <18 w CC | 12 | 0 | 8 | 24 | 2 | 37 | 6 | 2 | 91 |
| 739 | Craniotomy age <18 w/o CC | 26 | 0 | 11 | 27 | 0 | 45 | 5 | 1 | 115 |
| 740 | Cystic fibrosis | 60 | 15 | 24 | 57 | 4 | 56 | 12 | 6 | 234 |
| 743 | Opioid abuse or dependence, left against medical advice | 36 | 63 | 127 | 67 | 5 | 223 | 1,025 | 2 | 1,548 |
| 744 | Opioid abuse or dependence w CC | 99 | 198 | 314 | 197 | 20 | 242 | 1,188 | 4 | 2,262 |
| 745 | Opioid abuse or dependence w/o CC | 190 | 192 | 460 | 490 | 33 | 618 | 3,806 | 7 | 5,796 |
| 746 | Cocaine or other drug abuse or dependence, left against medical advice | 4 | 12 | 14 | 6 | 2 | 14 | 78 | 0 | 130 |
| 747 | Cocaine or other drug abuse or dependence w CC | 44 | 233 | 65 | 60 | 11 | 55 | 185 | 0 | 653 |
| 748 | Cocaine or other drug abuse or dependence w/o CC | 45 | 115 | 137 | 124 | 6 | 116 | 544 | 4 | 1,091 |
| 749 | Alcohol abuse or dependence, left against medical advice | 52 | 67 | 37 | 74 | 4 | 123 | 450 | 2 | 809 |
| 750 | Alcohol abuse or dependence, w CC | 370 | 518 | 176 | 482 | 39 | 507 | 1,347 | 27 | 3,466 |
| 751 | Alcohol abuse or dependence, w/o CC | 298 | 262 | 187 | 507 | 35 | 595 | 1,758 | 14 | 3,656 |

| TOTAL INPATIENT CASES BY PRIMARY PAYER | | | | | | | | | | |
|--|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| UB - 04 DATA FOR 2008 | | | | | | | | | | |
| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
| 752 | Lead poisoning | 2 | 0 | 3 | 8 | 0 | 9 | 0 | 0 | 22 |
| 753 | Compulsive nutrition disorder rehabilitation | 135 | 17 | 24 | 174 | 10 | 80 | 46 | 2 | 488 |
| 754 | Tertiary aftercare, age =>1 year | . | . | . | . | . | . | . | . | . |
| 755 | Spinal fusion w CC | 127 | 271 | 4 | 88 | 14 | 273 | 20 | 4 | 801 |
| 756 | Spinal fusion w/o CC | 293 | 300 | 4 | 303 | 18 | 836 | 19 | 12 | 1,785 |
| 757 | Back & neck procedures except spinal fusion w CC | 101 | 349 | 6 | 102 | 7 | 139 | 25 | 7 | 736 |
| 758 | Back & neck procedures except spinal fusion w/o CC | 668 | 746 | 10 | 669 | 43 | 924 | 53 | 46 | 3,159 |
| 759 | Multiple channel cochlear implants | . | . | . | . | . | . | . | . | . |
| 760 | Hemophilia factors VIII and IX | 2 | 8 | 3 | 7 | 3 | 5 | 6 | 0 | 34 |
| 761 | Traumatic stupor & coma, coma >1 hr | 67 | 171 | 12 | 53 | 9 | 170 | 158 | 6 | 646 |
| 762 | Concussion, intracranial injury w coma <1 hr or no coma age <18 | 74 | 0 | 9 | 80 | 5 | 133 | 48 | 3 | 352 |
| 763 | Traumatic stupor & coma, coma <1 hr age <18 | 50 | 0 | 19 | 100 | 17 | 123 | 25 | 6 | 340 |
| 764 | Concussion, intracranial injury w coma <1 hr or no coma age >17 w CC | 27 | 157 | 9 | 32 | 1 | 141 | 73 | 2 | 442 |
| 765 | Concussion, intracranial injury w coma <1 hr or no coma age >17 w/o CC | 56 | 90 | 5 | 76 | 4 | 338 | 215 | 3 | 787 |
| 766 | Traumatic stupor & coma, coma <1 hr age >17 w CC | 34 | 520 | 16 | 33 | 4 | 126 | 80 | 4 | 817 |
| 767 | Traumatic stupor & coma, coma <1 hr age >17 w/o CC | 60 | 360 | 5 | 60 | 10 | 211 | 185 | 10 | 901 |
| 768 | Seizure & headache age <18 w CC | 114 | 1 | 27 | 148 | 14 | 188 | 24 | 4 | 520 |
| 769 | Seizure & headache age <18 w/o CC | 535 | 0 | 133 | 792 | 62 | 959 | 100 | 30 | 2,611 |
| 770 | Respiratory infections & inflammations exc simple pneumonia age <18 w cc | 3 | 0 | 4 | 12 | 0 | 18 | 0 | 0 | 37 |
| 771 | Respiratory infections & inflammations exc simple pneumonia age <18 w/o cc | 5 | 0 | 5 | 11 | 1 | 11 | 2 | 0 | 35 |
| 772 | Simple pneumonia & pleurisy age <18 w CC | 228 | 1 | 81 | 404 | 37 | 577 | 65 | 12 | 1,405 |
| 773 | Simple pneumonia & pleurisy age <18 w/o CC | 362 | 0 | 163 | 777 | 77 | 1,210 | 129 | 32 | 2,750 |
| 774 | Bronchitis & asthma age <18 w CC | 188 | 1 | 155 | 415 | 36 | 632 | 82 | 18 | 1,527 |
| 775 | Bronchitis & asthma age <18 w/o CC | 695 | 0 | 450 | 1,426 | 124 | 2,283 | 265 | 48 | 5,291 |
| 776 | Esophagitis, gastroent & misc digest disord age <18 w CC | 25 | 0 | 28 | 48 | 6 | 92 | 7 | 2 | 208 |
| 777 | Esophagitis, gastroent & misc digest disord age <18 w/o CC | 160 | 1 | 54 | 200 | 12 | 265 | 35 | 9 | 736 |
| 778 | Other digestive system diagnoses age <18 w CC | 13 | 0 | 13 | 25 | 3 | 28 | 3 | 1 | 86 |
| 779 | Other digestive system diagnoses age <18 w/o CC | 48 | 0 | 33 | 89 | 4 | 124 | 18 | 3 | 319 |
| 780 | Acute leukemia w/o major O.R. procedure age <18 w CC | 14 | 0 | 1 | 9 | 0 | 10 | 0 | 0 | 34 |
| 781 | Acute leukemia w/o major O.R. procedure age <18 w/o CC | 12 | 0 | 3 | 19 | 3 | 18 | 3 | 2 | 60 |
| 782 | Acute leukemia w/o major O.R. procedure age >17 w CC | 29 | 107 | 10 | 30 | 5 | 45 | 25 | 1 | 252 |
| 783 | Acute leukemia w/o major O.R. procedure age >17 w/o CC | 18 | 34 | 8 | 17 | 0 | 26 | 10 | 1 | 114 |
| 784 | Acquired hemolytic anemia or sickle cell crisis age <18 | 68 | 0 | 48 | 108 | 6 | 242 | 27 | 2 | 501 |
| 785 | Other red blood cell disorders age <18 | 36 | 1 | 18 | 57 | 6 | 97 | 11 | 3 | 229 |
| 786 | Major head & neck procedures for malignancy | 21 | 48 | 5 | 18 | 0 | 19 | 10 | 0 | 121 |
| 787 | Laparoscopic cholecystectomy w C.D.E. | 7 | 8 | 1 | 7 | 1 | 6 | 2 | 1 | 33 |
| 789 | Knee revision or maj joint & limb reattach proc of low ext, exc hip,for comp | 110 | 346 | 5 | 97 | 6 | 135 | 6 | 7 | 712 |
| 790 | Wound debrid & skin grft for open wnd,MS & conn tiss dis,exc hand | 5 | 7 | 1 | 12 | 0 | 15 | 14 | 1 | 55 |

TOTAL INPATIENT CASES BY PRIMARY PAYER

UB - 04 DATA FOR 2008

| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
|-----|--|-----------------------|-----------|-----------|-------|------------------|----------------------|-------------------------|--------------|-------|
| 791 | Wound debridements for open wound injuries | 6 | 30 | 2 | 14 | 1 | 30 | 14 | 0 | 97 |
| 792 | Craniotomy for multiple sig trauma with non-traumatic major CC | 0 | 3 | 0 | 2 | 1 | 13 | 6 | 1 | 26 |
| 793 | Proc for mul sig trauma exc craniotomy w non-traumatic major CC | 22 | 67 | 7 | 30 | 1 | 202 | 90 | 3 | 422 |
| 794 | Diag for multiple significant trauma with non-traumatic major CC | 13 | 50 | 3 | 4 | 1 | 57 | 18 | 0 | 146 |
| 795 | Lung transplant | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 3 |
| 796 | Lower extremity revascularization w CC | 47 | 398 | 4 | 67 | 3 | 63 | 23 | 4 | 609 |
| 797 | Lower extremity revascularization w/o CC | 46 | 115 | 6 | 32 | 4 | 32 | 10 | 1 | 246 |
| 798 | Tuberculosis w operating room procedure | 3 | 11 | 2 | 6 | 1 | 7 | 14 | 1 | 45 |
| 799 | Tuberculosis, left against medical advice | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 3 |
| 800 | Tuberculosis w CC | 2 | 11 | 7 | 8 | 0 | 11 | 21 | 1 | 61 |
| 801 | Tuberculosis w/o CC | 7 | 0 | 3 | 4 | 0 | 6 | 37 | 0 | 57 |
| 802 | Pneumocystosis | 5 | 5 | 0 | 7 | 2 | 4 | 4 | 1 | 28 |
| 803 | Allogeneic bone marrow transplant | 66 | 12 | 12 | 44 | 3 | 26 | 1 | 0 | 164 |
| 804 | Autologous bone marrow transplant | 29 | 57 | 10 | 25 | 4 | 18 | 6 | 1 | 150 |
| 805 | Simultaneous kidney/pancreas transplant for diabetes and renal failure | 5 | 13 | 0 | 1 | 0 | 3 | 0 | 0 | 22 |
| 806 | Combined anterior/posterior spinal fusion w CC | 18 | 23 | 0 | 23 | 2 | 54 | 2 | 0 | 122 |
| 807 | Combined anterior/posterior spinal fusion w/o CC | 33 | 7 | 0 | 36 | 0 | 78 | 3 | 0 | 157 |
| 808 | Percutaneous cardiovascular proc w AMI,heart failure or shock | 251 | 722 | 31 | 273 | 27 | 239 | 264 | 10 | 1,817 |
| 809 | Other cardiothoracic proc w PDX congenital anomaly | 3 | 0 | 2 | 8 | 1 | 14 | 2 | 0 | 30 |
| 810 | Intracranial hemorrhage | 119 | 788 | 35 | 145 | 20 | 177 | 132 | 7 | 1,423 |
| 811 | Other heart assist system implant | 1 | 2 | 1 | 1 | 0 | 1 | 2 | 0 | 8 |
| 812 | Malfunction, reaction & comp of cardiac or vasc device O.R. proc | 72 | 392 | 35 | 79 | 8 | 81 | 36 | 10 | 713 |
| 813 | Nonbacterial gastroenteritis & abdominal pain age >17 w CC | 672 | 2,729 | 196 | 819 | 76 | 819 | 505 | 46 | 5,862 |
| 814 | Nonbacterial gastroenteritis & abdominal pain age >17 w/o CC | 1,092 | 1,440 | 104 | 1,344 | 108 | 1,103 | 763 | 73 | 6,027 |
| 815 | Nonbacterial gastroenteritis & abdominal pain age <18 w CC | 77 | 0 | 31 | 129 | 13 | 181 | 18 | 5 | 454 |
| 816 | Nonbacterial gastroenteritis & abdominal pain age <18 w/o CC | 357 | 0 | 120 | 658 | 58 | 905 | 109 | 22 | 2,229 |
| 817 | Hip revision or hip replacement for complications | 69 | 434 | 5 | 91 | 5 | 106 | 9 | 4 | 723 |
| 818 | Hip replacement except for complications | 970 | 3,954 | 32 | 897 | 83 | 768 | 106 | 26 | 6,836 |
| 819 | Create, revise or remove renal access device | 15 | 258 | 15 | 20 | 6 | 42 | 9 | 2 | 367 |
| 820 | Malfunctions, reactions & comp of GU device/graft/transplant | 81 | 667 | 42 | 105 | 10 | 110 | 49 | 5 | 1,069 |
| 821 | Extensive burns or full thickness burns w MV 96+ hrs w skin graft | 0 | 2 | 2 | 1 | 0 | 2 | 0 | 0 | 7 |
| 822 | Extensive burns or full thickness burns w MV 96+ hrs w/o skin graft | 0 | 5 | 0 | 1 | 1 | 4 | 2 | 0 | 13 |
| 823 | Full thickness burn w skin graft or inhal inj w CC or sig trauma | 7 | 14 | 2 | 6 | 0 | 24 | 10 | 0 | 63 |
| 824 | Full thickness burn w skin grft or inhal inj w/o CC or sig trauma | 4 | 1 | 1 | 15 | 0 | 15 | 5 | 0 | 41 |
| 825 | Full thickness burn w/o skin grft or inhal inj w CC or sig trauma | 4 | 14 | 2 | 8 | 0 | 14 | 5 | 0 | 47 |
| 826 | Full thickness burn w/o skin grft or inh inj w/o CC or sig trauma | 5 | 3 | 1 | 18 | 0 | 10 | 4 | 0 | 41 |
| 827 | Non-extensive burns w inhal inj,CC or significant trauma | 11 | 45 | 2 | 11 | 0 | 18 | 14 | 0 | 101 |
| 828 | Non-extensive burns w/o inhal inj, CC or significant trauma | 14 | 11 | 8 | 25 | 4 | 60 | 30 | 1 | 153 |

| TOTAL INPATIENT CASES BY PRIMARY PAYER | | | | | | | | | | |
|--|--|-----------------------|----------------|---------------|----------------|------------------|----------------------|-------------------------|--------------|------------------|
| UB - 04 DATA FOR 2008 | | | | | | | | | | |
| DRG | DESCRIPTION - VERSION 21 AP-DRG | NEW JERSEY BLUE CROSS | MEDI-CARE | MEDI-CAID | HMO | OTHER BLUE CROSS | COMMERCIAL INSURANCE | SELF PAY & CHARITY CARE | OTHER PAYERS | TOTAL |
| 829 | Pancreas transplant for diabetes and renal failure | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 832 | Transient ischemia | 775 | 4,043 | 103 | 868 | 81 | 815 | 375 | 42 | 7,102 |
| 833 | Intracranial vascular procedures w PDX hemorrhage | 21 | 9 | 3 | 18 | 1 | 20 | 28 | 0 | 100 |
| 836 | Spinal procedures w CC | 24 | 54 | 0 | 22 | 4 | 38 | 12 | 3 | 157 |
| 837 | Spinal procedures w/o CC | 55 | 44 | 0 | 45 | 6 | 89 | 7 | 3 | 249 |
| 838 | Extracranial procedures w CC | 79 | 863 | 13 | 90 | 7 | 137 | 19 | 3 | 1,211 |
| 839 | Extracranial procedures w/o CC | 171 | 881 | 9 | 171 | 13 | 186 | 14 | 8 | 1,453 |
| 849 | Cardiac defib implant w cardiac cath w AMI/HF/Shock | 45 | 213 | 6 | 36 | 3 | 49 | 24 | 2 | 378 |
| 850 | Cardiac defib implant w cardiac cath w/o AMI/HF/Shock | 44 | 147 | 9 | 46 | 3 | 39 | 20 | 1 | 309 |
| 851 | Cardiac defibrillator w/o cardiac catheter | 270 | 1,319 | 46 | 321 | 19 | 355 | 126 | 8 | 2,464 |
| 852 | Percutaneous cardiovascular procedure w non-drug eluting stent w/o AMI | 325 | 1,351 | 21 | 353 | 30 | 301 | 142 | 7 | 2,530 |
| 853 | Percutaneous cardiovascular procedure w drug-eluting stent w AMI | 568 | 956 | 37 | 588 | 57 | 481 | 274 | 13 | 2,974 |
| 854 | Percutaneous cardiovascular procedure w drug-eluting stent w/o AMI | 1,802 | 4,688 | 117 | 1,733 | 184 | 1,647 | 326 | 28 | 10,525 |
| 864 | Cervical spinal fusion w CC | 82 | 139 | 9 | 72 | 7 | 138 | 22 | 3 | 472 |
| 865 | Cervical spinal fusion w/o CC | 316 | 198 | 5 | 322 | 22 | 735 | 27 | 22 | 1,647 |
| 866 | Local excision & removal of int fix devices except hip & femur w CC | 32 | 133 | 11 | 38 | 5 | 78 | 29 | 6 | 332 |
| 867 | Local excision & removal of int fix devices except hip & femur w/o CC | 56 | 111 | 5 | 82 | 5 | 157 | 44 | 4 | 464 |
| 874 | Lymphoma & leukemia w major O.R. procedure w CC | 22 | 51 | 3 | 26 | 0 | 20 | 9 | 1 | 132 |
| 875 | Lymphoma & leukemia w major O.R. procedure w/o CC | 27 | 35 | 1 | 27 | 1 | 24 | 6 | 2 | 123 |
| 876 | Chemo w acute leukemia as SDX or w use of high dose chemo agent | 132 | 54 | 28 | 84 | 20 | 139 | 37 | 4 | 498 |
| 877 | ECMO or trach w MV 96+ hrs or PDX exc face, mouth & neck w maj O.R. | 157 | 944 | 120 | 161 | 8 | 348 | 138 | 17 | 1,893 |
| 878 | Trach w MV 96+ hrs or PDX exc face, mouth & neck w/o maj O.R. | 115 | 1,153 | 103 | 127 | 14 | 196 | 72 | 8 | 1,788 |
| 879 | Craniotomy w implant of chemo agent or acute complex CNS PDX | 20 | 66 | 10 | 28 | 3 | 24 | 31 | 4 | 186 |
| 880 | Acute ischemic stroke w use of thrombolytic agent | 22 | 180 | 3 | 35 | 3 | 37 | 30 | 3 | 313 |
| 881 | Respiratory system diagnosis w MV 96+ hrs | 169 | 1,682 | 169 | 192 | 13 | 380 | 99 | 13 | 2,717 |
| 882 | Respiratory system diagnosis w MV <96 hrs | 253 | 2,593 | 184 | 316 | 26 | 468 | 330 | 15 | 4,185 |
| 883 | Laparoscopic appendectomy | 1,306 | 258 | 50 | 1,632 | 196 | 1,291 | 879 | 74 | 5,686 |
| 884 | Spinal fusion exc cerv w curvature of the spine or malignancy | 40 | 33 | 2 | 39 | 1 | 69 | 2 | 0 | 186 |
| 885 | Other antepartum diagnoses w O.R. procedure | 112 | 15 | 49 | 204 | 11 | 176 | 92 | 9 | 668 |
| 886 | Other antepartum diagnoses w/o O.R. procedure | 1,255 | 84 | 734 | 1,991 | 156 | 2,076 | 1,087 | 127 | 7,510 |
| STATEWIDE TOTALS | | 139,560 | 403,015 | 60,239 | 190,530 | 17,352 | 203,178 | 104,804 | 8,784 | 1,127,462 |