

# Concept Development Guideline

March, 2025



Procedures are subject to change without notice.  
Check the Capital Project Delivery website  
to ensure this is the current version

## Table of Contents

Purpose.....	1
Introduction.....	1
Update Management Systems Input (2015) .....	2
Determine Mapping Level and Resources Required (2020).....	2
Obtain Stakeholder Input (2025).....	3
Develop Community Profile (2030) .....	3
Prepare and Execute CD Public Involvement Action Plan (2035) .....	4
Develop Draft CD Schedule (2045) .....	5
Approve CD Schedule (2046).....	5
Develop CD Fee Proposal (2050) .....	5
Update PRS (2055) .....	6
Submit Final Fee Proposal (2056).....	6
Execute CD Task Order (2060) .....	6
Start Design Communications Report (2065).....	7
Conduct Traffic Counts (2100) .....	7
Perform Supplemental Data Collection (2105) .....	8
Prepare ADA Compliance Curb Ramp Design Checklist & Memo (2106).....	8
Forecast Travel Projections (2110) .....	8
Prepare CD Mapping (2115) .....	9
Conduct Field Inventory of Physical Conditions (2120).....	9
Assess Initial USCG Bridge Permit Applicability (2122).....	9
Submit Bridge Exemption Package (2124) .....	9
Identify Substandard Design Elements (2125).....	10
Obtain written concurrence of exemption from US Coast Guard (2126) .....	10
Submit USCG Project Initiation Request (2128) .....	10
Coordinate with Local Officials (2130) .....	11
Prepare USCG Participation Request & Submit to FHWA (2132).....	11
Submit USCG Participation Request (2134) .....	11
Perform Environmental Screening (2135) .....	11
Obtain USCG Participation Acceptance (2136) .....	12
Prepare Navigation Impact Report (2138).....	12

Review Environmental Screening (2140) .....	12
Obtain Preliminary Navigation Clearance Determination (2142).....	12
Conduct Field Survey for Hydrologic & Hydraulic (2144).....	13
Obtain Maps & Data for Hydrologic & Hydraulic (H&H) Analysis (2145) .....	13
For Limited Scope Projects, the Designer, through BLAES E-Team, obtains a determination from NJDEP whether a crossing to address fragmentation of wildlife passage is required.Prepare Drainage Area Maps (2150).....	13
Send Utility/Railroad Contact Letter (2155).....	14
Validate and Compare with Regional Model (2160).....	14
Obtain Crash Records (2170).....	14
Prepare Utility/Railroad Risk Assessment Plan (2175) .....	15
Decides if the specific utility risks should be included these within the project Risk Register.Prepare Crash Analysis & Crash Diagram (2200).....	15
Conduct Existing Traffic Analysis (2205).....	15
Conduct Scour and Seismic Retrofit Analysis (2210).....	16
Perform Conceptual Hydrologic & Hydraulic (H&H) Analysis (2230) .....	16
Conduct ITS Needs Assessment (2235) .....	16
Prepare Project Fact Sheet (2240).....	17
Determine Complete Streets Exemption (2244) .....	17
Obtain Complete Streets Exemption Concurrence (2246) .....	17
Prepare & Submit Draft CD Complete Streets Checklist (2248).....	17
Prepare Draft Purpose and Need Statement (2250) .....	17
Prepare & Submit Final CD Complete Streets Checklist (2252) .....	18
Hold Scope Team Meeting (2260).....	18
Review & Approve CD Complete Streets Checklist (2266).....	18
Hold Initial Local Officials Briefing (2270) .....	19
Complete Purpose and Need Statement (2280) .....	19
Develop Alternatives (2300).....	19
Obtain Stakeholder Input on Developed Alternatives (2310) .....	19
Establish Railroad Engineering Funding (2312) .....	20
Prepare Railroad Engineering and Construction Agreement (2314).....	20
Prepare Railroad Master Agreement Change Order (2315).....	20

For Federally Funded projects, the Project Manager prepares Railroad Master Agreement Change Order (RRMACO). Execute Railroad Engineering and Construction Agreement (2316) .....	20
Execute Railroad Master Agreement Change Order (2318).....	20
Develop Preliminary Detour and Construction Staging Plans (2320) .....	21
Perform Design-Build Screening (2322).....	21
Review Preliminary Detour and Construction Staging Plans (2325) .....	22
Perform Impact Assessment on Alternatives (2330) .....	22
Review Impact Assessment on Alternatives (2335) .....	22
Develop Preliminary Construction Cost Estimates (2340).....	22
Conduct Proposed Traffic Analysis (2350) .....	23
Conduct Data Driven Safety Analysis (DDSA) (2354).....	23
Review Proposed Traffic Analysis (2355) .....	24
Review Data Driven Safety Analysis (DDSA) (2356) .....	24
Eligibility Approval for HSIP Funding (2358).....	25
Geometric Review for Design Exception (2360) .....	25
Prepare Alternatives Matrix (2380).....	25
Coordinate with Permitting Agencies (2400).....	26
Conduct Concept Design Constructability-Risk Analysis Workshop (2415) .....	26
Revise Alternatives Matrix (2420).....	27
Perform Quantitative Risk Analysis (2425) .....	27
Hold Core Group Meeting (2430).....	27
Conduct Value Engineering Review (2435).....	28
Hold Local Officials Briefing (2440) .....	28
Prepare Value Engineering Technical Report (2445).....	28
Review VE Technical Report (2446) .....	29
Hold Public Information Center (2460) .....	29
Finalize Preliminary Preferred Alternative (2470) .....	29
Investigate Need for Traffic Regulation Orders (2485) .....	30
Complete PPA Constructability-Risk Report (2500) .....	30
Confirm Environmental Document (2510).....	30
Prepare PE Public Involvement Action Plan (2515) .....	31
Prepare PE Scope Statement (2520) .....	31

Execute PE Scope Statement (2522).....	32
Prepare System Engineering Review Form (2535).....	32
Prepare CD ROW & Access Impact Plan and Matrix (2540).....	32
Review CD ROW & Access Impact Plan & Matrix (2545) .....	33
Prepare CD ROW & Access Cost Estimate (2550) .....	33
Complete CD Quality Certification (2560) .....	33
Execute Project Assignment Contract (2565).....	33
Prepare Draft CD Report (2570).....	33
Review Draft CD Report and Address Comments (2580) .....	34
FHWA Reviews & Approves CD Report (2600).....	34
Present to CPSC (2610).....	34
CPC Approves Advancement (2620).....	35
Finalize CD Report (2630).....	35
Complete CD Closeout (2640).....	35
Confirm Funding Source via STIP (2690) .....	36
Prepare & Submit Solicitation Package (2700) .....	36
Form Technical Evaluation Committee (2710).....	36
Post Solicitation (2715) .....	36
Receive Technical Proposals (2720) .....	36
Score Proposals (2730) .....	36
Hold Oral Presentations (2 Step) (2740).....	36
Select Designer (2750).....	37
Develop PE Independent Cost Estimate (2800).....	37
Develop Designer Fee Proposal (2810).....	37
Negotiate Contract (2820) .....	37
Finalize Proposal (2830) .....	38
Prepare Draft Agreement (2840).....	38
Develop Draft PE Schedule (2850).....	38
Develop Draft PE Budget (2860) .....	38
Finalize PE Budget (2865).....	38
Approve PE Budget (2870).....	39
Authorize PE (2880).....	39

Execute Designer Agreement (2890) ..... 39

## **Purpose**

The purpose of this document is to provide step-by-step guidance on performing each activity in the Concept Development (CD) Phase of the NJDOT Project Delivery Process. This guide is intended for Project Managers, Designers, Subject Matter Experts (SMEs), and other stakeholders involved in the project delivery process. The following documents can be referenced for additional information on

- Concept Development:
- Concept Development Activity Descriptions

## **Introduction**

All capital projects are required to complete the Concept Development Phase. While all capital projects must complete the CD Phase, project customization allows the Project Manager the ability to tailor the CD Scope Statement based on the complexity of the problem. This means that CD does not have to include all the CD activities; however, there are some critical activities and related deliverables that must be completed for CD.

The Division of Project Management (DPM) conducts all CD studies, except in cases where another entity other than the Department such as, a Metropolitan Planning Organization (MPO), local municipalities or counties, serve as the lead agency. In that case, DPM or Local Aid staff is assigned to work with the lead agency and provide guidance during this phase of work.

The CD Phase is intended to collect data and analyze a feasible solution which is cost effective, meets all NJDOT and FHWA standards and is supported by the community. The critical end products of the process are a well defined Purpose and Need Statement, a confirmed environmental document and a concept (alternative) that has met the approval of NJDOT SMEs, FHWA, the local municipality and the public. The Designer for the Preliminary Engineering (PE), Final Design (FD) and Construction (CON) Phases is also selected during this phase.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Update Management Systems Input (2015)**

It is necessary to gather as much data as possible on the problem to help determine purpose and need. The analysis of the data will confirm, define or refine the initial problem statement.

There are many sources of valuable data that can be useful. The Department's Management Systems house valuable data on different assets. A search of these Management Systems is required to help define the problem and identify any other problem at or near the identified problem site. This information should also be used to help determine the Concept Development (CD) scope of work.

In addition to the Management Systems, other SMEs, such as the Division of Traffic Engineering and Safety should be consulted for information. While each SME does not have a Management System, they can provide useful information such as existing or upcoming work orders at or near the problem site.

The Department Management Systems are: *Bridge Management System (BMS)*, *Pavement Management System (PMS)*, *Drainage Management System (DMS)*, *Congestion Management System (CMS)*, *Safety Management System (SMS)*, *Maintenance Management System (MMS)*, *Rockfall Hazard Management System (RHMS)*, *Smart Growth Management System (SGMS)*, *Pedestrian Safety Management System (PSMS)*, and *Freight Management System*.

Requested data from most Management Systems is usually obtained within two (2) weeks of the request date. Safety data is usually provided within four (4) weeks, however, the Bureau of Safety, Bicycle and Pedestrian Programs will accommodate a shorter turnaround, if justified.

### **The Project Manager:**

- Submits an email request to the appropriate NJDOT service area requesting the following information for the given location. The request should include a brief description of the problem being investigated, exact location (milepost), municipality and county.
  - Relative ranking on the management system
  - Final bridge rating
  - Available traffic counts and work orders
  - Recently completed work-orders/projects
  - Other relevant information
- Compiles the information obtained.

## **Determine Mapping Level and Resources Required (2020)**

Base mapping is required for most projects, however, the level of mapping required for each phase of project development can vary. The level of mapping needed for the CD Phase depends on the problem being investigated. CD Phase mapping needs should be determined based on anticipated project constraints, project complexity and funding. The Project Manager coordinates with the Bureau of Survey Services to help determine mapping needs and whether mapping will be provided by a Designer.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.



For pavement resurfacing projects (Mill X, Pave X, plus 1”), a Pavement Recommendation is obtained prior to the CD Phase that determines the appropriate mapping needs. Due to limited seasonal availability to conduct aerial survey, Limited Scope projects may acquire design level mapping under a separate agreement. If so, the mapping is then provided to the Designer to be used during the FD Phase.

For most projects, the following considerations shall be made for base mapping:

- Bandwidth is the ROW width plus 30’ on either side of curb.
- If the subject roadway intersects a state highway, the mapping should include the entire lengths of the ramps.
- If the subject roadway intersects either county or local roads, the mapping should include the entire ramp that is under NJDOT jurisdiction. (Note: NJDOT will sometimes enter agreements with local municipalities to rehabilitate the entire ramps that may not be under NJDOT jurisdiction.)

**The Project Manager:**

- Obtains aerial maps (GIS or DEP aerials are suitable) for the length of the roadway to be paved
- Provides Survey Services Designer with the information

**Obtain Stakeholder Input (2025)**

In addition to internal NJDOT Management System owners and SMEs, sometimes various external stakeholders need to be solicited for additional data or information that the NJDOT does not gather. Additional data needs will depend on the type of project. This may include a copy of the municipal master plan, traffic studies conducted by the county or local municipality, bicycle/pedestrian plans, trails plans, station area access plans, and information about recently completed or pending work orders.

**Develop Community Profile (2030)**

A Community Profile provides comprehensive information about the community within a proposed project study area. It describes the population and land use of the area, identifies where key community facilities such as schools, churches, community centers, hospitals, etc., are located and identifies where the protected populations (Environmental Justice) are located and what languages are spoken in the community and what facilities could be impacted by transportation decisions. The profile helps to determine the type of outreach strategies to employ, whether project information should be provided in a language other than English and whether the proposed project will have a negative or no effect on the community or enhance it.

The profile and stakeholder list should be updated as the study progresses and more information about the community and surrounding area is obtained.

**The Designer or Project Manager:**

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- Obtains US Census demographic data for the study area, locates and identifies any protected populations in the study area [www.factfinder.census.gov](http://www.factfinder.census.gov)
- Checks the municipal website for historical and current data including any historic districts or special zoning districts.
- Visits the study area. Use the Community Profile Checklist to take an inventory of the study area. Identify any major sites, destinations and trip generators within or proximate to the study area (e.g., educational institutions, transit stations, senior centers, medical centers, businesses, community facilities, parks). Also, identify where the residential areas are and where the protected populations (if any) are located.
  - Takes photographs
  - Analyzes the site's multi-modal capacity; describes existing accommodations and any physical or perceived impediments for bicycle and pedestrian travel; makes note of where people are walking/riding; where sidewalks are missing; potential for bike lanes/paths; the presence of street furniture, lighting and shade trees; where bus stops are located; access to bus stop; where people are congregating, shopping etc.; note evidence of community cohesion; does the existing transportation facility provide the only convenient transportation connection/linkage among land uses in the local area or region.
  - Talks to people. Find out who the community leaders are and where the community meetings are held.
- Use the information collected during the field visit and the demographic data obtained from the US Census to develop the Community Profile.

## **Prepare and Execute CD Public Involvement Action Plan (2035)**

The Public Involvement Action Plan (PIAP) outlines the plan to inform and obtain input from the public on the proposed project. Early public input helps the NJDOT understand the transportation problem and how actions we take to solve the problem might impact the public.

Use information gathered in the Community Profile about the population within the study area and any other historic information about the population to develop the PIAP. The Division of Community and Constituent Relations (CCR) is a good resource to help understand the political climate of the area, how the residents perceive the Department, and how likely they are to attend meetings. This information helps to ensure that the appropriate outreach strategies are utilized.

The level of public involvement will depend on the scope of the proposed project and its perceived impacts. Adjustments to the plan might be necessary as the study advances and more information is obtained. At a minimum, a Public Information Center (PIC) should be held for every potential project.

### **The Project Manager:**

- Visits the study area during the development of the Community Profile
- Identifies the target population (ethnicity, median age, education, transit ridership, etc.)
- Develops an initial stakeholder list (local residents, businesses, community organizations, advocacy groups, elected officials).
- Develops a draft public involvement program for the study. This should include:

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- a list of activities/meetings
- a purpose and objective for each meeting
- a target audience for each meeting
- Coordinates with CCR for input
- Provides Designer with a copy of the PIAP for their use to help develop the fee proposal. Allow for some flexibility as consultants might have suggestions/recommendations.
- Sends draft PIAP to CCR for comment
- Incorporates comments and forwards to CCR for signature
- Sends copy to Designer

### **Develop Draft CD Schedule (2045)**

A Primavera schedule is required in each project delivery phase for every capital project. Schedulers assist the Project Managers in developing the CD Phase and PE Phase schedules.

The Project Manager submits a *Baseline Schedule Request Form* to the Office of Schedule and Budget Management and requests that the project be either placed in the “What If” or “Active” area.

- The Project Manager provides the Scheduler with a copy of the CD Scope Statement.
- The scheduler develops a schedule based on the activities in the CD Scope Statement.
- The Project Manager reviews and provides feedback to the scheduler for revision.
- The Project Manager provides a copy of the schedule to the Designer to aid in the development of the CD fee proposal.
- The Designer provides input on the schedule.
- The Project Manager works with the Scheduler to finalize the schedule. The schedule should be finalized before the Task Order is executed. The Executive Regional Manager and Director must concur with the schedule.

### **Approve CD Schedule (2046)**

The Project Manager reviews the customized schedule and forwards it to the ERM for approval. Once approved, the schedule is active.

### **Develop CD Fee Proposal (2050)**

A man-hour cost estimate is a detailed list of anticipated hours required to perform each activity in the scope of work, associated cost and consultant staff expected to perform the activity.

To effectively negotiate the fees for the CD Phase, the Project Manager develops a man-hour cost estimate. Project scope and complexity will determine the amount of hours needed to complete each activity within the CD Phase.

#### **The Project Manager:**

- Submits the CD Scope Statement, schedule and PIAP to the Designer and requests a fee proposal (in Excel format) for the CD Phase work.
- Prepares an Excel spreadsheet with a man-hour estimate based on the CD Scope Statement and obtains input from the Executive Regional Manager or SMEs.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- Compares the Designer's cost estimate with the Project Manager's man-hour estimate and negotiates a fee that is acceptable to both parties (Fixed-fee for normal projects falls between 18% or 19.5% of Direct Labor).
- Requests three originals of signed Notice to Proceed (NTP) forms and a final scope of work once both parties are in agreement with the proposed fee.

### **Update PRS (2055)**

The Project Reporting System (PRS) is the official internal clearinghouse for information on all NJDOT Capital Projects and can only be updated by NJDOT personnel.

The information in the PRS is used to provide the content for the Capital Project Status Report. The report is published monthly and contains general information, project status and schedules for all NJDOT Capital Projects. It serves as a reference for NJDOT management and the MPOs. The Project Manager is responsible for ensuring that the information in PRS is accurate and current.

- The Project Manager obtains the UPC and DB number from the Bureau of Capital Program Development.
- The Project Manager submits the *Bureau of Program Support Services Project Reporting Action Form* (by email) to the Bureau of Program Systems Management to have the new project entered into PRS.
- The Bureau of Program Systems Management notifies the Project Manager that the proposed project has been entered in PRS.
- The Project Manager updates PRS by populating the fields on each tab with available information.
- The Project Manager updates PRS monthly (at a minimum)

### **Submit Final Fee Proposal (2056)**

The Designer submits the final Fee Proposal to the Project Manager for review. The Project Manager uses the Designer's Final Fee Proposal to prepare the CD schedule and execute the CD task order.

### **Execute CD Task Order (2060)**

Once the Designer and the Project Manager are in agreement on the scope, schedule and cost for the CD Phase, the Designer develops the Notice to Proceed (NTP), signs three originals, attaches a copy of the final CD Scope Statement, fee proposal and schedule and submits to the Project Manager for execution.

- The Project Manager reviews the NTP, signs the three originals and forwards with the CD Scope Statement, fee proposal and schedule to the Executive Regional Manager for review and approval.
- The Executive Regional Manager reviews and signs the NTP forms. The Executive Regional Manager submits a signed NTP form to the Contract Manager for entry into the Financial Management Information System (FMIS).
- The Contract Manager submits the NTP, CD Scope Statement, fee proposal and schedule to administrative staff for circulation. One original will be mailed back to the Consultant.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- Finally, the Project Manager instructs the Consultant to begin work.

### **Start Design Communications Report (2065)**

The Design Communications Report (DCR) is a tool to help control project scope, schedule, and budget and improve overall quality. It documents important design decisions made during the CD Phase and throughout the life of the proposed project. These decisions are specific to design elements such as geometrics, bridge, sidewalk, drainage, ROW, access, environmental, etc. The DCR also documents critical constraints encountered and rationale for decisions made during the CD Phase and life of the proposed project. It is not intended to document project management strategies.

The DCR is prepared by the Designer during the CD Phase and updated as the proposed project advances and major decisions are made.

- The Project Manager provides the UPC number to the Designer.
- The Designer submits the draft DCR to the Project Manager for approval.
- The Project Manager and NJDOT SMEs review and approve the DCR.
- The Designer submits a signed DCR signature sheet to the Project Manager for approval. The Project Manager signs the sheet and returns it to Designer.
- The Designer uploads the approved DCR into PMRS.
- The Project Manager verifies that the approved DCR has been uploaded.

### **Conduct Traffic Counts (2100)**

Traffic Counts tell the planner how many and which types of vehicles are using the facility. Counts are needed to forecast future traffic volumes and conduct Level of Service (LOS) analysis. Roadways with a high percentage of truck traffic may require certain geometric design features to accommodate truck traffic. Roadways with a large number of pedestrians or with a potential for significant pedestrian traffic may require geometric considerations to reduce crossing distances or additional crossing opportunities. Traffic data also helps to determine the number and length of lanes required in the roadway design. Traffic counts also help to determine the best detour route for motorists, pedestrians and bicyclists. The NJDOT Data Warehouse should first be checked to identify if there are existing, usable counts.

During Concept Development, the Project Manager will determine whether the Designer or Bureau of Traffic Data Development (BTDD) will conduct the traffic counts. This is normally reflected in the CD Scope Statement. BTDD will usually perform traffic counts for small scale projects (pavement resurfacing, bridge deck replacement or others) through their Task Order Agreements.

Unless otherwise indicated, counts should be taken for at least 48-72 hours on Tuesdays, Wednesdays and Thursdays during non-holiday weeks. Turning movement counts should be conducted during AM and PM peak hours. Roadways with seasonal characteristics may require counts to be taken on Saturdays and possibly on weekends. Weekend counts should also be included for staging and detour analysis.

- The Task Order Consultant develops a traffic count program with the approval of the Project Manager as indicated in the CD Scope Statement and conducts the traffic counts for the study

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

at an appropriate time. The program can include the use of Automatic Traffic Recorders (ATR), manual counts, vehicle classification counts, intersection turning movements, origin and destination surveys and pedestrian/bicyclist counts, depending on the problem being investigated.

- The Designer is required to electronically submit all traffic counts to DPM and BTDD.

### **Perform Supplemental Data Collection (2105)**

The Project Manager or Designer should be able to identify any additional information that might be needed and what requested information was not received. If necessary, follow-up requests should be made to Management System owners, other NJDOT SMEs, as well as external sources.

Requests for NJDOT data should be made by the Project Manager.

#### **The Project Manager:**

- Develops a list of all data and information needed, including Management System data that has not been received.
- If needed, submits an Engineering Documents Unit Plan Request Form to the Engineering Documents Unit (EDU) for as-built construction plans, ROW and jurisdictional plans.
- If needed, requests traffic signal plans and jurisdictional documents from the Bureau of Traffic Engineering and Investigations and the Jurisdictional Unit respectively. This request should include route number, milepost, municipality and county.
- Instructs Designer to request other pertinent documents and information from appropriate external sources.

### **Prepare ADA Compliance Curb Ramp Design Checklist & Memo (2106)**

To fulfill Title II of the Americans with Disabilities Act (ADA), the Designer should complete the ADA Compliance Curb Ramp Design Checklist while performing a field visit. The results of this data collection should be summarized in a memo and submitted with the completed checklist to the Project Manager

### **Forecast Travel Projections (2110)**

Projected traffic volumes are used as estimated traffic volumes during the design life of the proposed project. Travel projections are essential in the CD Phase to ensure that the appropriate solution is developed for the roadway. The design life of pavement depends on the projected traffic volume and heavy truck percentages.

Traffic volumes should be projected for 20 years beyond the anticipated construction completion date for all improvements except pavement resurfacing which is projected for 10 years.

Utilizing the traffic data collected in Activity 2100, the Designer or Project Manager forecasts the traffic volumes and bicycle and pedestrian usage for the study area. The Project Manager reviews projections performed by the Designer to ensure that the appropriate growth rate is used and that the methodology used is acceptable to the Department.

The Project Manager may contact the Bureau of Statewide Strategies to obtain the growth rate for the proposed project study area. This growth rate must be analyzed with demographic and historical data

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

to determine an overall appropriate rate. Specific planned developments should be accounted for in the overall background rate and added without any additional growth.

### **Prepare CD Mapping (2115)**

Based on the mapping needs determined in Activity 2020, the Designer prepares base mapping for the Concept Development effort to the point agreed upon with the Project Manager.

### **Conduct Field Inventory of Physical Conditions (2120)**

It is imperative that the Project Manager becomes thoroughly familiar with the study area of the proposed project. Multiple site visits may be necessary over the course of the study. The purpose of these visits will be to conduct a site analysis and observe traffic and pedestrian circulation patterns and document existing conditions, taking note of utilities, drainage, ITS, environmental constraints and potential stakeholders. Verify information previously obtained (e.g., structure number) and other issues not covered in the problem statement. Utilize the Complete Streets Checklist while performing the field inventory.

Depending on the transportation problem to be solved, it will be very useful to bring appropriate SMEs on these field visits. Sometimes it may be necessary to have local SMEs such as local police or municipal engineer or representatives from outside agencies participate. Coordinate with the appropriate agency/personnel.

#### **The Project Manager:**

- Determines an appropriate day for the field visit.
- Prepares study information to distribute to attendees. This may include: maps, SLD of the site, Problem Statement, bridge inspection report, Structural Inventory and Appraisal (SI&A) sheet, etc.
- Identifies the appropriate SMEs, disseminates the study information and requests their presence on the field visit.
- Reserves a vehicle for the trip.
- Debriefs SMEs, identifies possible solutions and collects information gathered by each SME either in the field or within an established time after returning to the office.

### **Assess Initial USCG Bridge Permit Applicability (2122)**

If the project involves construction, reconstruction, or modification of a bridge over navigable waterways as defined in 33 C.F.R. 2.36, the Designer determines if the project meets the exception criteria under (1) Section 107 of the Coast Guard Authorization Act of 1982, (2) 33 CFR Section 115.70 (Advance Approval of Waterways), or (3) under 23 U.S.C. 144 (c). The Designer confirms the determination with the Project Manager and prepares the Bridge Exemption Package.

### **Submit Bridge Exemption Package (2124)**

The Designer submits the Bridge Exemption Package to the Project Manager who distributes it to the Structural Value Solutions Unit (SVS) for review. Upon SVS approval, the Project Manager signs and submits the package to the United States Coast Guard (USCG) District Bridge Office (DBO) or

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

FHWA, depending on the source of the project funding and the type of exemption. The exception determination at 23 U.S.C. 144 (c) is reserved for FHWA-funded projects and must be made by FHWA. The package is sent with a cover letter describing the project, the anticipated timeline, and specifically requests USCG DBO concurrence with exception finding as well as a determination of the need for lights and signals per 14 U.S.C. Section 85 and 33 CFR Part 118.

### **Identify Substandard Design Elements (2125)**

All existing controlling substandard design elements and their limits should be identified during data collection. This is done to determine the severity of the substandard design elements and whether they are contributing to the problem and need to be brought up to standards. The Designers and the appropriate NJDOT SME will assist the Project Manager in this effort.

Once the substandard features have been identified and determined to be a contributing element to crashes in the vicinity, a decision will be made on the course of action to be taken. Some of the things that will need to be considered include:

- If the substandard element is not corrected as part of the proposed project, will this preclude NJDOT from correcting the substandard element in the future?
- How will correcting the substandard design element affect the scope, schedule and cost of the proposed project?
- If not corrected, will it impact the safety of the road users?

Decisions must be documented in the DCR. The Designer identifies all substandard design elements within the study limits and analyzes crash records to determine if there is an overrepresentation of crashes within or adjacent to the limits of a substandard element.

The Project Manager consults with NJDOT SMEs to determine what action, if any, should be taken with the substandard element. This can be done at the Scope Team or Core Group meeting or in a special meeting with the appropriate SMEs. The SMEs should be provided with the supporting data for their review.

### **Obtain written concurrence of exemption from US Coast Guard (2126)**

The United States Coast Guard (USCG) District Bridge Office (DBO) reviews the Bridge Exemption Package and sends the determination to the Project Manager. The Project Manager directs the Designer to prepare a DCR entry indicating the determination, duration and conditions of the exemption; and informs NJDOT SMEs and FHWA. Once USCG exemption is granted, further coordination and additional submittals may be requested by the USCG. (Note: This request will usually be incorporated within USCG's response to the bridge exemption package. Additional submittals may include lights/signals, a notice of any work which may be an obstruction to navigation, bridge maintenance project plan and drawbridge temporary deviation (for movable bridges))

### **Submit USCG Project Initiation Request (2128)**

If United States Coast Guard (USCG) District Bridge Office (DBO) exemption is not granted, the Designer prepares and submits the USCG Project Initiation Request to the Project Manager who

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.



distributes it to the Structural Value Solutions Unit (SVS) for review. Upon SVS approval the Project Manager submits the package to the USCG DBO. Upon receipt of the Initiation Letter, the USCG DBO will publish public a notice to gather navigation-related information from waterway users and stakeholders. If necessary, the Project Manager holds an early coordination meeting with USCG DBO, the Designer and SVS to discuss issue identification, identify the need for and scope of Navigation Impact Report (NIR), and determine the appropriate documentation requirements for a complete bridge permit application. Upon submission of the Project Initiation Letter, the USCG issues a public notice to solicit comments for navigational concerns and advertises the bridge project in the Local Notice to Mariners. This would occur before the first PIC and perhaps before the first local officials briefing; OCCR should be informed early.

### **Coordinate with Local Officials (2130)**

Communication with the affected municipality is necessary for every study. However, the Project Manager, in consultation with the Public Involvement Action Plan and the Division of Community and Constituent Relations (CCR), will determine the appropriate time to reach out to the local officials.

If necessary, a face-to-face meeting can be arranged. The Project Manager can authorize the Designer to contact the municipality via email or telephone to solicit input or request data. A NJDOT representative should be present at all meetings with local officials.

### **Prepare USCG Participation Request & Submit to FHWA (2132)**

The Project Manager prepares and provides the FHWA with the formal request for the United States Coast Guard (USCG) to be a cooperating or participating agency in the environmental review process when a USCG bridge permit is required.

### **Submit USCG Participation Request (2134)**

The FHWA submits the request to participate in the environmental review process to the United States Coast Guard District Bridge Office.

### **Perform Environmental Screening (2135)**

An Environmental Screening is performed to identify potential environmental issues or “fatal flaws” (wetlands, protected flora and fauna, parkland, etc.) that could influence the selection of the Preliminary Preferred Alternative (PPA). Potential issues identified in Concept Development will be further investigated during Preliminary Engineering.

A determination is made during the initiation of the CD Phase whether the screening will be performed by the Bureau of Landscape Architecture and Environmental Solutions (BLAES) or the Designer. If the screening is to be done by BLAES:

- The Project Manager sends a request to the BLAES Manager to have an Environmental Specialist assigned to the study. The Project Manager sends a memo to the assigned Environmental Specialist with a copy to the BLAES Manager requesting the Environmental Screening. The request must include a map or aerial of the study area. The map(s) or aerial(s)

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

shall be at a reasonable scale (project specific), and shall have the proposed study area depicted. Ideally, the Environmental Specialist would have attended the field visit.

- The Project Manager meets with the Environmental Specialist to discuss the proposed project scope and schedule.
- The Environmental Specialist prepares an Environmental Screening Report (ESR).
- The Project Manager provides the Designer with a copy of the final ESR.

### **Obtain USCG Participation Acceptance (2136)**

The United States Coast Guard District Bridge Office reviews the participation request and provides written acceptance of participation to the FHWA. The FHWA provides a copy of the participation acceptance to the Project Manager who distributes a copy to the Structural Value Solutions Unit and the Bureau of Landscape Architecture and Environmental Solutions.

### **Prepare Navigation Impact Report (2138)**

With identified elements provided by the United States Coast Guard District Bridge Office, the Designer prepares a Navigation Impact Report (NIR) which analyzes the navigational impacts of the bridge design alternatives. The report is intended to document current and potential future navigation on the waterway and should be updated periodically to account for changes waterway usage. As part of the NIR, the Project Manager and the Office of Government and Community Relations receives and addresses public comments on navigational aspects. The NIR should consider present governing bridges or aerial structures and any established guide clearances along the waterway, channel, tidal and hydraulic characteristics, present and prospective commercial and recreational uses, channel maintenance and any existing or planned federal navigation projects, access for maintenance of bridges and other structures in or along the water, river access points including fenders, docks, marinas and ramps, and any other natural or man-made conditions that affect navigation. The report should also consider whether mitigation measures may be possible for impacted waterway users.

### **Review Environmental Screening (2140)**

This task will only be necessary if the Designer performs the environmental screening. The Bureau of Landscape Architecture and Environmental Solutions (BLAES) specialist assigned to the study should be the reviewer.

- The Designer submits the environmental screening to the Project Manager.
- The Project Manager submits a copy of the completed environmental screening to the BLAES Specialist.
- The BLAES Specialist reviews and provides comments or recommendations.
- The Designer makes revisions based on the comments.

### **Obtain Preliminary Navigation Clearance Determination (2142)**

The Designer submits the Navigation Impact Report (NIR) to the Project Manager who distributes it to the Structural Value Solutions Unit (SVS) for review. Upon SVS approval the Project Manager submits the NIR to the United States Coast Guard (USCG) District Bridge Office (DBO). The USCG

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

DBO reviews the NIR and the Designer addresses any comments or provides additional information as requested. Once all comments are addressed and review is complete, the USCG DBO provides a Preliminary Navigation Clearance Determination (PNCD) to the Project Manager. The Project Manager distributes a copy of the PNCD to the Designer and SVS. The PNCD is valid for three years and should be used in the evaluation of design alternatives.

### **Conduct Field Survey for Hydrologic & Hydraulic (2144)**

The Designer conducts a field survey for Hydrologic & Hydraulic (H&H). This survey must provide the existing field conditions for all drainage, culvert, bridges, ditches or other structures that transfer stormwater, streams or tributaries within 200 feet of the projects. This includes material, elevations, sizes, inverts, grate elevations, low chord and parapet elevations, and median or other barriers over all water features. If the project has a high potential of impacting flood elevations (e.g., change in hydraulic opening, creation or removal of obstruction, elevation of roadway, changes to piers, fill in the floodway), perform additional survey of the stream channel as necessary to model the stream hydraulics. Note: Additional or expanded stream survey for projects with high potential of impacting flood elevations should only be done upon consultation with the H&H SME.

### **Obtain Maps & Data for Hydrologic & Hydraulic (H&H) Analysis (2145)**

The designer obtains the following data and information:

- NJDEP Flood maps, FEMA flood maps, and associated flood elevations, peak flows or Flood Insurance Study reports
- Land Use/Land Cover maps from NJDEP for study area
- LIDAR, USGS or other digitally available topography
- Evaluate all StreamStats mapped streams at or near the project area and provide maps of all streams shown with Drainage Areas.
- Obtain soil survey maps (Arc/Info coverage) from the Natural Resource Conservation. Service (NRCS) and Land Use maps (Arc/Info coverage) from NJDEP for the study area.
- Geo-reference all digital maps to the NJ State plane coordinate system.

### **For Limited Scope Projects, the Designer, through BLAES E-Team, obtains a determination from NJDEP whether a crossing to address fragmentation of wildlife passage is required. Prepare Drainage Area Maps (2150)**

#### **The Designer:**

- Prepares drainage maps indicating the following :
  - watershed boundaries that contribute storm water runoff to the proposed site
  - drainage area boundaries and any additional drainage features identified in the study area
  - existing drainage areas contributing runoff to the roadway
- Determines runoff from NJDOT right of way
- Determines runoff from offsite contributing areas to the roadway

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- Determines if offsite runoff can be separated from NJDOT drainage systems to reduce the volume of water
- Determines the volume of water to be treated which will provide a clear understanding of SWM measures and sizes required for the specific project area.

### **Send Utility/Railroad Contact Letter (2155)**

Utility impacts are very common to most NJDOT projects. Addressing these impacts requires coordination with the owners of all utilities encountered on each project site. The utility companies need to verify the location of their facilities or infrastructure so that a determination can be made about potential impact. They also need to provide the NJDOT with an order of magnitude utility engineering design cost estimate to perform design services.

Existing surface utilities should have been identified during the Field Inventory of Physical Conditions (2120). This should have alerted the Project Manager to all the surface utilities in the study limits and possibly the potential for sub-surface utilities as well. Because the sub-surface utilities are harder to detect, the Department relies on the utility owners to identify exactly where their infrastructure is located.

The Utility Contact Letter is the first contact the Department makes with the utility company to inform them of the pending project, request the contact information of the person in charge of the study area and solicit a cost estimate for utility engineering design.

#### **The Designer:**

- Prepares a list of all utility owners serving the study area, confirms the regional utility contacts with the Project Manager and sends them each a copy of the Utility Contact Letter.
- Informs the Project Manager of the utility company responses.

### **Validate and Compare with Regional Model (2160)**

Travel projections using the developed growth rate are compared with the MPO's Regional Models for accuracy and consistency. This is very important for congestion related studies.

The Designer coordinates with the appropriate MPO Models.

### **Obtain Crash Records (2170)**

If the necessary crash data was not obtained in Activity 2015, a Crash Analysis Form should be completed and sent to the Bureau of Safety, Bicycle and Pedestrian Programs (BSBPP).

- The Designer completes the Crash Analysis Form to obtain the crash history for the most recent three years and sends it to the Project Manager.
- The Project Manager forwards the request to the BSBPP.
- The BSBPP compiles the requested crash records (e.g., crash rates, collisions involving bicyclists and pedestrians, summaries, details and statewide averages) and sends to the Project Manager.
- The Project Manager forwards the crash records to the Designer.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Prepare Utility/Railroad Risk Assessment Plan (2175)**

Utilizing data obtained in Activity 2120 (Conduct Field Inventory of Physical Conditions) and utility information obtained in Activity 2155 (Send Utility /Railroad Contact Letter), prepare the Utility Risk Assessment Plan. This plan will be utilized to complete the utility section within the Project Fact Sheet.

### **The Designer:**

- Assesses for potential high risk utility impacts and notes those impacts on the plan.
- Consults with the utility companies to prepare the Utility Risk Assessment Plan.
- Informs the Project Manager of project specific utility risks.

### **The Project Manager:**

## **Decides if the specific utility risks should be included these within the project Risk Register. Prepare Crash Analysis & Crash Diagram (2200)**

Highway crashes are a strong indicator of whether a segment of roadway with deficient or substandard elements is a priority for improvements. They also identify unsafe areas of roadway where repairs may be needed.

An analysis of crash types (motor vehicle, pedestrian and bicycle) and severity will demonstrate the type of improvements necessary. The analysis will also justify whether or not a particular design element must be corrected by providing documentation for design exceptions.

This information will be useful at scope team and core group meetings.

### **The Designer:**

- Prepares the collision diagram from the crash data obtained from the Bureau of Safety, Bicycle and Pedestrian Programs.
- Plots all crashes on one diagram
- Analyzes the data to identify types of overrepresented crashes and any substandard features that may be the contributing element.

## **Conduct Existing Traffic Analysis (2205)**

Level of Service (LOS) Analysis is necessary to determine the existing capacity of the roadway. The analysis is usually conducted for the existing year, construction year and design year no-build condition.

This information will help the Department to determine whether improvements to the roadway are warranted. It also helps to determine the amount of widening and appropriate improvement for the location. The Designer should be aware that LOS only measures conditions from a driver's perspective and ignores the perspective of other users such as pedestrians and bicyclists. Examples of projects that could improve motor vehicle LOS but worsen conditions for pedestrians and bicyclists include removal of existing shoulder; narrowing of curb lane; creating large corner radii; or widening an intersection. When performing LOS analysis, the Designer should consider the perspective of all roadway users.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

**The Designer:**

- Performs LOS analysis for the study location using Highway Capacity Software, SYNCRO or equivalent software.
- Documents results of the analysis in the Project Fact Sheet and Alternatives Matrix.

**Conduct Scour and Seismic Retrofit Analysis (2210)**

Scour and seismic retrofit analysis is performed to assess the structure for seismic retrofit eligibility, scour countermeasures and other deficiencies. The Bridge Inspection Report and the Structural Inventory & Appraisal Sheet (SI&A) should indicate if the structure is scour critical. Seismic analysis will depend on the type of structure and the scope of work planned.

**The Designer:**

- Determines if a Seismic Retrofit Analysis is necessary with the NJDOT SMEs concurrence
- Performs Seismic Retrofit Analysis for the most feasible alternative
- Develops scour countermeasures if the structure is determine to be scour critical

**Perform Conceptual Hydrologic & Hydraulic (H&H) Analysis (2230)**

A Hydrologic and Hydraulic (H&H) Analysis is usually performed to determine the appropriate bridge opening and culvert size needed to discharge the flood waters of a 25 or 100 year flood event. It also helps in the design of a collection and conveyance system for highway drainage.

As undersized structures can cause flooding, it is equally important to ensure that a structure is not over-designed adding unnecessary cost to the proposed project.

**The Designer:**

- Surveys the cross section of the stream/waterway and bridge fascia opening and performs the H&H analysis for the waterway.
- Determines if the existing opening is sufficient or needs modification.
- Consults with the Storm Water Management (SWM) SME and the State Department of Environmental Protection (DEP) to discuss findings, modifies if necessary.
- Makes adjustments to the alternatives as needed.

**Conduct ITS Needs Assessment (2235)**

The NJDOT Intelligent Transportation Systems (ITS) database provides information on existing ITS facilities statewide.

This database should be reviewed to determine if there are existing ITS facilities within the study area. When developing ITS recommendations, the Bureau of Intelligent Transportation Systems Engineering should be consulted to determine if any additional ITS facilities are planned or recommended. Utilize the following guidelines:

<https://dot.nj.gov/transportation/eng/elec/ITS/ITSDB.shtm>

<http://dot.nj.gov/transportation/eng/elec/ITS/guidelines.shtm>

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Prepare Project Fact Sheet (2240)**

The fact sheet describes the problem being investigated and summarizes the available information. It identifies the location of the problem, describes the problem and includes management system and other data (e.g., congestion ranking, crash data, existing traffic analysis) that is useful in highlighting the nature of the problem being investigated. It should be updated as new information is obtained.

The Fact Sheet serves several purposes. It is primarily used as a public outreach document. It provides a snapshot of the study and is used both internally and externally and can be tailored for different audiences. For example, a fact sheet that is developed for internal use may need to be revised for the public by minimizing use of technical jargon.

- The Designer prepares a draft fact sheet and submits to the Project Manager for review.
- The Project Manager reviews and provides comments.
- The Designer revises and finalizes the document.

## **Determine Complete Streets Exemption (2244)**

The Designer will review the Complete Streets Policy and Complete Streets Handbook and determine if the project is exempt from all Complete Streets Comprehensive Solutions. If the determination is that the project is exempt, the Designer will provide and submit justification to the Project Manager.

## **Obtain Complete Streets Exemption Concurrence (2246)**

The Project Manager reviews the Designer's recommendation and justification and completes the project exemption certification section in the Concept Development Complete Streets Checklist. The Project Manager submits the checklist and the justification to the Bureau of Safety, Bicycle & Pedestrian Programs (BSBPP) for concurrence. BSBPP reviews the provided information and provides the Project Manager with notification of agreement or disagreement. If the BSBPP decision is not in agreement, the Project Manager escalates the issue to the DPM Manager, Director, and Assistant Commissioner level, as outlined in the Complete Streets Compliance Process Flow Chart, until concurrence is reached.

## **Prepare & Submit Draft CD Complete Streets Checklist (2248)**

For both Limited and Full Scope projects, the Designer completes the CD Complete Streets Checklist and provides it to the Project Manager for review. The Draft CD Complete Streets Checklist will be discussed at the Scope Team Meeting. The checklist information will help determine the applicable Comprehensive Solution (Type A, B or C) for the project.

## **Prepare Draft Purpose and Need Statement (2250)**

After the data analysis and coordination with local officials, the team is now able to adequately define the problem and prepare the draft Purpose and Need Statement.

The Purpose and Need of the proposed project is essential in establishing the basis for the alternatives developed and, eventually, the selection of a Preliminary Preferred Alternative. The Purpose defines the problem and the Need describes the supporting data for the problem. The Purpose and Need

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

Statement must be concise and comprehensible, and not be so narrowly defined that it unreasonably points to a single solution. The positive outcome that is expected should be stated. For example, a purpose may be to “reduce congestion in the corridor.” It should avoid stating a solution as a purpose, such as “the purpose of the proposed project is to replace the bridge.”

When preparing the Purpose and Need Statement, consider improving provisions for all roadway users (e.g., pedestrians, bicyclists, transit riders) in conformance with the Complete Streets Policy.

Goals and Objectives are sometimes included in the Purpose and Need Statement to address secondary issues that have been determined should be included in the proposed project.

For additional information:

- The Designer prepares the draft Purpose and Need Statement and submits to the Project Manager for review.
- The Project Manager and Environmental SME reviews and provides comments.
- The Designer revises the draft Purpose and Need Statement.
- The Project Manager solicits input from internal and external stakeholders (Scope Team and Local/Municipal Officials).

### **Prepare & Submit Final CD Complete Streets Checklist (2252)**

The Project Manager completes their portion of the CD Complete Streets Checklist and submits the checklist to the Bureau of Safety, Bicycle & Pedestrian Programs for approval.

### **Hold Scope Team Meeting (2260)**

Scope Team Meetings are designed to introduce the study to various SMEs and attempt to obtain input from all areas on the proposed project location. Scope team members will be able to hear concerns from other areas and may come to realize that solving one problem may create another.

Project Scoping is a TEAM effort. Therefore, it becomes critical that all scope team members thoroughly evaluate a proposed project and fully participate in the process.

#### **The Project Manager:**

- Assembles a list of SMEs which makes up the scope team.
- Schedules the meeting and notifies the attendees by email of meeting date and location.
- Sends study information to meeting attendees.

### **Review & Approve CD Complete Streets Checklist (2266)**

The Bureau of Safety, Bicycle & Pedestrian Programs reviews the Finalized CD Complete Streets Checklist and provides the Project Manager with their sign off. If the BSBPP decision is not in agreement, the Project Manager escalates the issue to the DPM Manager, Director, and Assistant Commissioner level, as outlined in the Complete Streets Compliance Process Flow Chart, until concurrence is reached.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.



## **Hold Initial Local Officials Briefing (2270)**

The Initial Local Officials Briefing is held to inform the local officials that the NJDOT is studying a problem in their jurisdiction, to discuss and obtain input on the Purpose and Need and solicit any additional information that might prove useful. Local support of the proposed project will help in acquiring a Resolution of Support at the end of the CD Phase. Additional coordination will vary depending on the complexity or controversial nature of the proposed project and detour of traffic.

The Initial Local Officials Briefing is scheduled by an Office of Community Relation (CCR) representative. The CCR coordinates with the municipal representatives (Manager, Administrator, Engineer, Planner or appropriate representative) to determine a time and location convenient for the local officials to meet with NJDOT staff and the Designer. The location is usually within the municipality's offices. The meeting should be set at least three weeks in advance.

Resources that may be brought to the meeting include a handout, study location map/aerial, profile plans, traffic flow diagrams, collision diagrams, environmental concerns and photographs. The Designer prepares the meeting handouts and presentation materials.

## **Complete Purpose and Need Statement (2280)**

The Purpose and Need Statement can be finalized once input has been obtained from key stakeholders (local officials, scope team). Alternatives development can begin once the Purpose and Need Statement has been finalized and the data analysis tasks have been completed. The Designer revises the draft Purpose and Need Statement based on the Project Manager's, Environmental SME and any applicable SME suggestions and incorporates input from the key stakeholders.

## **Develop Alternatives (2300)**

The key purpose of the Concept Development Phase is to explore feasible options and select the most cost effective alternative that best solves the transportation problem. Each option is weighed against criteria to determine the best solution. The underlying objective of each alternative should be to satisfy the Purpose and Need. Each alternative developed should consider avoiding or minimizing impacts to the community (e.g., displacement of residential or commercial property, impacts to access), the environment or utilities. Impacts to any of these entities will have to be mitigated which can considerably affect the proposed project cost and schedule. In addition to minimizing impacts to the environment, utilities, and the community, alternatives should incorporate appropriate design standards. Consideration should also be given to an alternative's constructability.

## **Obtain Stakeholder Input on Developed Alternatives (2310)**

Before the Preliminary Preferred Alternative is officially determined, it is necessary to obtain key stakeholder input on the alternatives being considered to determine community or key stakeholder preference. Stakeholders may include a Community Action Committee (CAC), County and Municipal officials, railroad owners or other agencies. This effort may require meetings with each group or soliciting feedback by email.

The Project Manager should reference the PIAP and Community Profile to determine if the study has the potential to be controversial and, therefore, would require additional meetings and input from key

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

stakeholders. Key community stakeholders can provide some input on the public involvement strategies being considered and in the identification of other interested parties.

- The Project Manager consults the PIAP and Community Profile to determine the stakeholders to be consulted.
- The CCR or Designer schedules the meeting.
- The Designer prepares meeting material.
- If meetings are not necessary, Designer sends materials to appropriate stakeholders via email for review.
- The Project Manager updates PIAP.

### **Establish Railroad Engineering Funding (2312)**

The Project Manager requests Federal Railroad Master Agreement (FRMA) Number and Change Order (CO) Number from the Utility Management Office. Utilizing the railroad preliminary engineering estimate obtained in Concept Development from the Utility (Railroad) Contact Letter, the Project Manager requests preliminary engineering funding from Capital Program Coordination. If no preliminary engineering estimate was received, an anticipated railroad design estimate is projected for the corresponding railroad company. Capital Program Coordination authorizes railroad engineering funding. For State funded projects, only Railroad Engineering Estimate is required to establish funding for Railroad Engineering and Construction Agreement (RECA).

### **Prepare Railroad Engineering and Construction Agreement (2314)**

For State Funded projects, the Project Manager prepares a Railroad Engineering and Construction Agreement (RECA). The Project Manager sends four (4) copies of the RECA to the railroad company. The Project Manager obtains the signed Railroad Engineering Construction Authorization (RECA) from the railroad company(ies) and forwards to the Deputy Attorney General (DAG) for review and approval. Once approval is received, the Project Manager prepares a Department Action Slip (AD-12) for each RECA for internal circulation and signature. Once the RECAs are executed, the Project Manager prepares letters of transmittal and sends the RECAs to the railroad company(ies).

### **Prepare Railroad Master Agreement Change Order (2315)**

#### **For Federally Funded projects, the Project Manager prepares Railroad Master Agreement Change Order (RRMACO). Execute Railroad Engineering and Construction Agreement (2316)**

For State Funded Railroad Engineering and Construction Agreement (RECA), Deputy Attorney General (DAG) review and approval is required for internal circulation and execution. Department Action Slip (AD-12) and signature of the railroad company is required

### **Execute Railroad Master Agreement Change Order (2318)**

For Federal Railroad Master Agreement Change Order (FRMACO), Deputy Attorney General (DAG) review and approval is required for internal circulation and execution. Department Action Slip (AD-12) and signature of the railroad company is not required.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Develop Preliminary Detour and Construction Staging Plans (2320)**

Construction staging plans are intended to identify the design of the construction zone, how the proposed project will be constructed (stages) and how the traffic will be managed during construction, including provisions for pedestrians and bicyclists when closing roads, bridges or sidewalks. The design of the construction zone should also incorporate the safety of the workers and the public within the work zone.

Depending on the scope and complexity of the proposed project, early consultation with Mobility Operations (Traffic Engineering and Construction is recommended to design a plan that is safe and cost effective with minimal impacts to the public.

Not all construction staging will require detour routes. However, when they do, a detailed analysis of the proposed detour route should be performed. The detour route should have the capacity for the additional vehicular volume. If necessary, contingency plans should be put in place to make appropriate improvements to the proposed detour route before construction.

### **The Designer:**

- Develops construction staging plans for the most feasible alternatives (not necessary to develop plans for all alternatives being considered)
- Prepares a construction sequence narrative that summarizes each stage
- Coordinates with Mobility Operations, to ensure that what is being developed is feasible and cost effective
- Coordinates with external stakeholders such as local municipal and county officials when local or county roads will be utilized as detour routes.
- Coordinates with North or South Mobility Operations and Mobility Engineering – Workzone. Coordination is performed to assure conformity with the people responsible for highway lane closings and detours on State highways. Traffic Operations provides guidance regarding the lane closure hours/days/duration for construction.

## **Preform Design-Build Screening (2322)**

The Project Manager (PM) makes available the following information to Alternative Project Delivery (APD) for a project with an estimated construction cost of \$20 million or more:

Management System Input

Stakeholder Input

Environmental Screening

Utility/Railroad Assessment Information

Project Fact Sheet

Purpose and Need Statement

Developed Alternatives

Risk Impact Assessment on Alternatives

Preliminary Construction Cost Estimate

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

APD consults with PM to collaborate with SMEs to initiate to Perform DB Screening;

Upon Development of Alternatives, APD will continue screening with select SMEs at the C-RA Workshop;

At the completion of Core Group Meeting, select SMEs will complete the DB Project Risk Checklist; As per the Design-Build Project Screening Guidelines, APD will submit project as a candidate, to utilize the Design-Build project delivery method, to the DB Screening Committee for final approval.

### **Review Preliminary Detour and Construction Staging Plans (2325)**

The Designer submits the Preliminary Construction Staging plans to the PM for Department review. This will be coordinated between the Traffic Workzone Unit, Traffic Operation Office (North/South) and the Office of Community and Constituent Relation for the complete assessment of the staging plans and any impact to local routes and the surrounding community. If it is determined that the proposed alternative may require detours during construction staging then the designer must develop preliminary detour plans in accordance with the latest policy and procedure for assessment of impacts due to proposed detours. Once the comments are received and reviewed by the PM, they will be provided to the designer for any needed revisions.

### **Perform Impact Assessment on Alternatives (2330)**

Each alternative should be evaluated based on its potential impact to ROW, utilities, access, drainage, SWM, construction cost, built and natural environment, walking, bicycling and transit conditions, etc. A comprehensive understanding of all components will ensure a more accurate assessment. The community profile and site visits will help determine the potential impacts of each alternative.

Alternatives might be eliminated at this point if the impact is deemed too great and not feasible. Impact Assessment will help in developing the Alternatives Matrix for comparing each alternative.

#### **The Designer:**

- Determines the impact of each alternative.
- Coordinates with the Project Manager to determine which alternatives are worthy of advancing.
- Documents the impact of each advancing alternative within the Alternatives Matrix.

### **Review Impact Assessment on Alternatives (2335)**

The Project Manager circulates the Impact Assessment to the Core Group for input and returns any comments to the Designer.

### **Develop Preliminary Construction Cost Estimates (2340)**

Construction cost estimates are essential to key decisions at various stages during the life of the proposed project. Cost estimates during the planning phase play an important role in the selection of the Preliminary Preferred Alternative (PPA). While estimates during this phase are basically conceptual, they should reflect good, consistent estimating standards. According to FHWA, estimates

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

at this phase should be based on historical averages of similar type projects based on scope and location type characteristics. *Trns•port* is NJDOT software that can be used to obtain historic construction cost data. Estimates done at this phase should include all costs for probable impacts to utilities, SWM mitigation, ROW and any others that might be determined by the alternative analysis.

Estimates made during the development of alternatives should also be revised and updated for the PPA before the CD Phase is finalized. Assumptions should be noted for future reference.

- The Designer develops a cost estimate for each alternative.
- The Project Manager consults NJDOT historic data to compare with the Designer's estimate.
- The Project Manager consults with the Utility Unit for utility cost estimates and the ROW Unit for ROW cost estimates.

### **Conduct Proposed Traffic Analysis (2350)**

Traffic Analysis is an important component to alternatives development and eventually to the selection of the Preliminary Preferred Alternative. Traffic analysis for each alternative helps to determine if a proposed solution will obtain the desired outcome. The scope of the analysis will depend on the proposed project and the anticipated impacts. Proposed projects that may have a regional impact might require the development of a project specific model to analyze the impact. Volumes of pedestrian and bicyclist users need to be included in the traffic analysis, if appropriate.

#### **The Designer:**

- Performs the Level of Service (LOS) analysis for each alternative for the existing year, the construction year and the design year (20 years beyond the construction year).
- Conducts a failure year analysis if an alternative fails prior to the design year.
- If necessary, develops a traffic simulation for the existing no-build condition and most feasible alternative, to analyze the conditions on a network-wide basis.

### **Conduct Data Driven Safety Analysis (DDSA) (2354)**

This activity is required for all projects indicated as candidate projects eligible for Highway Safety Improvement Program (HSIP) funds and for projects that are highlighted by the Bureau of Safety, Bicycle and Pedestrian Programs (BSBPP).

As stipulated in the current New Jersey HSIP Manual (page 9 of the manual), prospective HSIPfunded projects that cost more than \$250,000 are required to conduct DDSA.

The DDSA involves analyzing traffic volume and the roadway facilities' geometric, traffic operation and roadway characteristic in calculating crash frequencies using tools such as the HSM and its Part C spreadsheets. The Empirical-Bayes (EB) method, or other quantitative safety analysis tools, is required as applicable to the project.

The consultant/BSBPP (in-house staff) will conduct DDSA to include an economic appraisal that shows the Benefit/Cost Ratio (BCR) for at least three alternatives, one of which may be the no-build.

The consultant/PM should consult Highway Safety Manual (HSM), FHWA, and HSIP Manual for guidance on the methodology for which analysis applies to the project. BSBPP will provide the HSM input variables.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

The DDSA with the Benefit Cost Ratio (BCR), or other quantitative safety benefits, and report listing assumptions, data used and spreadsheets will be submitted to the Project Manager for all identified HSIP-funded eligible candidate projects. DDSA for prospective HSIP-funded projects are then forwarded by the Project Manager to the BSBPP for review and concurrence. The review of the analysis is described in A-2356 (DDSA Review).

DDSA, such as HSM analysis can also be used as a tool for calculating BCR as a criteria for selection of PPA on other (non-eligible HSIP) projects as well, at the discretion of the PM.

### **Review Proposed Traffic Analysis (2355)**

This is most important analysis for the congestion related or safety related problem statement. The analysis must be based on peak period traffic volumes on roadway network in or adjacent to the project limits. One of the critical factor in assessing the impacts or benefits of the proposed alternatives will be the outcome of the traffic analysis. This is probably Synchro Analysis or any other acceptable analysis for the project – However for project involving state arterials the acceptable software is either Synchro for isolated and multiple intersections or in some cases Highway Capacity Software (HCS) is also acceptable for the results of isolated intersections. However Synchro is generally preferred. The use of any another software has to be pre -approved by BTE. This can be reviewed for the probable conceptual solution and determined that which solution provide better solution to address the problem at hand. This must be reviewed by Traffic Engineering for their input and any comments must be addressed by designer prior to advancing further. For details regarding the analysis the designer is encouraged to coordinate through the project PM with the SME for clarification in addition to visiting the design guidelines.

### **Review Data Driven Safety Analysis (DDSA) (2356)**

This activity is required for all projects indicated as candidate projects eligible for Highway Safety Improvement Program (HSIP) funds and for projects that are highlighted by the Bureau of Safety, Bicycle and Pedestrian Programs (BSBPP).

The BSBPP will review submitted DDSA and report for prospective HSIP-funded projects to ensure conformance to DDSA methodologies in attaining the most accurate quantification of crashes and severities, relative to the existing and proposed conditions of the project.

Aside from relevant tool specific variables, such as Safety Performance Function (SPF) variables, the review will include checking the correctness of geometric and operational characteristics, the Crash Modification Factor (CMF) or other quantified safety performance variables for safety countermeasure/s, the project's compatibility to the selected DDSA tool such as, HSM Part C model being used, and the economic appraisal.

Upon completion of a review, the PM and consultant will be notified by BSBPP of the comments or acceptance. If corrections are needed, a revised DDSA will be reviewed again until BSBPP deems it acceptable. The consultant is required to submit a Comment Resolution Summary with the revised submissions, clearly indicating the changes/compliance with BSBPP comments

DDS Analyses should be used as a tool during alternative analysis to assist in the PPA decision-making process for all HSIP eligible projects and can be used for PPA selection for non HSIP

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

projects. The Project Manager will be responsible for the review and approval of submitted DDSA for projects that are not prospective HSIP-funded projects.

### **Eligibility Approval for HSIP Funding (2358)**

This activity is required for all projects indicated as candidate projects eligible for Highway Safety Improvement Program (HSIP) funds and for projects that are highlighted by the Bureau of Safety, Bicycle and Pedestrian Programs (BSBPP).

Upon completion of any revisions needed in the DDSA review of prospective HSIP-funded projects and having the revised analysis considered acceptable, BSBPP evaluates the project's eligibility approval for HSIP Funding.

The final decision will be shared with the PM. A copy of the approval shall be included with the authorization package for all HSIP funded projects. The approval might require collaboration with NJ FHWA.

### **Geometric Review for Design Exception (2360)**

The Designer prepares a memorandum listing the anticipated substandard elements for the alternatives being developed for Geometric Review and submits to the Geometric Solutions Unit, within the Bureau of Design Standards. The Designer requests Exception Crash Analysis Memorandum prepared by the Bureau of Safety Programs is included with the memorandum. The Project Manager also submits base mapping, and plans of each alternative, Project Fact Sheet and a discussion of the order of magnitude of what it would take to obtain the standard for each anticipated substandard element. This order of magnitude estimate would be a general idea of the issues (ROW, utilities, environmental, etc.) without getting into specific impacts (detailed costs, number of ROW parcels, permits, etc.) which would normally be obtained during further advancement of the project (preliminary engineering). The Geometric Solutions Unit reviews the package and provides the Project Manager with a decision on the likelihood a design exception would be approved.

For Limited Scope Study, the geometric review must be conducted and approved for Limited Scope Deck/Superstructure Replacements and other applicable Limited Scope projects that may alter roadway geometric features.

Design exception approval is only required for specific project types. These project types are detailed in the Project Customization Guideline. For these specific project types, the Project Manager notifies the Geometric Solutions Unit in advance of any upcoming requests for Geometric Review of substandard elements of the project requiring a design exception. The Project Manager provides the Geometric Solutions Unit with a list of substandard elements (with plans as available) and the crash analysis for the substandard elements.

### **Prepare Alternatives Matrix (2380)**

An alternatives matrix provides a comprehensive look at all elements, constraints, benefits, etc. of each alternative being considered for selection. A good matrix provides all the pertinent information

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

which will allow the key stakeholders to make an informed decision, ensuring that the most feasible and cost effective alternative will advance.

The matrix is usually provided to the core group for their review prior to the core group meeting. Therefore, providing the information in a format that is easily viewed is also as important as the information included in the matrix.

The matrix should define each alternative, list advantages and disadvantages, estimated construction cost, potential impacts and costs for utilities, right of way, access, environmental and historic impacts. The matrix should include constructability, design exceptions, design criteria, structural information and safety related information. If applicable, the matrix should also list pedestrian, bicycle and transit accommodations included for each alternative.

Included with the matrix should be the conceptual design plan of each alternative overlaid on the base map. Additional data such as traffic volumes and level of service analysis for each alternative should be included on each alternative's plan. The matrix should not be limited to the information listed above. The Project Manager and Designer can agree to add other information. The Project Manager should indicate the expectation for the matrix during scope development so that the consultant is aware of what is expected and what the final document should look like.

### **Coordinate with Permitting Agencies (2400)**

The Bureau of Landscape Architecture and Environmental Solutions (BLAES) is responsible for all coordination between the Department and external environmental permitting agencies. The Environmental Screening indicates the possible permits that might be required before a proposed project advances to construction. The number and types of permits required for a project depends on the location and potential resources. Multiple permits are sometimes necessary.

The following agencies are permitting agencies in New Jersey: Highlands Council/DEP, Pinelands Commission, Coastal Area Facility Review Act (CAFRA), Meadowlands Commission, Delaware and Raritan Canal Commission, State Historic Preservation Office, Division of Land Use Regulation Program, Army Corps of Engineers.

#### **The BLAES Specialist:**

- Makes a determination if early coordination is necessary for the study.
- Informs the permitting agency about the pending proposed project.
- Provides available information to the permitting agency.
- Invites the permitting agency to attend the core group meeting.

### **Conduct Concept Design Constructability-Risk Analysis Workshop (2415)**

#### **The Designer:**

- Coordinate scheduling of a Concept Design Constructability-Risk Analysis (CDCRA) Workshop
- facilitate the CDCRA workshop to collaborate on the review of the current Alternatives and Alternative Matrix

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.



## **Revise Alternatives Matrix (2420)**

As input from other SMEs is obtained, the alternatives matrix must be updated to reflect any changes or additions.

- The Designer revises the matrix and submits to the Project Manager for approval.
- The Project Manager reviews and approves revisions.

## **Perform Quantitative Risk Analysis (2425)**

For projects with a total construction cost over \$100 million and if approved by the Project Manager and concurred with by the Executive Regional Manager, the Designer performs quantitative risk analysis. Quantitative risk analysis provides the Project Manager and Core Group with additional cost and schedule impact information to assist in selecting the Preliminary Preferred Alternative.

Quantitative risk analysis results in a more accurate estimation of probability of occurrence and a numerical value in days of schedule impact and dollars of cost impact.

### **The Designer:**

- Includes each major risk for each alternative, utilizing the Sample Risk List as necessary.
- Calculates the probability of occurrence and magnitude of schedule and cost impact for each risk that is added to the worksheet.
- Performs quantitative risk analysis for each risk that has a high or very high probability of occurrence and a high or very high magnitude of impact.
- Documents the quantitative risk analysis in the Quantitative Risk Analysis Report.

### **The Project Manager:**

- Consults with the Designer to determine how best to calculate the cost and schedule impacts.

## **Hold Core Group Meeting (2430)**

The purpose of the Core Group Meeting is to solicit input from SMEs to aid in the selection of a Preliminary Preferred Alternative (PPA). Their involvement ensures that the alternative that is advanced to Preliminary Engineering (PE) is technically and environmentally sound.

- The Project Manager identifies the appropriate SMEs to attend the Core Group Meeting.
- The Project Manager coordinates with the Designer to determine an appropriate date for the meeting and prepares the necessary materials.
- The Project Manager schedules the meeting, reserves a conference room and sends out the meeting notice and study information to the appropriate NJDOT staff.
- The Project Manager and Designer present the alternatives to the group.
- The Project Manager moderates the meeting and leads the discussion towards the goal of selecting the PPA.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Conduct Value Engineering Review (2435)**

Value Engineering (VE) is defined as a systematic process of review and analysis of a project, during the concept and design phases, by a multidiscipline team of persons not involved in the proposed project.

For any project authorized by the FHWA prior to October 1, 2012, the FHWA requires that a VE analysis be performed on the project if the estimated cost is \$25 million or more (which includes project development, design, right of way, and construction costs) and on bridge projects with an estimated cost of \$20 million or more. For all projects authorized after October 1, 2012, the limits have been raised to \$50 million or more for roadway projects and \$40 million for bridge projects. Even though VE analysis is not mandatory for projects that fall below the new limit, the Project Manager is encouraged to request a VE study to ensure that the maximum improvements can be delivered on the limited budget. The Project Manager shall contact the VE Unit and give a briefing session.

Early Value Engineering involvement ensures that the selected Preliminary Preferred Alternative addresses the problem in a cost effect manner.

### **The Project Manager:**

- Arranges a briefing session for VE team members
- Arranges a field trip

## **Hold Local Officials Briefing (2440)**

A Local Officials Briefing is held to present the alternatives to the municipal and county officials to solicit their input. Resources that may be brought to the meeting include the Project Fact Sheet, map/aerial, alternative plans, profile plans, detour route, construction staging, traffic flow diagrams, crash collision diagrams, environmental concerns/screening, photographs, etc. The presentation will demonstrate and define the Core Group's draft PPA.

If the local officials support the draft PPA, a Resolution of Support is requested; which is issued by the Municipal Council. Sometimes a presentation to the Council is necessary to obtain the resolution. The Division of Community and Constituent Relations (CCR) will determine if a presentation to the Council is necessary.

- The Project Manager requests a CCR representative schedule a briefing with local officials.
- The Project Manager, Designer and CCR representative attend the briefing.

## **Prepare Value Engineering Technical Report (2445)**

If a VE Technical Report is required, the Bureau of Quality Management Services prepares a VE Report. The Bureau of Quality Management Services submits a copy to the Project Manager for inclusion in the CD Report.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Review VE Technical Report (2446)**

The Value Engineering Unit sends the VE Technical Report to the Project Manager for review. The Project Manager consults with the Designer and the appropriate SMEs to determine if any or all the design recommendations within the report should be incorporated into the project design.

## **Hold Public Information Center (2460)**

The Public Information Center (PIC) is an open house type meeting intended to display the study information for public review and discussion. The Project Manager, SMEs and Designers are available for one-on-one interaction with the public, to answer any questions and respond to any concerns they may have about the proposed project.

Announcements are mailed to individuals who may be directly impacted by the proposed project. Other forms of advertisement are utilized to inform those who may be indirectly impacted and other interested parties. The team should ensure that traditionally underserved individuals including minorities, the elderly and individuals with Limited English Proficiency (LEP) in the study area are provided every opportunity to participate. Depending on the demographics of the study area, meeting announcements should be printed in a second language. If necessary, a translator should also be in attendance to assist any attendee with LEP.

The PIC should be held at a location that is easily accessible by all (ADA accessible) including individuals who use public transportation, and is held during a time that is convenient to all including working individuals.

When presenting a proposed plan to public officials or the general public, it is not recommended to include a plotted profile or other potentially confusing technical information on the plan display board. Instead, it is recommended to have a 5:1 plotted profile, a typical section of the roadway and other related documents available as needed. The plan presented should be easy to understand and should mimic the proposed conditions to the greatest extent possible. This may include items such as traffic striping, lane arrows, signs, traffic signals, etc., as they would appear in the completed condition. The plan view should be at a scale that is easy to read (as large as possible), and should not be cluttered with unnecessary detail.

- The Project Manager consults with a CCR representative on the date and venue for the PIC.
- The CCR representative or Designer makes the necessary arrangements for the venue.
- The Project Manager and Designers prepare for the PIC (prepare mailing labels, PIC Flyers and Display Board of the Preliminary Preferred Alternative), and decide what materials to display and which SMEs should attend.
- The Project Manager contacts the Division of Civil Rights and requests the appropriate language translator for the meeting as needed.
- The Project Manager, CCR representative, SMEs and other necessary staff attend the PIC.

## **Finalize Preliminary Preferred Alternative (2470)**

The Preliminary Preferred Alternative (PPA) can be finalized once all the outreach with all the key stakeholders and the public is complete and all comments and input is received. The Project Manager

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

instructs the Designer to finalize the PPA by making any necessary adjustments to the PPA based on the Public Information Center.

### **Investigate Need for Traffic Regulation Orders (2485)**

A Traffic Regulation Orders (TRO) is required to establish or revise existing traffic regulations and/or traffic control devices along State highways, non-State highways having an impact on a State highway, or any public road when seeking to restrict commercial vehicles, or to close a roadway for more than 48 continuous hours. Send all submissions to the Manager, Bureau of Traffic Engineering.

The Designer will investigate the need for any TROs for the PPA, following NJDOT Policy and Procedures #907, Adoption of Traffic Regulations. The Designer will notify the PM of the TRO need investigation outcome. The PM notifies the appropriate municipal officials about the future need for any TRO resolutions (upon reaching substantial construction completion) to support the TRO process. NJAC 16:27, 4.

### **Complete PPA Constructability-Risk Report (2500)**

The constructability review is an opportunity for Construction SMEs to formally review the Preliminary Preferred Alternative (PPA) and provide input to improve the construction methods or construction staging. The desired result is to incorporate Division of Construction Management's comments and ultimately produce construction plans that will reduce the construction duration. Depending on the scope and complexity of the proposed project it may be necessary to have a special meeting with the Construction SME to discuss the plans.

The Division of Construction Management is divided into regions. Identify the appropriate regional contact for the proposed project.

- The Project Manager determines if a meeting with a representative of the Regional Construction Engineer is necessary.
- The Project Manager schedules a meeting with the appropriate Regional Construction Engineer and submits plans prior to the meeting. (Allow at least three weeks for review).
- If a meeting is not necessary, the Project Manager submits the construction staging plans and the PPA to the Regional Construction Engineer for review. Include the Route and Section Number, Mileposts, Municipality and County. Request comments in writing. (Allow at least three weeks for review).

### **Confirm Environmental Document (2510)**

The type of environmental document that will be obtained during Preliminary Engineering is determined by the Bureau of Landscape Architecture and Environmental Solutions (BLAES) in consultation with FHWA.

There are five types of Environmental Documents:

- Certified Categorical Exclusion (CCE) – Very limited in scope and do not cause significant environmental impacts.
- Categorical Exclusion (CE) – Limited environmental impacts within a Project.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

- Environmental Assessment (EA) – Unsure of the environmental impacts within a proposed project.
- Environmental Impact Statement (EIS) – Multiple, sizable impacts within a proposed project.
- New Jersey Executive Order 215 – Environmental document applicable to state funded projects only (not applicable to projects using any percentage of Federal funding).

The determination is based on the complexity of the proposed project, possibility for controversy and the severity of the proposed impacts. If necessary, a meeting can be scheduled with BLAES personnel to discuss the issue.

- The Project Manager requests that BLAES determine the probable environmental documentation.
- BLAES informs (email or memo) the Project Manager which Environmental Document will be satisfactory for the proposed project.
- The Project Manager informs the Designer and the information is included in the CD Report.

### **Prepare PE Public Involvement Action Plan (2515)**

Public Involvement during the PE Phase should be a continuation of the process which had begun during the CD Phase. However, it is important to evaluate the CD program and make necessary changes to improve the public involvement during PE.

- The Project Manager, Designer and Division of Community and Constituent Relations (CCR) representative evaluate the CD Public Involvement Action Plan (PIAP) and make recommendations for the PE PIAP.
- The Designer drafts the PE PIAP and submits to the Project Manager.
- The Project Manager sends the PE PIAP to the CCR representative for comment
- The Designer incorporates any comments, finalizes the PE PIAP and submits to the Project Manager for signatures.
- The Project Manager forwards the PE PIAP to the CCR for signature.

### **Prepare PE Scope Statement (2520)**

The PE Scope Statement documents the activities, major milestones and deliverables necessary to complete PE. The Scope Statement is prepared by the CD Designer prior to the selection of a PE Designer and is used in the development of the proposed project schedule, independent cost estimate (ICE) and PE Designer's fee proposal.

- The CD Designer develops the PE Scope Statement and selects the appropriate activities needed to complete PE.
- The CD Designer submits a copy of the scope statement to the Project Manager for review.
- The Project Manager consults appropriate SMEs to help determine the appropriate PE activities.
- The CD Designer revises and finalizes the PE Scope Statement with recommendations from SMEs.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Execute PE Scope Statement (2522)**

The Project Manager reviews the PE SS and if in concurrence, circulates the PE SS to the appropriate NJDOT SME units for review and comment. If the PM cannot resolve the SME's comments, sends the unresolved comments to the Designer for resolution. The Designer revises the PE SS as needed. Upon resolution of all comments, the PM approves the PE SS which moves to BLAES for approval. The PE SS moves to the Executive Regional Manager for their approval upon approval by BLAES. Execution is complete. The PM receives a notification from PMRS that PE SS process is complete.

## **Prepare System Engineering Review Form (2535)**

All proposed Information Technology Systems (ITS) features must conform to the ITS Architecture and Systems Engineering requirements. The Project Manager should contact the ITS SME for guidance, if not familiar with the ITS guidelines.

- The Designer determines the ITS Purpose and Need.
- The Project Manager and Designer consult with Mobility Operations Center (formerly Traffic Operations Center (TOC)) to discuss ITS needs.
- The Designer completes the Systems Engineering Review Form (SERF) if ITS deployment is programmatic.
- The Designer develops a Concept of Operations Report if deployment is not programmatic.
- The Project Manager and Designer satisfy seven sections under the SERF by informing and coordinating with impacted stakeholders.
- The Project Manager submits a copy of the SERF and Concept of Operation Report (if required) to Mobility Operations for review and approval.
- The Designer includes the SERF and Concept of Operation Report (if required) in the CD Report for FHWA review and approval.

## **Prepare CD ROW & Access Impact Plan and Matrix (2540)**

As alternatives are developed, right of way (ROW) needs are identified for each alternative. Once the PPA is selected, the focus is placed on the ROW needs of the selected PPA.

The ROW and Access Impact Plan and Matrix should identify each affected parcel by block and lot, land use of each property, type of acquisition required (partial, full or easement), parking impact and the exact amount of property needed.

The ROW plan will show the area of takings, type of use of properties, and any potential easements needed for the proposed project.

- The Designer develops the ROW and Access Impact Plan and Matrix.
- The Designer uses the base map to develop the ROW plan.
- The Project Manager and ROW Regional Office review the ROW and Access Impact Plan and Matrix and provide comments.
- The Designer incorporates the comments and finalizes the ROW and Access Impact Plan and Matrix.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Review CD ROW & Access Impact Plan & Matrix (2545)**

ROW Technical Support receives the CD submission from the consultant and distributes it along with an in-house CD submission transmittal to the District requesting they provide comments and a corresponding cost estimate.

## **Prepare CD ROW & Access Cost Estimate (2550)**

The Right of Way (ROW) and Access Cost Estimate is necessary to develop a realistic construction cost estimate for the proposed project. The Bureau of ROW is responsible for preparing the ROW and Access Cost Estimate.

- The Project Manager submits a request for a ROW and Access Cost Estimate to the Division of ROW. The request should include the ROW and Access Impact Plan and Matrix, map of the proposed project location and tax maps.
- The Regional ROW Office prepares the ROW and Access Cost Estimate, which includes the right of way cost, relocation cost, appraisal fees, contingencies, cost to acquire, incidentals, and other relevant fees.
- The Division of ROW submits the ROW and Access Cost Estimate to the Project Manager.

## **Complete CD Quality Certification (2560)**

The Designer is required to notify the Department that the Concept Development work was performed in accordance with the approved CD Scope Statement by completing and submitting the CD Quality Certification Form. The Project Manager will approve and sign the CD Quality Certification Form after CPC approves the completion of Concept Development.

## **Execute Project Assignment Contract (2565)**

The Project Manager completes the Project Assignment Contract and send it to the Executive Regional Manager for negotiation/agreement. In-House Division Director (Division of Highway and/or Traffic Design and Division of Bridge Engineering and Infrastructure Management) signs and forwards to Director, Division of Project Management. Once all directors sign, the Contract is forwarded to the Assistant Commissioner, Capital Program Management for approval.

## **Prepare Draft CD Report (2570)**

The Draft Concept Development (CD) Report is a compilation of all the information used to develop the Preliminary Preferred Alternative (PPA). The report is produced in accordance with the CD Report Template.

Due to Project Customization, the CD Report may not include every item in the CD Report Template. However, there are items that should be included in every CD Report. Consult the Project Customization Guidelines.

The Designer prepares the Draft CD Report and submits to the Project Manager within the time frame agreed to in the schedule.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Review Draft CD Report and Address Comments (2580)**

This first round of reviews allows internal staff to review the Draft CD Report before it is sent to FHWA.

- The Project Manager and any selected SMEs review the Draft CD Report and provide comments to the Designer.
- The Designer makes revisions based on comments received and prepares the document for FHWA review.

## **FHWA Reviews & Approves CD Report (2600)**

FHWA approval is required for all CD studies. The approval confirms satisfaction with the analysis and final selection of the PPA. Final approval is obtained when all issues and concerns have been addressed.

The Project Manager submits one (1) copy of the Draft CD Report to FHWA.

The FHWA reviews and provides comments to the Project Manager within 30 days.

The Project Manager reviews FHWA's comments and instructs the Designer to provide answers to any questions and make any necessary changes to the Draft CD Report.

The FHWA approves the Draft CD Report when satisfied with answers to questions or changes to the Draft CD Report are made.

## **Present to CPSC (2610)**

The Capital Program Screening Committee (CPSC) consists of NJDOT Directors (voting members), NJTPA, FHWA, DVRPC and SJTPA. The three MPOs and FHWA are non-voting members. The Committee is responsible for deciding what Problem Statements are advanced for study and development and whether a study should advance from one phase to another.

The Project Manager makes a presentation to the committee at the completion of the CD Phase with a recommendation to advance to the PE Phase or consider another course of action. The Committee either concurs with the recommendation of the presenter or recommends an alternate course of action. The CPSC's recommendation is later presented to the Capital Program Committee (CPC). Consultants are not allowed to participate.

The presentation is usually 5-10 minutes long and should provide pertinent information to allow the members to make an informed decision. The Purpose and Need, major issues (environmental, ROW, community opposition), cost, and user and community benefits of the proposed project should be emphasized.

DPM conducts Peer Reviews prior to the CPSC presentation.

### **DPM Peer Review:**

The main purpose of an internal peer review is to help prepare the Project Manager to make a clear and concise presentation to the CPSC. A secondary benefit of the peer review is to ensure that the proposed project has gone through the CD process properly and to share information with other DPM staff on matters that they may not have encountered in their work but may at some point in the future.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.



The duration of these meetings is usually limited to ½ hour. It is the responsibility of the Project Manager to schedule the Peer Review and notify Executive Regional Managers and staff.

**The Project Manager:**

- Schedules and holds a Peer Review.
- Submits a memorandum to the Division of Capital Investment Planning and Development requesting placement on the agenda for the next CPSC Meeting. The memo provides information such as: UPC number, Milepost, Municipality, County, etc., a short overview of the problem, the solution being proposed and a recommendation. Attachments to the memo include an aerial or map of the study area and a SLD.
- Requests the Designer to prepare all the necessary display material for the presentation.
- Presents at the CPSC Meeting.

**The CPSC:**

- Endorses the Project Manager’s recommendation or recommends another course of action.

**CPC Approves Advancement (2620)**

The Capital Program Committee is a higher level committee; its members include the Deputy Commissioner and all Assistant Commissioners. The Agenda items from the CPSC are discussed with the associated recommendation. The purpose of this meeting is to obtain concurrence on the CPSC recommendation. The CPC concurs with the CPSC or makes another recommendation.

Directors are invited to attend the CPC meeting but do not vote. Project Managers do not attend unless requested.

After the CPC approves advancement to the next appropriate phase, the Project Manager begins the consultant selection process.

**Finalize CD Report (2630)**

The CPC decision signals the completion of the Concept Development Phase.

- The Project Manager informs the Designer of the outcome of the CPC meeting and instructs the Designer to finalize the CD Report.
- The Project Manager provides the Designer with any outstanding document to be included in the report.
- The Designer completes the necessary changes and finalizes the document.
- The Project Manager distributes the final report to FHWA.

**Complete CD Closeout (2640)**

As outlined in the NJDOT Procedures Manual, perform the series of steps necessary to close out the existing task order in CD. Instruct the Designer to submit their Final Invoice. Update the Project Reporting System and notify appropriate subject matter expert units of the Capital Program Committee decision.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Confirm Funding Source via STIP (2690)**

The Project Manager confirms the source of funding via STIP and Capital Investment & Program Coordination (CIPC). PM also determines the type of solicitation (1-Step or 2-Step, Batch, Group, or Multi-Project) based on the funding and complexity of the project.

## **Prepare & Submit Solicitation Package (2700)**

The Project Manager determines the selection process (1-Step or 2-Step) to be used and prepares the solicitation package. The Division of Project Management Director sends the solicitation package to the Division of Procurement Professional Services. Professional Services approves and posts the solicitation documents on the NJDOT Website.

## **Form Technical Evaluation Committee (2710)**

The Project Manager will form a Technical Evaluation Committee consisting of the Project Manager, a Bureau of Landscape Architecture and Environmental Solutions representative and an appropriate subject matter expert unit staff. The committee is responsible for developing rating criteria, evaluating and ranking designers' technical proposals for a 1-Step process and oral presentations when required for the 2-Step process.

## **Post Solicitation (2715)**

Professional Services posts the solicitation documents on the NJDOT Website. Consultant Designers review the solicitation and a prepare technical proposal.

## **Receive Technical Proposals (2720)**

After the solicitation has been posted, pre-qualified consultants submit Technical Proposals to the Division of Procurement Professional Services within 15 working days from the posting date, unless otherwise noted.

## **Score Proposals (2730)**

1-Step Process: The Technical Evaluation Committee will review and rank technical proposals and submit the results to the Consultant Selection Committee (CSC). 2-Step Process: The Technical Evaluation Committee will review and rank technical proposals and submit the results to the CSC. The Technical Evaluation Committee also determines the list of technically qualified firms within 5% of the top ranked firm. The Project Manager presents this list to the CSC to determine the short-list of technically qualified firms that will be requested to give an oral presentation.

## **Hold Oral Presentations (2 Step) (2740)**

The second step of a 2-Step process will be an oral presentation. The oral presentation will be followed by a question and answer period from the Technical Evaluation Committee. After presentations are evaluated and ranked, prepare and forward the scores and designer recommendation to the Secretary/Moderator of the Consultant Selection Committee, to request selection.

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

## **Select Designer (2750)**

The Project Manager presents the technical evaluation results and designer recommendation to the Consultant Selection Committee (CSC). The CSC reviews the recommendation for selection, the factors responsible for the distribution of the scores, significance of the rating criteria, selects one designer and verifies that the selected designer has an approved Quality Management Plan. The Division of Procurement Professional Services notifies the Project Manager and the selected designer of the outcome of the Consultant Selection Committee meeting. If the selected designer does not have an approved Quality Management Plan, they have 10 working days to obtain one. Upon confirmation that the selected designer has an approved quality management plan, the Deputy Commissioner signs the Executive Decision Document approving selection. Prepare an electronic debriefing memo and provide to designers upon request. Note for Limited Scope Study: A designer is selected to perform Final Design from a previously solicited batch agreement.

## **Develop PE Independent Cost Estimate (2800)**

The Project Manager requests that the Office of Schedule and Budget Management develop an Independent Cost Estimate (ICE) to compare to the designer's fee proposal. An ICE will be used in contract negotiations. The Project Manager submits the Scope of Work Form and consultant's proposal or PE Scope Statement to the Office of Schedule and Budget Management. The Office of Schedule and Budget Management consults with subject matter expert units when developing manhour estimates on unique or major tasks. The Office of Schedule and Budget Management submits the Preliminary ICE to the Project Manager for review and comment.

## **Develop Designer Fee Proposal (2810)**

The selected designer will prepare a Fee Proposal utilizing the PE Scope Statement and forward the proposal to the Project Manager within 10 days of the selection. The Project Manager ensures the Fee Proposal is prepared in accordance with internal NJDOT Policy and Procedure #328, "Agreement Development Process for Procurement of Professional Services." Note for Limited Scope Study: The selected designer prepares a Fee Proposal utilizing the Limited Scope FD Scope Statement.

## **Negotiate Contract (2820)**

In accordance with NJDOT Policy and Procedure #328, the Project Manager reviews the Designer Fee Proposal and negotiates with the designer utilizing the Independent Cost Estimate (ICE) as a comparison. If PE is performed in-house, the Project Manager will negotiate with the appropriate division of NJDOT in-house design. The designer may update the PE Scope Statement with detailed task descriptions, if necessary. Changes to the PE Scope Statement will be approved by the Project Manager. If the designer's fee proposal exceeds 10% of the ICE, review and request further clarification and justification. If negotiations are unsuccessful, escalate unresolved issues according to NJDOT Policy and Procedure #328. If items of contention with consulting firm are not resolved, the Division of Project Management Director will request authorization from the Consultant Selection Committee to terminate negotiations and begin negotiations with the next ranked firm. After completion of negotiations, the Project Manager sends the total negotiated hours to the Office of Schedule and Budget Management. The Project Manager may request the Office of Schedule and

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

Budget Management prepare a Summary ICE Report that provides a comparison of design man-hour estimates between ICE values and the designer's man-hour proposal.

### **Finalize Proposal (2830)**

The designer revises the original fee proposal per negotiations and submits to the Project Manager

### **Prepare Draft Agreement (2840)**

Once the final proposal is fully negotiated, enter the fee proposal, schedule and scope of services into the appropriate Model Agreement. The Project Manager prepares the Draft Agreement and sends to the Division of Procurement Professional Services for review and comment. If changes are needed to the Draft Agreement, the Division of Procurement Professional Services sends comments to the Project Manager. Once Professional Services provides the Project Manager with final approval, the Draft Agreement is considered final

### **Develop Draft PE Schedule (2850)**

The Project Manager or Division of Project Management (DPM) Scheduler request the Office of Schedule and Budget Management to create an active schedule in Primavera based on the standard PE schedule template. The Project Manager sends the standard PE schedule template to the DPM Scheduler or Office of Schedule and Budget Management to customize the schedule based on the PE Scope Statement and historic data. The Project Manager negotiates the draft schedule with the Designer. The Project Manager provides the negotiated draft schedule to the DPM Scheduler or Office of Schedule and Budget Management to update the active schedule. The Project Manager is responsible for updating all schedules on a monthly basis and may do so by providing updates to the DPM Scheduler or Office of Schedule and Budget Management.

### **Develop Draft PE Budget (2860)**

The Project Manager requests the Office of Schedule and Budget Management develop a Draft PE manhour budget estimate. The budget estimate includes subject matter expert (SME) unit man-hours to support the Designer. If NJDOT in-house design staff completes PE, the budget estimate includes inhouse design man-hours and supporting man-hours separately. An Office of Schedule and Budget Management Budget Analyst develops the Draft Budget in the Project Reporting System with input from SME units for support hours. The Project Manager is responsible for negotiating any SME unit support hours.

### **Finalize PE Budget (2865)**

After the Project Manager (PM) reviews and accepts the draft PE Budget and forwards consultant's negotiated proposal to the Office of Schedule and Budget Management to finalize the PE Budget. The finalized PE Budget report will be forwarded to the PM for funding authorization request. The PM compiles necessary documents for funding request and forward to the Division of Capital Investment Planning and Development (CIPD).

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.

### **Approve PE Budget (2870)**

After PE funds authorized, The Project Manager forwards funding authorized document and signed Budget Baseline Action Form to the Office of Schedule and Budget Management to approve and baseline the PE Budget in the Project Reporting System. Note: For all budget revisions (modifications), Budget Baseline Action Form must be submitted to Director of Div. of Project Management for review and Signature.

### **Authorize PE (2880)**

The Project Manager requests FHWA authorization to begin PE. The Project Manager prepares and submits the funding request to the Division of Capital Investment Planning and Development (CIPD) (as per FHWA authorization procedures), who prepares the request to FHWA for authorization of funds. CIPD notifies the Executive Regional Manager of FHWA approval and provides a copy of the job number and Federal Agreement ID. Note: For each federally-funded project, a “Federal Project End Date” should be established per NJDOT Policy No. 365 and the Capital Project Delivery Project End Date Guidance.

### **Execute Designer Agreement (2890)**

The Division of Project Management (DPM) Contract Manager sends the Final Agreement and Articles to the Designer. The Designer signs the Final Agreement and sends two signed and sealed original copies back to the DPM Contract Manager along with copies of the Corporate Resolution and Business Registration Certificates for the Prime and all Sub-consultants. The DPM Contract Manager sends the signed and sealed Final Agreement Package to the Deputy Attorney General for approval. The DPM Contract Manager forwards the approved Final Agreement Package and an AD-12 to NJDOT Management for signature and approval. The DPM Contract Manager distributes the executed Agreement to the appropriate parties, including FHWA

Procedures are subject to change without notice.

Check the Capital Project Delivery website to ensure this is the current version.