


New Jersey Department of Transportation

1035 Parkway Avenue, PO Box 600, Trenton, New Jersey 08625-0600



Baseline Document Change Announcement

**Underdrains, Type F
BDC04D-03**

December 06, 2004

**SUBJECT: Revision to sheet CD-601-1 of the 2001 Standard Roadway Construction-Details
(Metric and English Units)-BDC04D-03**

Roadway Construction Detail Sheet CD-601-1 has been revised to eliminate the option of Underdrain Type F with porous pipe from CD-601-1.1. In conjunction with this revision, the note allowing this option has been deleted. Additionally, Underdrain Type F with perforated pipe detail has been revised to allow the use of PVC or type SP-HDPE perforated pipe only.

The Construction Details CD-601-1.2 and CD-601-1.3 have been revised to specify the use of Broken Stone # 57 instead of Broken Stone # 8, and the dimensions for the Subbase Outlet Drain has been changed.

Implementation Code R (ROUTINE)

Changes must be implemented in all applicable Department projects scheduled for Final Design Submission at least one month after the date of the BDC announcement. This will allow designers to make necessary plan, specifications, and estimate/proposal changes without requiring the need for an addenda or postponement of advertisement or receipt of bids.

Recommended By:

ORIGINAL SIGNED BY LYNN D. RICH

Lynn D. Rich
Director,
Quality Management Services

Approved By:

ORIGINAL SIGNED BY F. HOWARD ZAHN

F. Howard Zahn
Assistant Commissioner,
Capital Program Management

LDR:KS:FA

Attachments: 2001 Standard Roadway Construction-Detail Sheet CD-601-1
(English and Metric Units)