

2006 Buick LaCrosse

4WC19 4dr Sdn CX

Photo may not represent exact vehicle or selected equipment.

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TABLE OF CONTENTS

TABLE OF CONTENTS - 2006 4WC19 4dr Sdn CX

- Selected Model & Options
- Standard Equipment
- Weight Rating
- Color Availability
- Warranty Information
- Technical Specifications

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 2

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

SELECTED MODEL - 2006 4WC19 4dr Sdn CX

<u>Code</u>	<u>Description</u>
4WC19	2006 Buick LaCrosse 4dr Sdn CX

SELECTED VEHICLE COLORS - 2006 4WC19 4dr Sdn CX

<u>Code</u>	<u>Description</u>
-	Interior: No color has been selected.
-	Exterior 1: No color has been selected.
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2006 4WC19 4dr Sdn CX

CATEGORY

<u>Code</u>	<u>Description</u>
EMISSIONS	
FE9	EMISSIONS, FEDERAL REQUIREMENTS
ENGINE	
L26	ENGINE, 3.8L 3800 V6 SFI (200 HP [149.2 kW] @ 5200 rpm, 230 lb.-ft. [310.5 N-m] @ 4000 rpm) (STD)
TRANSMISSION	
MX0	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD)
SEAT TYPE	
AR9	SEATS, FRONT BUCKET, includes 6-way power driver seat adjuster, 2-way manual passenger seat adjuster with fore and aft controls, head restraints, seatback map pockets and rear armrest with dual cupholders (STD)
SEAT TRIM	
__B	SEAT TRIM, CLOTH (STD)
PAINT	
___	PAINT, SOLID (STD)

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 3

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

SELECTED OPTIONS - 2006 4WC19 4dr Sdn CX

CATEGORY

<u>Code</u>	<u>Description</u>
RADIO	
UN0	SOUND SYSTEM, ETR AM/FM STEREO WITH CD PLAYER, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock and 6-speakers (STD)
WHEEL TYPE	
QB5	WHEELS, 16" (40.6 CM) STEEL, WITH WHEEL COVERS (STD)

OPTIONS TOTAL

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 4

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 4WC19 4dr Sdn CX

EPA FUEL ECONOMY RATINGS

- City 20/hwy 30 (3.8L engine/4-speed auto trans)

EXTERIOR

- Grille, chrome surround with graphite colored accents
- Moldings, bodyside, body-color
- Door handles, chrome
- License plate bracket, front
- Daytime running lamps, switchable
- Headlamps, halogen, composite, front, includes flash-to-pass and Twilight Sentinel
- Mirrors, outside rearview, power, body-color
- Glass, Solar-Ray light tinted
- Wipers, Intermittent, front, structure-less wiper blades

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 5

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 4WC19 4dr Sdn CX

INTERIOR

- Seat trim, cloth
- Seats, front bucket, includes 6-way power driver seat adjuster, 2-way manual passenger seat adjuster with fore and aft controls, head restraints, seatback map pockets and rear armrest with dual cupholders
- Seat adjuster, power, driver 6-way
- Carpet savers, front and rear, stain-resistant
- Steering column, Tilt-wheel, adjustable
- Steering wheel, 4-spoke, includes cruise controls
- Instrumentation, analog, includes speedometer, temperature, fuel, tachometer, trip odometer, door and trunk ajar, washer fluid level and oil-life monitor
- Windows, power, includes driver express-down
- Door locks, power, programmable, enhanced safety, includes lockout protection
- Retained accessory power, power windows, radio and sunroof remain operational after ignition is switched off for 10 minutes or until a door is opened
- Cruise control
- Keyless entry, remote
- Trunk release, driver and front passenger door lock buttons, push and hold 3 seconds
- Theft-deterrent system, PASS-Key III
- OnStar, 1-year of Safe and Sound service. Includes Automatic Notification of Air Bag Deployment, Emergency Services, Stolen Vehicle Location Assistance, Remote Door Unlock, OnStar Vehicle Diagnostics, Roadside Assistance, Accident Assist and Remote Horn and Lights. Also featuring Hands-Free Calling (OnStar services require vehicle electrical system (including battery), wireless service and GPS satellite signals to be available and operating for features to function properly. OnStar acts as a link to existing emergency service providers. OnStar Vehicle Diagnostics available on most 2004 MY and newer GM vehicles. Diagnostic capability varies by model. Visit onstar.com for system limitations and details. If order type is FDR (UE0) OnStar, delete will be forced on.)
- Air conditioning, front manual, includes rear seat heating outlets
- Air filtration system
- Defogger, rear-window, electric
- Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock and 6-speakers

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 4WC19 4dr Sdn CX

- Antenna, integral, rear
- QuietTuning
- Mirror, inside rearview, manual day/night
- Visors, vanity mirrors, driver and front passenger, sliding
- Assist handles, overhead, front passenger and rear doors, includes jacket hook on left rear passenger assist handle. (Front passenger assist handle not available when (CF5) Sunroof, power is ordered.)
- Lighting, interior, includes glovebox, trunk, delayed entry/exit with theater dimming, rear courtesy, front footwell and front map lights

MECHANICAL

- Engine, 3.8L 3800 V6 SFI (200HP [149.2 kW] @ 5200 rpm, 230 lb.-ft. [310.5 N-m] @ 4000 rpm)
- Transmission, 4-speed automatic, electronically controlled with overdrive
- Axle, 2.86 ratio
- Traction control, Enhanced Traction System (ETS), powertrain modulated
- Front wheel drive
- Battery, 600 cold-cranking amps, includes rundown protection
- Suspension, 4-wheel independent, Premium Ride
- Tires, P225/60R16, all-season, blackwall, steel-belted radial
- Wheels, 16" (40.6 cm) steel, with wheel covers
- Tire, spare, compact, includes steel wheel
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc
- Exhaust, stainless-steel
- Fuel capacity, approximate, 17 gallons

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 7

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

STANDARD EQUIPMENT - 2006 4WC19 4dr Sdn CX

SAFETY

- Brakes, 4-wheel antilock, 4-wheel disc
- Air bags, frontal, driver and right front passenger and side head curtain for 1st and 2nd row outboard passengers (Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owners Manual for more safety information.)
- Safety belts, 3-point, front outboard (Includes center position lap belt when (AV8) Seating, 6-passenger is ordered.)
- Safety belts, 3-point, rear, all positions
- LATCH system, (Lower Anchors and Top tethers for CHildren), for child safety seats in all rear seating positions
- Traction control, Enhanced Traction System (ETS), powertrain modulated
- Daytime running lamps, switchable
- Horn, dual note, high and low

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 8

2006 Buick LaCrosse 4dr Sdn CX 4WC19

VEHICLE DETAILS

WEIGHT RATINGS - 2006 4WC19 4dr Sdn CX

Front Gross Axle Weight Rating:
Rear Gross Axle Weight Rating:
Gross Vehicle Weight Rating: 0

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM
©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

COLOR AVAILABILITY

COLOR CHART - 2006 4WC19 4dr Sdn CX

EXTERIOR	INTERIOR	
	Ntrl (52B)	Gray (36B)
Deep Sapphire Metallic (22U)	X	X
White Opal (40U)	X	X
Black Onyx (41U)	X	X
Slatestone Metallic (46U)		X
Dark Garnet Metallic (49U)	X	X
Sandstone Metallic (53U)	X	
Cardinal Red (63U)	X	X
Platinum Metallic (67U)		X
Glacier Blue Metallic (68U)	X	X

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

WARRANTY INFORMATION

WARRANTY INFORMATION - 2006 4WC19 4dr Sdn CX

WARRANTY

Basic: 4 Years/50,000 Miles

Drivetrain: 4 Years/50,000 Miles

Corrosion: 4 Years/50,000 Miles

Rust-Through: 6 Years/Unlimited Miles

Roadside Assistance: 4 Years/50,000 Miles

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 11

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

POWERTRAIN - BASIC SPECIFICATIONS - 2006 4WC19 4dr Sdn CX

ENGINE

Engine Order Code	L26
Engine Type	Gas V6
Displacement	3.8L/231 CID
SAE Net Horsepower @ RPM	200 @ 5200
SAE Net Torque (lb ft) @ RPM	230 @ 4000

TRANSMISSION

Transmission order code	MX0
Transmission Type Description	* 4-Speed Automatic w/OD
Drive Train	Front Wheel Drive

MILEAGE

City EPA fuel economy estimate	20.00
Hwy EPA fuel economy estimate	30.00
City cruising range	340.00
Hwy cruising range	510.00

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

POWERTRAIN - ADVANCED SPECIFICATIONS - 2006 4WC19 4dr Sdn CX

TRANSMISSION

Gear Ratio (:1)	
First Gear Ratio (:1)	2.92
Second Gear Ratio (:1)	1.56
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.38
Clutch size (in)	
Final Drive Axle Ratio (:1)	2.86

ELECTRICAL

Battery	1
Battery cold cranking Amps @ 0 F	600.00
Alternator	
Alternator Amps	- TBD -

COOLING SYSTEM

Cooling system capacity	11.60
-------------------------	-------

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

PAYLOAD/TRAILERING SPECIFICATIONS - 2006 4WC19 4dr Sdn CX

WEIGHT INFORMATION

Base curb weight 3,495.00

TRAILERING

	Max Trailer Wt.	Max Tongue Load
Dead Weight Hitch (lb)	1,000.00	100.00
Weight Distributing Hitch (lb)	- TBD -	- TBD -

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 4WC19 4dr Sdn CX

SUSPENSION

	Front	Rear
Suspension Type	Independent	Independent
Suspension Type (cont.)	Premium Ride	Premium Ride
Shock Absorber Diameter (mm)	- TBD -	- TBD -
Stabilizer Bar Diameter (in)	- TBD -	- TBD -

BRAKES

	Front	Rear
Brake type	Pwr	
ABS System	4-Wheel	
Disc	Yes	Yes
Rotor Diam x Thickness (in)	11.7 x 1.26	10.6 x 0.55
Drum		
Drum Diam x Width (in)		

TIRES

	Front	Rear	Spare
Tire Order Code	QPX	QPX	
Tire Size	P225/60R16	P225/60R16	Compact

WHEELS

	Front	Rear	Spare
Wheel Size	16 x - TBD -	16 x - TBD -	Compact
Wheel Type	Steel	Steel	Steel

STEERING

Steering type	Pwr Rack & Pinion
Ratio (:1)	
Overall	15.30
Lock-to-Lock Turns	2.39
Turning Diameter	
Curb-to-Curb	- TBD -
Wall-to-Wall	- TBD -

FUEL TANK

	Main
Capacity	17.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

CHASSIS SPECIFICATIONS - 2006 4WC19 4dr Sdn CX

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM

©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File:

February 21, 2006 3:47:47 PM

Page 16

2006 Buick LaCrosse 4dr Sdn CX 4WC19

TECHNICAL SPECIFICATIONS

DIMENSIONS - 2006 4WC19 4dr Sdn CX

EXTERIOR DIMENSIONS

Wheelbase (in)	110.50
Length, Overall (in)	198.10
Width, Max w/o mirrors (in)	73.00
Height, Overall (in)	57.40
Tread Width	
Tread Width, Front	61.7
Tread Width, Rear	61.5
Min Ground Clearance (in)	- TBD -

CARGO AREA DIMENSIONS

Liftover Height (in)	- TBD -
Trunk Volume	16.0

INTERIOR DIMENSIONS

Passenger Capacity	5	
Passenger Volume (ft³)	99.40	
EPA Classification	Mid-Size	
Seating Position	Front	Second
Head Room (in)	39.40	37.20
Leg Room (in)	42.30	37.60
Shoulder Room (in)	57.20	57.00
Hip Room (in)	55.30	54.60

* Indicates equipment which is in addition to or replaces base model's standard equipment.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

PC Carbook®, Data Version: 109.4, Data updated 2/14/2006 10:35:00 AM
 ©Copyright 1986-2003 Chrome Systems Corporation. All rights reserved.

Customer File: