





Arlington

Planning Guide



J A S P E R
L I B R A R Y
F U R N I T U R E



Arlington Planning Guide

TABLE OF CONTENTS

Warranty.....	1
Environmental Mission Statement.....	2
Ordering Information.....	3
Study Table Specifications.....	4
Square Study Tables.....	5
Rectangular Study Tables.....	6-7
Round Study Tables.....	8
Computer Table Specifications.....	9
Single-Faced Computer Tables.....	10-11
Double-Faced Computer and Index Tables.....	12-13
Study Carrel Specifications.....	14
Single- and Double-Faced Study Carrels.....	15
Reference Carrel Specifications.....	16
Single- and Double-Faced Reference Carrels.....	17
Hex Carrel Specifications.....	18
Hex Carrels.....	19
Modular Computer Access Stations.....	20-21
Atlas Stand and Specifications.....	22
Dictionary Stand and Specifications.....	23
Displays.....	24-26
Book Trucks.....	27
Index.....	28

SEATING

Please reference our complete 234-page Community catalog for wood seating and lounge options.

WARRANTY

Community warrants to the original purchaser that each piece of furniture will be free from defects in workmanship given normal use for five years. Casters are warranted to be free from defects in materials and workmanship for a period of five years. Community will, at its option, repair or replace any defective merchandise within the terms of the warranty. This warranty does not apply to damage resulting from accident, alteration, or misuse.

Environmental Mission Statement

COMMUNITY has been an environmentally conscious organization for more than 75 years. Founded in 1929 in a Southern Indiana area settled by skilled German woodcrafters, Community began as a manufacturer of durable, well-crafted chairs. Through the years, as we have grown and expanded our product lines to include office furniture casegoods, tables, and lounge seating products, this heritage and respect for the environment continues. Building a product that will last and not require disposal in a landfill is our focus. Community is committed to “reduce, reuse and recycle” and to the conservation of our environment and its natural resources, as well as the encouragement of our suppliers and customers to do the same. A goal of a “Green Partnership” (supplier, manufacturer and customer) is essential for the long-term protection, preservation and sustainability of our environment for future generations. Our Mission is to continually maximize the use of sustainable raw materials and to search for new materials and processes that will not negatively impact our environment.

LOCATION

Our Community manufacturing facilities in Southern Indiana and North Carolina are often located within 500 miles of your project location, allowing you possible LEED credits toward Green Building Certification. With our diverse manufacturing capabilities, “one-stop shopping” is attainable, allowing you to conserve our fossil fuels and reduce greenhouse gases.

PACKAGING

Community places an emphasis on the minimal use of disposable packaging, while still providing adequate protection of the finished product. Our corrugated packaging is 100% recyclable or reusable. The packaging we receive from our suppliers is also reused or recycled. We recycle more than one million pounds of cardboard annually.

COMPLIANCE

Community employees are trained in compliance with applicable Occupational Safety and Health Administration (OSHA) regulations to exceed all applicable Department of Environmental Management (DEM) and Environmental Protection Agency (EPA) regulations for air emissions, storm water and hazardous waste disposal. Our safety philosophy is a 360-degree circle of safety program which includes home, work and travel. Our manufacturing facilities use the DuPont Safety Training Observation Program (STOP) supervision program for workplace environmental accident prevention and awareness.

MANUFACTURING FACILITIES

All of our Community manufacturing facilities are geared toward eco-efficiency and are encouraged to continually improve and conserve. Wood not used in the direct manufacturing process is recycled for use in concealed reinforcement cleats and corner blocks. Additional scrap materials are burned in scrubber-equipped boilers to generate steam that is used in the manufacturing process to operate our dry kilns or to heat our manufacturing facility during the winter. This process reduces greenhouse gases, the use of fossil fuels, and the burden of waste placed in landfills. In addition to other energy savings techniques, our manufacturing facilities use high-efficiency lighting, make use of power factor capacitors, and encourage the reduction of energy consumption and water usage. Condensation pumps are used to aid in water savings as well as extending boiler life.

MANUFACTURING PROCESSES

Community manufacturing facilities utilize finish and assembly processes that best support the furniture requirements and applications. We continually test the latest equipment and materials available to reduce emissions while maintaining the best quality product possible. Finish lines utilize highly efficient spray guns and spray techniques to reduce waste material. Excess finish material, solvents and waste are recycled. Flat line ultraviolet-cured finishing systems enable the excess finish material to be recaptured, recycled, and reused with no post-cure byproducts. Many assembly processes use water-based glues that contain no hazardous ingredients.

TEXTILES

Many of our fabric options utilize 100% recycled content. A grouping of leather alternatives contain no toxic materials, plasticizers, heavy metals or formaldehyde and have a 100% biodegradable back cloth. Available panel fabric uses a biological nutrient for the soil if discarded. Components – cushion foam, batting and poly-cord – used in upholstered products are recyclable and contain various percentages of recycled content. Excess fabric and leathers not utilized in the upholstery process are supplied to recyclers and local charities for additional use.

WOOD

Wood is good! It is the most diverse, process friendly, and widely utilized natural resource in mankind’s history. No other natural resource can match the environmental advantages of wood. It is renewable, recyclable, and biodegradable. Utilizing the sun’s energy, trees grow and remove carbon dioxide from the air while giving off oxygen to benefit the entire planet. Harvesting mature trees in a sustainable forest allows the photosynthetic cycle to continue at full optimization. We are proud to use wood as our primary “Green” renewable material resource.

Surprisingly, much of the public has the impression that processing wood involves wasting natural resources and destroying the environment, when just the opposite is true! According to the U.S. Forest Service, each year the U.S. grows about 50 percent more trees than are cut for furniture manufacturing. In fact, since 1952 the amount of commercial hardwood forest stock has increased by 70 percent. The hardwood industry currently utilizes approximately 13 billion board feet of standing timber per year. Current statistics from the Forest Service indicate that there are more than 715 billion board feet of commercial-size timber available for harvest. The United Nation’s 2007 *State of the World’s Forests* report shows that the United States forests are getting larger each year. The United States practices sustainable forestry both in the softwood and hardwood industries.

MATERIAL OPTIONS

Alternative materials are available for consideration from Community. Solid wood and engineered wood options like Lyptus®, Plyboo®, reclaimed woods, agricultural and post-consumer waste fiber products, soy-based resin bio-composites, Forest Stewardship Council (FSC) certified wood – the list continues to grow – all allow possible LEED credits toward Green Building Certification. These options can be considered for specific applications based on their performance. We support sustainable forestry by purchasing wood products grown in sustainable forest programs.

Community’s goal is to provide value for our customers and to expand and improve our “Green Partnerships” through process, product and life cycle management.

Arlington Ordering Information

1. MODEL NUMBER

2. STANDARD WOOD SPECIES: Oak, Maple

3. WOOD FINISH:

Oak

NOO Natural Oak

GOO Golden Oak

MOO Medium Oak

LCO Light Cherry

MCO Medium Cherry

MWO Medium Walnut

MMO Medium Mahogany

DMO Dark Mahogany

Maple

NMM Natural Maple

AMM Amber Maple

LCM Light Cherry

MCM Medium Cherry

MWM Medium Walnut

MMM Medium Mahogany


DMM Dark Mahogany

4. EDGE DETAILS:

Tapered (V)



Rounded (U)



5. TABLE SIZE: See options and corresponding catalog model number

6. STANDARD TABLETOP HEIGHT: 29" (25" and 27" available upon request)

7. LAMINATE TOP SELECTION: Standard Wilsonart, Nevemar, Formica or Pionite

*Options:

Apron Rail..... Add (-AR) to model number

Lumbercore..... Add (-LC) to model number

Veneer Top..... Add (-VT) to model number

Rack..... Add (-RK) to model number (available on Computer Tables **only**)

Arlington Study Table Specifications

TABLETOP

The tops shall be 1 3/16"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The edges shall be banded with a 3/4"-thick, solid hardwood drop edge band. All tables longer than 48" shall receive a 14-gauge, channeled stress bar for added support. The stress bars shall be screwed to the underside of the tabletop.

EDGE DETAILS

The external radius edge band shall be 3/4" x 1 1/2"-thick solid hardwood. Edges shall be available in a tapered profile or a rounded profile.

APRON RAIL

The optional apron rail shall be constructed of 3/4" x 1 1/4"-thick solids and fitted between the table legs. The bottom outside edges of the apron rail shall be eased. Add the suffix (-AR) to the model number.

LEGS

The legs shall be constructed of glued-up solids and shall be 2 1/4" square. All vertical edges shall be radius. All bottom edges shall be eased. The legs shall attach to the underside of the tabletops through a 5" x 5" x 1/4"-thick steel plate. The plate shall be attached to the leg with two bolts threading into a barrel nut inserted into the leg. The plate shall be attached to the underside of the tabletop with 5/16" x 1" machine bolts engaging threaded inserts. Any table longer than 72" shall receive an additional leg for added support.

TABLE HEIGHT

The standard tabletop height shall be 29". Additional heights of 25" and 27" are available when specified.

GLIDES

Each leg shall be fitted with one 1 3/16"-diameter, rubber-cushioned, adjustable leveling glide with a 15/16" stem.

LUMBERCORE TABLETOP (optional)




The lumbercore shall be constructed of an odd number of plies, symmetrical from the centerline, i.e., all inner plies, except the innermost ply, shall occur in pairs. Each pair of inner plies shall be the same thickness and direction of grain. Each ply of each pair is placed on opposite sides of the innermost ply, alternating grain direction from the center out. Add the suffix (-LC) to the model number.

veneer tops (optional): Tabletops with face veneers are available when specified. Add the suffix (-VT) to the model number.








Arlington Square Study Tables

for specifications, please see page 4 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL3636	36" D x 36" W x 29" H	Square table	70	\$ 759
	AL3636-AR	36" D x 36" W x 29" H	Square table with apron rail	70	856
	AL3636-LC	36" D x 36" W x 29" H	Square table with lumbercore	70	863
	AL3636-AR-LC	36" D x 36" W x 29" H	Square table with apron rail and lumbercore	70	960
	AL4242	42" D x 42" W x 29" H	Square table	74	\$ 866
	AL4242-AR	42" D x 42" W x 29" H	Square table with apron rail	74	963
	AL4242-LC	42" D x 42" W x 29" H	Square table with lumbercore	74	970
	AL4242-AR-LC	42" D x 42" W x 29" H	Square table with apron rail and lumbercore	74	1,067
	AL4848	48" D x 48" W x 29" H	Square table	80	\$ 996
	AL4848-AR	48" D x 48" W x 29" H	Square table with apron rail	80	1,093
	AL4848-LC	48" D x 48" W x 29" H	Square table with lumbercore	80	1,100
	AL4848-AR-LC	48" D x 48" W x 29" H	Square table with apron rail and lumbercore	80	1,197

Arlington Rectangular Study Tables






for specifications, please see page 4 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL2436	24" D x 36" W x 29" H	Rectangular table	50	\$ 628
	AL2436-AR	24" D x 36" W x 29" H	Rectangular table with apron rail	50	725
	AL2436-LC	24" D x 36" W x 29" H	Rectangular table with lumbercore	50	732
	AL2436-AR-LC	24" D x 36" W x 29" H	Rectangular table with apron rail and lumbercore	50	829
	AL3060	30" D x 60" W x 29" H	Rectangular table	90	\$ 825
	AL3060-AR	30" D x 60" W x 29" H	Rectangular table with apron rail	90	963
	AL3060-LC	30" D x 60" W x 29" H	Rectangular table with lumbercore	90	937
	AL3060-AR-LC	30" D x 60" W x 29" H	Rectangular table with apron rail and lumbercore	90	1,075
	AL3660	36" D x 60" W x 29" H	Rectangular table	95	\$ 888
	AL3660-AR	36" D x 60" W x 29" H	Rectangular table with apron rail	95	1,038
	AL3660-LC	36" D x 60" W x 29" H	Rectangular table with lumbercore	95	1,026
	AL3660-AR-LC	36" D x 60" W x 29" H	Rectangular table with apron rail and lumbercore	95	1,176
	AL3672	36" D x 72" W x 29" H	Rectangular table	100	\$ 1,000
	AL3672-AR	36" D x 72" W x 29" H	Rectangular table with apron rail	100	1,150
	AL3672-LC	36" D x 72" W x 29" H	Rectangular table with lumbercore	100	1,138
	AL3672-AR-LC	36" D x 72" W x 29" H	Rectangular table with apron rail and lumbercore	100	1,288
	AL3690	36" D x 90" W x 29" H	Rectangular table	110	\$ 1,274
	AL3690-AR	36" D x 90" W x 29" H	Rectangular table with apron rail	110	1,424
	AL3690-LC	36" D x 90" W x 29" H	Rectangular table with lumbercore	110	1,412
	AL3690-AR-LC	36" D x 90" W x 29" H	Rectangular table with apron rail and lumbercore	110	1,562







Arlington Rectangular Study Tables

for specifications, please see page 4 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL4260	42" D x 60" W x 29" H	Rectangular table	100	\$ 984
	AL4260-AR	42" D x 60" W x 29" H	Rectangular table with apron rail	100	1,134
	AL4260-LC	42" D x 60" W x 29" H	Rectangular table with lumbercore	100	1,122
	AL4260-AR-LC	42" D x 60" W x 29" H	Rectangular table with apron rail and lumbercore	100	1,272
	AL4272	42" D x 72" W x 29" H	Rectangular table	110	\$ 1,121
	AL4272-AR	42" D x 72" W x 29" H	Rectangular table with apron rail	110	1,281
	AL4272-LC	42" D x 72" W x 29" H	Rectangular table with lumbercore	110	1,271
	AL4272-AR-LC	42" D x 72" W x 29" H	Rectangular table with apron rail and lumbercore	110	1,431
	AL4860	48" D x 60" W x 29" H	Rectangular table	105	\$ 1,103
	AL4860-AR	48" D x 60" W x 29" H	Rectangular table with apron rail	105	1,263
	AL4860-LC	48" D x 60" W x 29" H	Rectangular table with lumbercore	105	1,253
	AL4860-AR-LC	48" D x 60" W x 29" H	Rectangular table with apron rail and lumbercore	105	1,413
	AL4872	48" D x 72" W x 29" H	Rectangular table	150	\$ 1,229
	AL4872-AR	48" D x 72" W x 29" H	Rectangular table with apron rail	150	1,389
	AL4872-LC	48" D x 72" W x 29" H	Rectangular table with lumbercore	150	1,379
	AL4872-AR-LC	48" D x 72" W x 29" H	Rectangular table with apron rail and lumbercore	150	1,539
	AL4890	48" D x 90" W x 29" H	Rectangular table	175	\$ 1,497
	AL4890-AR	48" D x 90" W x 29" H	Rectangular table with apron rail	175	1,657
	AL4890-LC	48" D x 90" W x 29" H	Rectangular table with lumbercore	175	1,647
	AL4890-AR-LC	48" D x 90" W x 29" H	Rectangular table with apron rail and lumbercore	175	1,807

Arlington Round Study Tables

for specifications, please see page 4 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL36D	36" D x 29" H	Round table	42	\$ 882
	AL36D-AR	36" D x 29" H	Round table with apron rail	42	979
	AL36D-LC	36" D x 29" H	Round table with lumbercore	42	986
	AL36D-AR-LC	36" D x 29" H	Round table with apron rail and lumbercore	42	1,083
	AL42D	42" D x 29" H	Round table	60	\$ 944
	AL42D-AR	42" D x 29" H	Round table with apron rail	60	1,041
	AL42D-LC	42" D x 29" H	Round table with lumbercore	60	1,048
	AL42D-AR-LC	42" D x 29" H	Round table with apron rail and lumbercore	60	1,145
	AL48D	48" D x 29" H	Round table	75	\$ 1,007
	AL48D-AR	48" D x 29" H	Round table with apron rail	75	1,104
	AL48D-LC	48" D x 29" H	Round table with lumbercore	75	1,111
	AL48D-AR-LC	48" D x 29" H	Round table with apron rail and lumbercore	75	1,208
	AL60D	60" D x 29" H	Round table	80	\$ 1,418
	AL60D-AR	60" D x 29" H	Round table with apron rail	80	1,515
	AL60D-LC	60" D x 29" H	Round table with lumbercore	80	1,522
	AL60D-AR-LC	60" D x 29" H	Round table with apron rail and lumbercore	80	1,619

Arlington Computer Table Specifications

TABLETOP

The tops shall be 1 $\frac{3}{16}$ "-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The edges shall be banded with a $\frac{3}{4}$ "-thick, solid hardwood drop edge band. The computer tabletop shall come complete with one grommet per seated position and a wire management trough. All tables longer than 48" shall receive a 14-gauge, channeled stress bar for added support. The stress bars shall be screwed to the underside of the tabletop.

EDGE DETAILS

The external radius edge band shall be $\frac{3}{4}$ " x 1 $\frac{1}{2}$ "-thick solid hardwood. Edges shall be available in a bevel profile or a bullnose profile.

APRON RAIL

The optional apron rail shall be constructed of $\frac{3}{4}$ " x 1 $\frac{1}{4}$ "-thick solids and fitted between the table legs. The bottom of the apron rail shall have radius edges. Add the suffix (-AR) to the model number.

LEGS

The legs shall be constructed of glued-up solids and shall be 2 $\frac{1}{4}$ " square. All vertical edges shall be radius. All bottom edges shall be eased. The legs shall attach to the underside of the tabletops through a 5" x 5" x $\frac{1}{4}$ "-thick steel plate. The plate shall be attached to the leg with two bolts threading into a barrel nut inserted into the leg. The plate shall be attached to the underside of the tabletop with $\frac{5}{16}$ " x 1" machine bolts engaging threaded inserts. Any table longer than 72" will receive an additional leg for support.

TABLE HEIGHT

The standard tabletop height shall be 29". Additional heights of 25" and 27" are available when specified.

GLIDES

Each leg shall be fitted with one 1 $\frac{3}{16}$ "-diameter, rubber-cushioned, adjustable leveling glide with a $\frac{15}{16}$ " stem.

LUMBERCORE TABLETOP (optional)







The lumbercore shall be constructed of an odd number of plies, symmetrical from the centerline, i.e., all inner plies, except the innermost ply, shall occur in pairs. Each pair of inner plies shall be the same thickness and direction of grain. Each ply of each pair is placed on opposite sides of the innermost ply, alternating grain direction from the center out. Add the suffix (-LC) to the model number.

RACK (optional)

The optional rack shall be 7" high and constructed of 1"-thick particle board core with Grade "A" veneer faces. Each exposed edge shall be externally banded with a $\frac{1}{4}$ " eased solid hardwood band. The rack shall be attached to the work surface by means of Mod-eez® clips and screwed in from the underside for added strength. Add the suffix (-RK) to the model number.



Arlington Single-Faced Computer Tables

for specifications, please see page 9 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL3030SCT	30" D x 30" W x 29" H	S/F Computer table – 1 person	70	\$ 883
	AL3030SCT-AR	30" D x 30" W x 29" H	S/F Computer table – 1 person w/apron rail	70	931
	AL3030SCT-LC	30" D x 30" W x 29" H	S/F Computer table – 1 person w/lumbercore	70	937
	AL3030SCT-AR-LC	30" D x 30" W x 29" H	S/F Computer table – 1 person w/apron rail and lumbercore	70	1,029
	AL3030SCT-RK	30" D x 30" W x 29" H	S/F Computer table – 1 person w/rack	75	\$ 1,035
	AL3030SCT-AR-RK	30" D x 30" W x 29" H	S/F Computer table – 1 person w/apron rail and rack	75	1,133
	AL3030SCT-LC-RK	30" D x 30" W x 29" H	S/F Computer table – 1 person w/lumbercore and rack	75	1,139
	AL3030SCT-AR-LC-RK	30" D x 30" W x 29" H	S/F Computer table – 1 person w/apron rail, lumbercore and rack	75	1,231
	AL3036SCT	30" D x 36" W x 29" H	S/F Computer table – 1 person	80	\$ 862
	AL3036SCT-AR	30" D x 36" W x 29" H	S/F Computer table – 1 person w/apron rail	80	960
	AL3036SCT-LC	30" D x 36" W x 29" H	S/F Computer table – 1 person w/lumbercore	80	966
	AL3036SCT-AR-LC	30" D x 36" W x 29" H	S/F Computer table – 1 person w/apron rail and lumbercore	80	1,058
	AL3036SCT-RK	30" D x 36" W x 29" H	S/F Computer table – 1 person w/rack	87	\$ 1,064
	AL3036SCT-AR-RK	30" D x 36" W x 29" H	S/F Computer table – 1 person w/apron rail and rack	87	1,162
	AL3036SCT-LC-RK	30" D x 36" W x 29" H	S/F Computer table – 1 person w/lumbercore and rack	87	1,168
	AL3036SCT-AR-LC-RK	30" D x 36" W x 29" H	S/F Computer table – 1 person w/apron rail, lumbercore and rack	87	1,260
	AL3060SCT	30" D x 60" W x 29" H	S/F Computer table – 2 person	95	\$ 1,089
	AL3060SCT-AR	30" D x 60" W x 29" H	S/F Computer table – 2 person w/apron rail	95	1,227
	AL3060SCT-LC	30" D x 60" W x 29" H	S/F Computer table – 2 person w/lumbercore	95	1,201
	AL3060SCT-AR-LC	30" D x 60" W x 29" H	S/F Computer table – 2 person w/apron rail and lumbercore	95	1,339
	AL3060SCT-RK	30" D x 60" W x 29" H	S/F Computer table – 2 person w/rack	110	\$ 1,458
	AL3060SCT-AR-RK	30" D x 60" W x 29" H	S/F Computer table – 2 person w/apron rail and rack	110	1,596
	AL3060SCT-LC-RK	30" D x 60" W x 29" H	S/F Computer table – 2 person w/lumbercore and rack	110	1,570
	AL3060SCT-AR-LC-RK	30" D x 60" W x 29" H	S/F Computer table – 2 person w/apron rail, lumbercore and rack	110	1,708

Arlington Single-Faced Computer Tables

for specifications, please see page 9 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL3072SCT	30" D x 72" W x 29" H	S/F Computer table – 2 person	120	\$ 1,201
	AL3072SCT-AR	30" D x 72" W x 29" H	S/F Computer table – 2 person w/apron rail	120	1,339
	AL3072SCT-LC	30" D x 72" W x 29" H	S/F Computer table – 2 person w/lumbercore	120	1,313
	AL3072SCT-AR-LC	30" D x 72" W x 29" H	S/F Computer table – 2 person w/apron rail and lumbercore	120	1,451
	AL3072SCT-RK	30" D x 72" W x 29" H	S/F Computer table – 2 person w/rack	140	\$ 1,570
	AL3072SCT-AR-RK	30" D x 72" W x 29" H	S/F Computer table – 2 person w/apron rail and rack	140	1,708
	AL3072SCT-LC-RK	30" D x 72" W x 29" H	S/F Computer table – 2 person w/lumbercore and rack	140	1,682
	AL3072SCT-AR-LC-RK	30" D x 72" W x 29" H	S/F Computer table – 2 person w/apron rail, lumbercore and rack	140	1,820




Arlington Double-Faced Computer Tables

for specifications, please see page 9 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL6030DCT	60" D x 30" W x 29" H	D/F Computer table – 2 person	100	\$ 1,089
	AL6030DCT-AR	60" D x 30" W x 29" H	D/F Computer table – 2 person w/apron rail	100	1,227
	AL6030DCT-LC	60" D x 30" W x 29" H	D/F Computer table – 2 person w/lumbercore	100	1,201
	AL6030DCT-AR-LC	60" D x 30" W x 29" H	D/F Computer table – 2 person w/apron rail and lumbercore	100	1,339
	AL6030DCT-RK	60" D x 30" W x 29" H	D/F Computer table – 2 person w/rack	115	\$ 1,291
	AL6030DCT-AR-RK	60" D x 30" W x 29" H	D/F Computer table – 2 person w/apron rail and rack	115	1,429
	AL6030DCT-LC-RK	60" D x 30" W x 29" H	D/F Computer table – 2 person w/lumbercore and rack	115	1,403
	AL6030DCT-AR-LC-RK	60" D x 30" W x 29" H	D/F Computer table – 2 person w/apron rail, lumbercore and rack	115	1,541
	AL6036DCT	60" D x 36" W x 29" H	D/F Computer table – 2 person	110	\$ 1,152
	AL6036DCT-AR	60" D x 36" W x 29" H	D/F Computer table – 2 person w/apron rail	110	1,290
	AL6036DCT-LC	60" D x 36" W x 29" H	D/F Computer table – 2 person w/lumbercore	110	1,264
	AL6036DCT-AR-LC	60" D x 36" W x 29" H	D/F Computer table – 2 person w/apron rail and lumbercore	110	1,402
	AL6036DCT-RK	60" D x 36" W x 29" H	D/F Computer table – 2 person w/rack	125	\$ 1,386
	AL6036DCT-AR-RK	60" D x 36" W x 29" H	D/F Computer table – 2 person w/apron rail and rack	125	1,524
	AL6036DCT-LC-RK	60" D x 36" W x 29" H	D/F Computer table – 2 person w/lumbercore and rack	125	1,498
	AL6036DCT-AR-LC-RK	60" D x 36" W x 29" H	D/F Computer table – 2 person w/apron rail, lumbercore and rack	125	1,636
	AL6060DCT	60" D x 60" W x 29" H	D/F Computer table – 4 person	150	\$ 1,526
	AL6060DCT-AR	60" D x 60" W x 29" H	D/F Computer table – 4 person w/apron rail	150	1,716
	AL6060DCT-LC	60" D x 60" W x 29" H	D/F Computer table – 4 person w/lumbercore	150	1,706
	AL6060DCT-AR-LC	60" D x 60" W x 29" H	D/F Computer table – 4 person w/apron rail and lumbercore	150	1,886
	AL6060DCT-RK	60" D x 60" W x 29" H	D/F Computer table – 4 person w/rack	180	\$ 1,918
	AL6060DCT-AR-RK	60" D x 60" W x 29" H	D/F Computer table – 4 person w/apron rail and rack	180	2,108
	AL6060DCT-LC-RK	60" D x 60" W x 29" H	D/F Computer table – 4 person w/lumbercore and rack	180	2,098
	AL6060DCT-AR-LC-RK	60" D x 60" W x 29" H	D/F Computer table – 4 person w/apron rail, lumbercore and rack	180	2,278

Arlington Double-Faced Computer and Index Tables

for specifications, please see page 9 • for ordering information, please see page 2

	Model	Size	Description	Weight	List Price
	AL6072DCT	60" D x 72" W x 29" H	D/F Computer table – 4 person	180	\$ 2,178
	AL6072DCT-AR	60" D x 72" W x 29" H	D/F Computer table – 4 person w/apron rail	180	2,368
	AL6072DCT-LC	60" D x 72" W x 29" H	D/F Computer table – 4 person w/lumbercore	180	2,358
	AL6072DCT-AR-LC	60" D x 72" W x 29" H	D/F Computer table – 4 person w/apron rail and lumbercore	180	2,538
	AL6072DCT-RK	60" D x 72" W x 29" H	D/F Computer table – 4 person w/rack	195	\$ 2,570
	AL6072DCT-AR-RK	60" D x 72" W x 29" H	D/F Computer table – 4 person w/apron rail and rack	195	2,760
	AL6072DCT-LC-RK	60" D x 72" W x 29" H	D/F Computer table – 4 person w/lumbercore and rack	195	2,750
	AL6072DCT-AR-LC-RK	60" D x 72" W x 29" H	D/F Computer table – 4 person w/apron rail, lumbercore and rack	195	2,930
	AL6060IT	60" D x 60" W x 29" H	D/F Double-tier Index table	210	\$ 3,012
	AL6060IT-LC	60" D x 60" W x 29" H	D/F Double-tier Index table w/lumbercore	210	3,202

Arlington Study Carrel Specifications

CARREL TOP

The tops shall be 1 3/16"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The edges shall be banded with a 3/4"-thick, solid hardwood drop edge band. All 48" carrel work surfaces shall receive a 14-gauge, channeled stress bar for added support.

EDGE DETAILS

The external edge band shall be 3/4"-thick by 1 1/2"-thick, solid hardwood. Edges shall be available in a tapered profile or a rounded profile.

END, BACK and INTERMEDIATE PANELS

The end, back and intermediate panels shall be constructed of 1"-thick particle board core with Grade "A" oak or maple veneer faces. The top and bottom edges shall be externally banded with a 1/4"-thick solid oak or maple eased bands. The panels shall attach to the legs by means of shoulder screws and Mod-eez® clips.

LEGS

The legs shall be constructed of glued-up solids and shall be 1 3/4" square. All vertical edges shall be radius. All bottom edges shall be eased. The legs shall attach to the panels by means of shoulder screws and Mod-eez® clips.

WORK SURFACE HEIGHT

The standard carrel top height shall be 29". Additional heights of 27" and 32" are available when specified.

SHELF

The shelf shall be constructed of 3/4" particle board core with Grade "A" oak or maple veneer faces. The front edge shall be banded with an external 1/4" solid oak or maple edge band. Each shelf shall be attached to the end/intermediate panels by means of shoulder screws and Mod-eez® clips, and secured to the back panels by means of an embedded connector.

GLIDES

Each leg shall be fitted with one 1 3/16"-diameter, rubber-cushioned, adjustable leveling glide with a 15/16" stem.

LUMBERCORE TABLETOP (optional)



The lumbercore shall be constructed of an odd number of plies, symmetrical from the centerline, i.e., all inner plies, except the innermost ply, shall occur in pairs. Each pair of inner plies shall be the same thickness and direction of grain. Each ply of each pair is placed on opposite sides of the innermost ply, alternating grain direction from the center out. Add the suffix (-LC) to the model number.

VENEER TOPS (optional)

Tabletop veneers are available when specified. Add the suffix (-VT) to the model number.

Arlington Single- and Double-Faced Study Carrels

for specifications, please see page 14 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
 <p>Starter</p> <p>Adder</p>	AL3036SSCS	30" D x 36" W x 48" H	S/F Study carrel starter	135	\$ 1,240
	AL3036SSCS-LC	30" D x 36" W x 48" H	S/F Study carrel starter w/lumbercore	135	1,368
	AL3036SSCA	30" D x 36" W x 48" H	S/F Study carrel adder	120	\$ 998
	AL3036SSCA-LC	30" D x 36" W x 48" H	S/F Study carrel adder w/lumbercore	120	1,126
 <p>Starter</p> <p>Adder</p>	AL6036DSCS	60" D x 36" W x 48" H	D/F Study carrel starter	240	\$ 1,998
	AL6036DSCS-LC	60" D x 36" W x 48" H	D/F Study carrel starter w/lumbercore	240	2,254
	AL6036DSCA	60" D x 36" W x 48" H	D/F Study carrel adder	225	\$ 1,514
	AL6036DSCA-LC	60" D x 36" W x 48" H	D/F Study carrel adder w/lumbercore	225	1,770

Arlington Reference Carrel Specifications

CARREL TOP

The tops shall be 1 ³/₁₆"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The edges shall be banded with a ³/₄"-thick, solid hardwood drop edge band. The tops shall have a 2" cord drop along the back to allow for wire management. The back edge shall be equipped with a ¹/₄" solid oak or maple retaining lip. All 48" carrel work surfaces shall receive a 14-gauge, channeled stress bar for added support.

EDGE DETAILS

The external edge band shall be ³/₄"-thick by 1 ¹/₂"-thick, solid hardwood. Edges shall be available in a tapered profile or a rounded profile.

END, BACK and INTERMEDIATE PANELS

The end, back and intermediate panels shall be constructed of 1"-thick particle board core with Grade "A" oak or maple veneer faces. The top and bottom edges shall be externally banded with a ¹/₄"-thick solid oak or maple eased bands. The panels shall attach to the legs by means of shoulder screws and Mod-eez[®] clips.

LEGS

The legs shall be constructed of glued-up solids and shall be 1 ³/₄" square. All vertical edges shall be radius. All bottom edges shall be eased. The legs shall attach to the panels by means of shoulder screws and Mod-eez[®] clips.

WORK SURFACE HEIGHT

The reference carrel work surface heights are adjustable at 27", 29", 32" and 39".

SHELF

The shelf shall be constructed of ³/₄" particle board core with Grade "A" oak or maple veneer faces. The front edge shall be banded with a ¹/₄" solid oak or maple edge band. Each shelf shall be attached to the end/intermediate panels by means of shoulder screws and Mod-eez[®] clips, and secured to the back panels by means of an embedded connector.

GLIDES

Each leg shall be fitted with one 1 ³/₁₆"-diameter, rubber-cushioned, adjustable leveling glide with a ¹⁵/₁₆" stem.

LUMBERCORE TABLETOP (optional)

The lumbercore shall be constructed of an odd number of plies, symmetrical from the centerline, i.e., all inner plies, except the innermost ply, shall occur in pairs. Each pair of inner plies shall be the same thickness and direction of grain. Each ply of each pair is placed on opposite sides of the innermost ply, alternating grain direction from the center out. Add the suffix (-LC) to the model number.

Arlington Single- and Double-Faced Reference Carrels

for specifications, please see page 16 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL3036SRCS	30" D x 36" W x 48" H	S/F Reference carrel starter	135	\$ 1,454
	AL3036SRCS-LC	30" D x 36" W x 48" H	S/F Reference carrel starter w/lumbercore	135	1,582
	AL3036SRCA	30" D x 36" W x 48" H	S/F Reference carrel adder	120	\$ 1,212
	AL3036SRCA-LC	30" D x 36" W x 48" H	S/F Reference carrel adder w/lumbercore	120	1,340
	AL3042SRCS	30" D x 42" W x 48" H	S/F Reference carrel starter	145	\$ 1,547
	AL3042SRCS-LC	30" D x 42" W x 48" H	S/F Reference carrel starter w/lumbercore	145	1,675
	AL3042SRCA	30" D x 42" W x 48" H	S/F Reference carrel adder	130	\$ 1,305
	AL3042SRCA-LC	30" D x 42" W x 48" H	S/F Reference carrel adder w/lumbercore	130	1,433
	AL6036DRCS	60" D x 36" W x 48" H	D/F Reference carrel starter	240	\$ 2,372
	AL6036DRCS-LC	60" D x 36" W x 48" H	D/F Reference carrel starter w/lumbercore	240	2,628
	AL6036DRCA	60" D x 36" W x 48" H	D/F Reference carrel adder	225	\$ 1,888
	AL6036DRCA-LC	60" D x 36" W x 48" H	D/F Reference carrel adder w/lumbercore	225	2,144
	AL6042DRCS	60" D x 42" W x 48" H	D/F Reference carrel starter	280	\$ 2,558
	AL6042DRCS-LC	60" D x 42" W x 48" H	D/F Reference carrel starter w/lumbercore	280	2,814
	AL6042DRCA	60" D x 42" W x 48" H	D/F Reference carrel adder	265	\$ 2,074
	AL6042DRCA-LC	60" D x 42" W x 48" H	D/F Reference carrel adder w/lumbercore	265	2,330

Arlington Hex Carrel Specifications

WORK SURFACE

The work surface shall be 1 3/16"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a gator ply backing sheet. The tops shall have a solid hardwood 1 3/16"-thick x 13/16"-wide external edge band with a bullnose or beveled shape available. The back edge shall be equipped with a 1/4" solid oak or maple retaining lip. The work surface shall be attached to the end panels by means of a Z-bar connector and have a 2" cord drop off the back panel for wire passage.

BACK PANEL

The back panel shall be 3/4"-thick particle board core with plain sliced veneer faces. The panel shall attach to the end panels by means of Mod-eez® clips.

END AND INTERMEDIATE PANELS

The end and intermediate panels shall be 48" high and constructed of 1 3/16"-thick particle board core with Grade "A" veneer faces. The panels shall be externally banded on all four edges with a 1/4"-thick eased edge band. The panels shall be attached to the work surface by means of a Z-bar connector. All intermediate panels shall include grommet holes lined with PVC for wire passage.

SHELF

The shelf shall be constructed of 3/4" particle board core with Grade "A" oak or maple veneer faces. The front edge shall be banded with a 1/4" external solid oak or maple edge band. Each shelf shall be attached to the end/intermediate panels by means of shoulder screws and Mod-eez® clips, and secured to the back panels by means of an imbedded connector.

ACCESS PANELS

The top and vertical access panels shall be constructed from 3/4"-thick particle board core with Grade "A" oak or maple veneer faces. All exposed edges shall be externally banded with 1/4"-thick solid oak or maple eased bands. The top access panel shall rest on solid wood cleats. There shall be one vertical access panel per full hex or half hex carrel. It shall attach to the back panels by means of wood screws engaging solid cleats behind the back panels.

WORK SURFACE HEIGHT

The standard work surface height shall be adjustable at 39", 32", 29", and 27".

WIRE MANAGEMENT

Each hex carrel shall come complete with a wire management channel per seated position.

GLIDES



Each end panel shall be fitted with two 1 3/16"-diameter, rubber-cushioned, adjustable leveling glides with a 15/16" stem.

LUMBERCORE TABLETOP (optional)

The lumbercore shall be constructed of an odd number of plies, symmetrical from the centerline, i.e., all inner plies, except the innermost ply, shall occur in pairs. Each pair of inner plies shall be the same thickness and direction of grain. Each ply of each pair is placed on opposite sides of the innermost ply, alternating grain direction from the center out. Add the suffix (-LC) to the model number.

Arlington Hex Carrels

for specifications, please see page 18 • for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL3HEX	42" D x 99" W x 42" H	Three-place half hex carrel with closed hub; adjustable work surface	605	\$ 4,433
	AL6HEX	99" D x 99" W x 42" H	Full, six-place carrel with closed hub; adjustable work surface	985	\$ 6,635

Arlington Modular Computer Access Stations



for ordering information, please see page 3

SPECIFICATIONS


Utilizing the starter and adder concept, these individual patron access stations provide the ultimate in function and arrangement of patron access terminals. Stations may be set up in almost endless combinations to suit your specific needs.

The work surface is mounted on 12-gauge metal brackets secured with machine screws engaging threaded brass inserts embedded in end and intermediate panels. Inserts are positioned to allow setting top at 27", 32", or 39" heights. Station(s) designated for printer use will have the shelf modified for paper storage. The work top is 1 1/4"-thick, plastic laminate surfaced, edged in solid hardwood and balance sheet. Panels are hardwood plywood banded on exposed edges in matching solid hardwood. Levelers are provided to compensate for uneven floor conditions.


Grommets and J-wire managers are positioned within each unit to provide concealment, and control of wires and equipment cables.

	Model	Size	Description	Weight	List Price
 Standing	AL-MAS-147-S	Single-station unit: (60°)	Standing: 37 3/4" D x 48 1/8" W x 46 1/2" H	135	\$ 1,454
	AL-MAS-147-A	Adder	Adder	120	1,195
 Sitting	AL-MAS-136-S	Single-station unit: (60°)	Sitting: 37 3/4" D x 48 1/8" W x 35 1/2" H	120	\$ 1,454
	AL-MAS-136-A	Adder	Adder	105	1,195

NOTE: Quantity and location(s) of handicap and printer stations must be indicated on the order.

	AL-MAS-347	Three-station unit: (half-circle 180°)	Standing: 47 5/8" D x 94" W x 46 1/2" H	375	\$ 3,992
	AL-MAS-336	Three-station unit: (half-circle 180°)	Sitting: 47 5/8" D x 94" W x 35 1/2" H	330	\$ 3,992

PLAN VIEWS



Arlington Modular Computer Access Stations


for ordering information, please see page 3

	Model	Size	Description	Weight	List Price
	AL-MAS-647	Six-station unit: (360°)	Standing: 94" D x 46 1/2" H	750	\$ 6,941
	AL-MAS-636	Six-station unit: (360°)	Sitting: 94" D x 35 1/2" H	660	\$ 6,941

COLUMN NOTE:

Modular Access Stations will fit around a 20" x 20" or smaller square column.
For round columns, units will accommodate a 25"-diameter column.

PLAN VIEWS



Arlington Atlas Stand

for ordering information, please see page 3

SPECIFICATIONS

TOP

The sloped top shall be 1 3/16"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The back and side edges shall be internally banded with a 1/2"-thick, solid hardwood band. The front edge shall be banded with 3/4"-thick, external, solid hardwood band and shaped with the specified edge detail. The top is sloped to a ten (10) degree angle and has a tenoned in solid hardwood retainer strip on the front edge.

END PANELS

The end panels shall be constructed of 1"-thick particle board core with plain sliced veneer on both faces. The bottom and vertical edges shall be externally banded with 1/2" eased solid hardwood.

BACK PANEL

The back panel shall be 1"-thick particle board core with plain sliced veneer on both faces and shall be banded on the bottom edge with a 1/4" solid edge band.

SHELVES


The Atlas Stand shall have five pull-out shelves. The shelves shall be 3/4"-thick particle board plywood with plain sliced veneer faces. The shelf slides shall have a positive stop to prevent accidental removal. The pull-out shelves shall have a 1"-thick, solid external band which shall have finger pulls machined along the underside. The fixed base shelf shall be 1"-thick particle board core plywood with a 1/2" eased external hardwood edge and plain sliced veneer face. It shall be fixed by means of a semi-concealed horizontal keel to add additional structural integrity.

GLIDES

Each end panel shall be fitted with two 1 3/16"-diameter, rubber-cushioned, adjustable leveling glides with a 15/16" stem.

OVERALL SIZE

The size of the Atlas Stand shall be 28" deep x 30 1/2" wide x 43 1/2" high. Juvenile height also available.

	Model	Size	Description	Weight	List Price
	AL45AS	28" D x 30 1/2" W x 43 1/2" H	Atlas Stand	215	\$ 1,945
	AL36AS-J	28" D x 30 1/2" W x 36 1/2" H	Atlas Stand – Juvenile Height	210	\$ 1,945

Arlington Dictionary Stand

for ordering information, please see page 3

SPECIFICATIONS

TOP

The sloped top shall be 1 3/16"-thick, 3-ply particle board core construction with a .050"-thick, high-pressure laminate top surface and a .020"-thick backer sheet. The back and side edges shall be internally banded with a 1/2"-thick, solid hardwood band. The front edge shall be banded with 3/4"-thick, external, solid hardwood band and shaped with the specified edge detail. The top is sloped to a ten (10) degree angle and has a tenoned in solid hardwood retainer strip on the front edge.

END PANELS

The end panels shall be constructed of 1"-thick particle board core with plain sliced veneer on both faces. The bottom and vertical edges shall be externally banded with 1/2" eased solid hardwood.

BACK PANEL

The back panel shall be 1"-thick particle board core with plain sliced veneer on both faces and shall be banded on the bottom edge with a 1/4" solid edge band.

SHELVES


The Dictionary Stand shall have one shelf adjustable on 32mm centers and one fixed shelf. The shelves shall be 3/4"-thick particle core plywood with plain sliced veneer face and a 1/4"-thick eased external edge bands. The fixed base shelf shall be fixed by means of a semi-concealed horizontal keel to add additional structural integrity.

GLIDES

Each end panel shall be fitted with two 1 3/16"-diameter, rubber-cushioned, adjustable leveling glides with a 15/16" stem.

OVERALL SIZE

The size of the Dictionary Stand shall be 14" deep x 24 1/2" wide x 43 1/2" high. Juvenile height also available.




Model	Size	Description	Weight	List Price
AL45DS	14" D x 24 1/2" W x 43 1/2" H	Dictionary Stand	95	\$ 1,042
AL36DS-J	14" D x 24 1/2" W x 36 1/2" H	Dictionary Stand – Juvenile Height	90	\$ 1,042

Arlington Displays

for ordering information, please see page 3


DISPLAY CASE The Display Cases come standard with adjustable glass shelves and locking, sliding glass doors. The doors are ¼" tempered glass installed in an anodized aluminum assembly which consists of a double track, double channel top guide and vertical retainers, and bottom shoes with ball-bearing rollers. The shelves are ¼" plate glass, 12" deep on anochrome-finished brackets adjustable on 1" centers. The units are available with a fluorescent light built into the top, with a prismatic acrylic panel to diffuse the glare of the light. (A 72" power cord plugs into a 15-amp convenience outlet.) The 82"-high units have four adjustable shelves. The 60"-high units have two adjustable shelves and a 1³⁄₁₆"-thick plastic laminate top with inlaid, solid oak edging.



Model	Size	Description	Weight	List Price
DC-4260	16" D x 42" W x 60" H	Display Case with 2 adjustable shelves	330	\$ 2,571
DC-4282	16" D x 42" W x 82" H	Display Case with 4 adjustable shelves	340	\$ 3,364


- Add the suffix (-FL) for fluorescent light assembly. Additional upcharge \$435 list.
- If Maple is required please contact Customer Service for pricing.

EXHIBIT CASE The Exhibit Cases are rigidly framed in solid Red Oak with mortise and tenon joinery. The standard units come with ¾"-thick Red Oak plywood top and back. Glass panel tops and backs are available as an option. All glass is heat tempered. The adjustable shelves are 14"-deep installed on anodized aluminum assembly which consists of a double track, double channel top guide and vertical retainers, and bottom shoes with ball-bearing rollers. The locked base storage compartment has a hinged plywood door. The cases are available with a low-voltage halogen accent light box assembly.



Model	Size	Description	Weight	List Price
EC-4882	20" D x 48" W x 82" H	Vertical Exhibit Case	215	\$ 4,054
-FL	Adds 3 ½" to height	Flush-mounted Light Box	50	\$ 974
-GB	Used on 82" high	Glass Back	125	\$ 870
(Add suffix to order number)				

SLOPED-TOP READING TABLE The Reading Table surface has double, sloping, plastic laminate tops 1 ¼"-thick x 15 ½"-wide with built-in retainer strips to hold books in place. The tops are divided by a built-in well for storing books in a vertical position. The tops and legs have Arlington standard edge profiles.




Model	Size	Description	Weight	List Price
AL-TDS-78	30" D x 78" W x 31" H 26" top height at front edge	Sloped-Top Table	190	\$ 2,692


Arlington Displays

for ordering information, please see page 3

MAGAZINE RACK The Magazine Racks are mounted in a sloped position for easy viewing. The racks have ½" Red Oak plywood fronts with solid Oak edge banding. The large Magazine Rack displays approximately 40 magazines in eight racks of varying heights, while the small rack displays approximately 24 magazines in six racks of varying heights.

	Model	Size	Description	Weight	List Price
	AL-MR-48	23 ¼" D x 48 ½" W x 60" H	Large Magazine Rack	128	\$ 2,529
	AL-MR-36	17 ⅞" D x 36 ½" W x 48" H	Small Magazine Rack	100	1,738

MOBILE PRINTER STAND The Mobile Printer Stand for narrow carriage printers has one adjustable shelf, a 12" paper slot, and an inset back, complete with a rear-mounted, J-channel wire manager. This unit has four bolt-attached, dual-swivel wheel casters and two doors.

	Model	Size	Description	Weight	List Price
	MPS-2123	20 ¾" D x 21" W x 22 ⅜" H	Mobile Printer Stand	220	\$ 1,003


NEWSPAPER RACK TABLE The Newspaper Rack Table is constructed of solid Red Oak. The top is 1 ¼"-thick with a pair of 1"-thick solid Oak rails, and is machined to hold 10 newspaper wands (furnished with table). The newspaper wands are made of hardwood and finished with a clear, hard finish. The legs are 2 ¼"-square, with leveling glides, and attach to dense hardwood corner blocks built into the 3" apron frame.

	Model	Size	Description	Weight	List Price
	AL-TNR-36	26" D x 36" W x 32" H	Newspaper Rack Table	55	\$ 1,619

Arlington Displays

for ordering information, please see page 3

REVOLVING DICTIONARY STAND The Revolving Dictionary Stand is constructed of solid Red Oak and Red Oak plywood. It has a padded bottom to protect the top surface of the supporting item on which it is placed. The turntable is mounted on a smooth-operating, ball-bearing mechanism.

	Model	Size	Description	Weight	List Price
	RDS-2107	14" D x 21" W x 6 1/2" H	Revolving Dictionary Stand	20	\$ 483

BOOK DISPLAY TABLE WITH TACKBOARD The Book Display Table is constructed of solid Red Oak. The top is 1 1/4"-thick with two sloping, built-in book wells parallel to a center-mounted tackboard. The tackboard panel is faced on both sides with 1/4"-thick tan cork and housed in a 1"-thick solid Oak frame. The legs are 2 1/4"-square with leveling glides, and attached to dense hardwood corner blocks, built into the 3" apron frame.



	Model	Size	Description	Weight	List Price
	AL-TBD-32	26" D x 36" W x 42" H Tabletop is 32" H	Book Display Table	300	\$ 1,720


EXHIBIT CASE The glass top Exhibit Case comes with locking, sliding glass doors. It will have as its base a standard AL3060 apronless table. The tabletop has a high-pressure laminate surface and 3/4" external edge bands. The case has safety glass ends, back, sliding doors and a tempered, glass top which is double-locked. The frame is aluminum in a natural anodized finish.

	Model	Size	Description	Weight	List Price
	AL-TEC-60	30" D x 60" W x 37" H	Sliding-Door Exhibit Case	225	\$ 3,607
	AL-TEC-60-AR	30" D x 60" W x 37" H	Sliding-Door Exhibit Case with apron rails	230	3,745

Arlington Book Trucks

for ordering information, please see page 3


DEPRESSIBLE BOOK TRUCK The Depressible Book Trucks have a spring-supported top to soften the drop of the books and depress as the weight increases. It comes with four 3" swivel casters.



Model	Size	Description	Weight	List Price
BDT-330-EH	22" D x 30" W x 27" H	Depressible Book Truck	110	\$ 1,568
BDT-330	22" D x 30" W x 33" H	Depressible Book Truck	125	1,726
-RB	(Add suffix to order number)	Rubber Bumpers		307


SERVICE BOOK TRUCK The Service Book Trucks are constructed of 3/4" veneer core Red Oak plywood with 1/4" solid Oak edge banding. The horizontal bottom and shelves are housed into the end panels, glued and reinforced with solid hardwood cleats screwed and glued in place on the undersides of the shelves and bottom. The heavy-duty casters are institutional quality with a load rating of 200 to 250 lbs. per caster. Two swivel and two rigid 5"-diameter casters are supplied on each book truck. Protective steel-reinforced rubber bumpers are available as an option.

Single-Faced



Model	Size	Description	Weight	List Price
BT-3035	18" D x 30" W x 35" H	Service Book Truck	73	\$ 987
BT-3042	18" D x 30" W x 42" H	Service Book Truck	75	1,057
BT-4035	18" D x 40" W x 35" H	Service Book Truck	77	1,040
BT-4042	18" D x 40" W x 42" H	Service Book Truck	80	1,093
-RB	(Add suffix to order number)	Rubber Bumpers		307

Double-Faced



Model	Size	Description	Weight	List Price
BDT-3035	18" D x 30" W x 35" H	Service Book Truck	76	\$ 1,271
BDT-3042	18" D x 30" W x 42" H	Service Book Truck	78	1,291
BDT-4035	18" D x 40" W x 35" H	Service Book Truck	90	1,418
BDT-4042	18" D x 40" W x 42" H	Service Book Truck	92	1,444
-RB	(Add suffix to order number)	Rubber Bumpers		307

800.622.5661 | 812.482.3204 | fax 812.481.9675 | www.communityfurniture.com

Arlington Index

AL-MAS-136-A.....	20	AL3060SCT-LC	10	AL45AS	22	AL6042DRCS-LC	17
AL-MAS-136-S.....	20	AL3060SCT-LC-RK.....	10	AL45DS	23	AL6060DCT	12
AL-MAS-147-A.....	20	AL3060SCT-RK.....	10	AL4848.....	5	AL6060DCT-AR	12
AL-MAS-147-S.....	20	AL3072SCT	11	AL4848-AR.....	5	AL6060DCT-AR-LC	12
AL-MAS-336.....	20	AL3072SCT-AR.....	11	AL4848-AR-LC.....	5	AL6060DCT-AR-LC-RK ...	12
AL-MAS-347.....	20	AL3072SCT-AR-LC.....	11	AL4848-LC	5	AL6060DCT-AR-RK.....	12
AL-MAS-636.....	21	AL3072SCT-AR-LC-RK....	11	AL48D	8	AL6060DCT-LC	12
AL-MAS-647	21	AL3072SCT-AR-RK	11	AL48D-AR	8	AL6060DCT-LC-RK	12
AL2436.....	6	AL3072SCT-LC	11	AL48D-AR-LC	8	AL6060DCT-RK	12
AL2436-AR.....	6	AL3072SCT-LC-RK.....	11	AL48D-LC	8	AL6060IT.....	13
AL2436-AR-LC.....	6	AL3072SCT-RK.....	11	AL4860.....	7	AL6060IT-LC.....	13
AL2436-LC	6	AL3636.....	5	AL4860-AR.....	7	AL6072DCT	13
AL3030SCT	10	AL3636-AR.....	5	AL4860-AR-LC.....	7	AL6072DCT-AR	13
AL3030SCT-AR.....	10	AL3636-AR-LC.....	5	AL4860-LC	7	AL6072DCT-AR-LC	13
AL3030SCT-AR-LC.....	10	AL3636-LC	5	AL4872.....	7	AL6072DCT-AR-LC-RK ...	13
AL3030SCT-AR-LC-RK....	10	AL3660.....	6	AL4872-AR.....	7	AL6072DCT-AR-RK.....	13
AL3030SCT-AR-RK.....	10	AL3660-AR.....	6	AL4872-AR-LC.....	7	AL6072DCT-LC	13
AL3030SCT-LC	10	AL3660-AR-LC.....	6	AL4872-LC	7	AL6072DCT-LC-RK	13
AL3030SCT-LC-RK.....	10	AL3660-LC	6	AL4890.....	7	AL6072DCT-RK	13
AL3030SCT-RK.....	10	AL3672.....	6	AL4890-AR.....	7	AL60D	8
AL3036SCT	10	AL3672-AR.....	6	AL4890-AR-LC.....	7	AL60D-AR	8
AL3036SCT-AR.....	10	AL3672-AR-LC.....	6	AL4890-LC	7	AL60D-AR-LC	8
AL3036SCT-AR-LC.....	10	AL3672-LC	6	AL6030DCT	12	AL60D-LC	8
AL3036SCT-AR-LC-RK....	10	AL3690.....	6	AL6030DCT-AR	12	AL3HEX.....	19
AL3036SCT-AR-RK.....	10	AL3690-AR.....	6	AL6030DCT-AR-LC	12	AL6HEX.....	19
AL3036SCT-LC	10	AL3690-AR-LC.....	6	AL6030DCT-AR-LC-RK ...	12	AL-MR-48.....	25
AL3036SCT-LC-RK.....	10	AL3690-LC	6	AL6030DCT-AR-RK.....	12	AL-MR-36.....	25
AL3036SCT-RK.....	10	AL36AS-J.....	22	AL6030DCT-LC	12	AL-TBD-32	26
AL3036SRCA.....	17	AL36D	8	AL6030DCT-LC-RK	12	AL-TDS-78.....	24
AL3036SRCA-LC.....	17	AL36D-AR	8	AL6030DCT-RK	12	AL-TEC-60.....	26
AL3036SRCS	17	AL36D-AR-LC	8	AL6036DCT	12	AL-TEC-60-AR	26
AL3036SRCS-LC.....	17	AL36D-LC.....	8	AL6036DCT-AR	12	AL-TNR-36	25
AL3036SSCA	15	AL36DS-J	23	AL6036DCT-AR-LC	12	BDT-330-EH	27
AL3036SSCA-LC.....	15	AL4242.....	5	AL6036DCT-AR-LC-RK ...	12	BDT-330.....	27
AL3036SSCS	15	AL4242-AR.....	5	AL6036DCT-AR-RK.....	12	BDT-3035.....	27
AL3036SSCS-LC	15	AL4242-AR-LC.....	5	AL6036DCT-LC	12	BDT-3042.....	27
AL3042SRCA.....	17	AL4242-LC	5	AL6036DCT-LC-RK	12	BDT-4035.....	27
AL3042SRCA-LC.....	17	AL42D	8	AL6036DCT-RK	12	BDT-4042.....	27
AL3042SRCS.....	17	AL42D-AR	8	AL6036DRCA	17	BT-3035	27
AL3042SRCS-LC.....	17	AL42D-AR-LC	8	AL6036DRCA-LC	17	BT-3042	27
AL3060.....	6	AL42D-LC.....	8	AL6036DRCS.....	17	BT-4035	27
AL3060-AR.....	6	AL4260.....	7	AL6036DRCS-LC	17	BT-4042	27
AL3060-AR-LC.....	6	AL4260-AR.....	7	AL6036DSCA.....	15	DC-4260.....	24
AL3060-LC	6	AL4260-AR-LC.....	7	AL6036DSCA-LC.....	15	DC-4282.....	24
AL3060SCT	10	AL4260-LC	7	AL6036DSCS	15	EC-4882	24
AL3060SCT-AR.....	10	AL4272.....	7	AL6036DSCS-LC.....	15	MPS-2123	25
AL3060SCT-AR-LC.....	10	AL4272-AR.....	7	AL6042DRCA	17	RDS-2107.....	26
AL3060SCT-AR-LC-RK....	10	AL4272-AR-LC.....	7	AL6042DRCA-LC	17		
AL3060SCT-AR-RK.....	10	AL4272-LC	7	AL6042DRCS.....	17		

Arlington is a complete line of technical furniture which is simple and open in design, while maximizing available space in the library environment. Available in both rounded and tapered edge treatments for all work surfaces, Arlington features a large number of wood finishes. All major plastic laminates are standard product for Community.

COMMUNITY