

March 24, 2008

Updated January 1, 2009

800-424-2432





Ordering C.O.M., C.O.L., and C.O.V.	BONDUEL, GREEN BAY, LAVERNE, and TUPELO	2
	Shipping Location	4
100, 300, 700 Series® Folding Chairs	General Information	6
100 Series	Folding Chairs	10
300 Series	Folding Chairs	12
700 Series®	Folding Chairs	14
Auditorium, Comfort Line®, Design Line Folding Chairs	General Information	18
Auditorium	Folding Chairs	20
Comfort Line®	Folding Chairs	22
Design Line	Folding Chairs	24
Front Row Seats®	General Information	26
	Folding Chairs	28
Folding Chairs - 05	General Information	32
	Folding Chairs	34
Storage Caddies for Folding Chairs - 05	Folding Chairs	40
Folding Chair Storage and Accessories	General Information	42
	Folding Chairs	44
Industrial/Mechanical Adjustable Stools	General Information	50
600 Series	Industrial Stools	54
700 Series®	Industrial Stools	60
800 Series	Industrial Stools	62
Mechanical Adjustable	Industrial Stools	64
Medical and Laboratory	General Information	66
	Stools	68
Index	Index	70

Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, LAVERNE, and TUPELO


How to Specify C.O.M. Upholstery

Textile designs often have intricate patterns. Not all individuals will interpret fabric direction in the same manner.

As a standard procedure, KI cuts fabrics off the roll in a horizontal fashion as shown in Diagram A at the right. By cutting in this fashion, most waste is eliminated. Our requirements for yardage in this book are based on this type of cutting. When directional or patterned fabrics are used, they often require more yardage than solid colors.

By providing KI with a completely filled-out copy of the form on this page, we will be able to expedite your order. We find it particularly helpful with directional or patterned upholstery material. It is critical that copies of this form accompany test quantities as well as production quantities of C.O.M.

C.O.M. must be supplied in continuous yardage.



C.O.M., C.O.L. and C.O.V. Testing

KI will require for testing actual yardage to upholster one chair. The testing requirements depend on which chair you have selected on your order.

Test samples will be applied to the order and will be held for 6 months if needed. After 6 months, the sample can no longer be applied to your order. For all products to be tested, send test samples for approval to:

KI
1330 Bellevue Street
Green Bay, WI 54302
Attn: C.O.M. Specialist

To expedite the procedure, attach a copy of the "C.O.M. Information Form" on this page.

All C.O.M., C.O.L. and C.O.V. must be labeled with the purchase order number.

C.O.M., C.O.L. and C.O.V. Production

Customer's fabrics and leathers must be approved prior to acceptance for production. Upon test approval, a 1" square sample swatch of upholstery material must accompany the order. KI assumes no responsibility for wear, defects or performance of customer's own fabrics, vinyl or leather. C.O.M., C.O.L. and C.O.V. orders are available on a deferred delivery basis.

Orders for production of C.O.M., C.O.L. and C.O.V. upholstered products are not scheduled for processing until upholstery material is received. Upon receipt, KI will provide an acknowledgement and an estimated shipping date.

KI recommends that leather be ordered in yardage. Leather must be usable. The outer edges cannot be calculated as square feet or yardage.

The C.O.M., C.O.L. and C.O.V. yardage requirements accompanying products in the pricing section are for 10 chairs/seats or less, 54" wide nondirectional material. On larger orders, less material is required.

For exact production yardage requirements, call 1-800-424-2432, ext. 2707.

C.O.M., C.O.L. and C.O.V. Order Processing

For products shipped from Green Bay, WI facility, ship upholstery material to:

KI
Attn: C.O.M. Storage
1330 Bellevue Street
Green Bay, WI 54302

For products shipped from Tupelo, MS facility ship material to:

KI Tupelo
Attn: C.O.M. Storage
2112 South Green Street
Tupelo, MS 38801

For products shipped from Bonduel, WI facility, ship material to:

KI
Attn: C.O.M. Storage
204 West South Street
Bonduel, WI 54107

For products shipped from LaVerne, CA facility, ship material to:

Impress/Kismet/Medical & Laboratory Stools
Attn: C.O.M. Storage
2009 Wright Ave.
LaVerne, CA 91750

Intricate Patterns

In the event of specific requirements for positioning of intricate patterns or pattern repeats on seats and backrests, provide a sketch noting requirements, as in Diagram B, along with materials for testing, and with the order.




Diagram B

Treated Materials

If C.O.M. requires processing such as Scotchgard® or acrylic backing, it often shrinks. To prevent delays in delivery or back ordering due to shrinkage, please have your processor remeasure after processing and assure adequate yardage shipment.

Split Orders

If a portion of the shipment which does not require C.O.M., C.O.L. or C.O.M. applications is to be processed and shipped early, KI will enter the order immediately at your request. These split shipments are subject to minimum order changes.

Contact the C.O.M. Specialist at 1-800-424-2432, ext. 2707, with questions or to verify a split order.

Excess Upholstery Material

KI will dispose of excess upholstery material at the time of shipment unless expressly requested to return it with the product shipment.

Cancelled or Changed Orders

KI assumes no responsibility for extra C.O.M., C.O.L. or C.O.V. material due to a change of upholstery or cancellation of an order. It is the customer's responsibility to arrange for return of this material.

C.O.M., C.O.L. and C.O.V. Information Form

A copy of this form should accompany test requests and production orders. Please fill it out completely, and, if your order has been acknowledged, provide the acknowledgement number.

Purchasing Agent (Dealer or buying organization)

Attention

Address

City S late Zip

Project Name

Type of seating and number of units of each type

Please see information below and check the appropriate box.

Submitted for testing.

Test approved. Submitted for production.

Purchase Order Number


KI Acknowledgement Number

In all instances, send this form to the C.O.M. Specialist.

A Selvage Top and Bottom




B Selvage Side and Side





Ordering C.O.M., C.O.L., and C.O.V.

BONDUEL, GREEN BAY, LAVERNE, and TUPELO



Ordering C.O.M., C.O.L., and C.O.V. Shipping Location

C.O.M. SHIPPING LOCATION



Architectural Walls

Genius Wall MN
Systems Wall MN

Classroom Furniture

360 Classroom Furniture BW
Dorsal 1090 Chairs GB
Dorsal Student Desks GB

Desking

700 Series Desking KP
Balance Overheads MN
Genesis Desking MN
True Desking KP
Universal Overheads MN
WorkZone Desking MN

Files & Storage

E-Series Pedestal Cushion GB
700 Series Pedestal Cushion GB

Fixed Seating

Aria Auditorium Seating BW
Concerto Auditorium Seating BW
Fixed Pedestals GB
Jury Base Seating GB
Lancaster Auditorium Seating BW
Sequence Seating GB
University Seating GB

Panel Systems

All Terrain KP
Balance Overheads KP
Flexible WorkSpace BW
Prosper AG*
System 3000 MN
Universal Overheads MN
Wireworks MN

Residence Hall Furniture

RoomScope Furniture MN

Seating

100 Series Folding Chairs TM
300 Series Folding Chairs TM
600 Series Stools TM
700 Series Folding Chairs TM
800 Series Stools TM
1000 Series GB
Aerdyn Guest Seating HN
Albany Auditorium Seating BW
Arissa Lounge HN
Aston Guest Seating HN
Auditorium Folding Chairs TM
Bantam Guest Seating HN
Briar Multiple & Healthcare Seating HN
Bruen Lounge Seating HN
Canaan Guest Seating HN
Cinturon Lounge & Professional Seating HN
Cody Lounge Seating HN
Comfort Line Folding Chairs TM
Dance Nesting & Task Chairs BW
Daybed Sofas HN
Daylight Stacking Chairs GB
Dorsal Stacking & Tandem Seating GB
Eden Healthcare Seating HN
Engage Task Chairs & Stools GB
Eton Lounge Seating HN
Flex Multiple & Healthcare Seating HN
Front Row Seats (Silk Screening) TM
GateOne Public Seating BW
Glimmer Stacking & Task HB
Grand Salon Lounge Seating & Benches HN
Hancock Benches HN
Impress Task Chairs LV
Impress Ultra Task Chairs LV
Impulse Task Chairs GB
Ivey Lounge & Guest Seating HN

Jessa Lounge Seating HN
Kismet Task/Guest Chairs & Stools LV
Kurv Benches HN
LaResta Day Beds HN
Lido Lounge Seating HN
Lola Lounge Seating HN
Maestro Stacking Chairs GB
Matrix Stacking Chairs GB
Mechanical Adjustable Stools TM
Medical & Laboratory Stools LV
Mesa Lounge & Task Seating HN
MI6 Nesting Chairs GB
Neena Lounge Seating & Benches HN
Perry Stacking Chairs GB
Perth Multiple & Healthcare Seating HN
Piretti 2000 Series Seating GB
Piretti Stacking Chairs GB
Pomfret Lounge & Guest Seating HN
Promenade Seating System BW
Quatro Guest Seating HN
Rapture Stacking Chairs & Stools GB
Relax Lounge Seating HN
Rose Healthcare BW
Silhouette Stacking Chairs & Stools BW
Soltice Multiple, Healthcare & Guest HN
Strive Stacking & Task GB
Teacup Lounge Seating HN
Three Multiple, Healthcare & Lounge HN
Torsion-on-the-Go Nesting Chairs GB
Torsion Stacking and Task Seating GB
Versa Stacking Chairs & Stools GB
Warren Healthcare Seating BW

Site Furnishings

Logix BW

KI Manufacturing Sites - Customer's Own Material Shipment Manufacturing Site Addresses

BW

KI Bonduel
Attn: COM Storage
204 West South St.
Bonduel, WI 54107

AG*

Contact KI at
1-800-424-2432

HB

Glimmer
Attn: COM Storage
15731 Graham St.
Huntington Beach, CA 92649

HN

KI-HN
Attn: COM Storage
217 Field Avenue
High Point, NC 27263

KP

KI Pembroke
Attn: COM Storage
1000 Olympic Dr.
Pembroke, Ontario K8A6X7

GB

KI Green Bay
Attn: COM Storage
1330 Bellevue St.
Green Bay, WI 54302

LV

Impress/Impress Ultra/
Kismet/Medical Stools
Attn: COM Storage
2009 Wright Ave.
LaVerne, CA 91750


MN

KI Manitowoc
Attn: COM Storage
1400 S. 41st St.
Manitowoc, WI 54220



Ordering C.O.M., C.O.L., and C.O.V.

Shipping Location



100, 300, 700 Series® Folding Chairs

General Information



100 Series Steel Seat (101)



100 Series Upholstered Seat (103)



100 Series Upholstered Seat and Back (104)

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 welded crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-3/4"	19-3/4"	19-3/4"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

SPECIFICATIONS

100 Series Frames

Electrically seam-welded 18-gauge, 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage.

Backrests

One-piece, 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

104 Upholstered Backrest

24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

Seats

20-gauge cold-rolled drawn and shaped steel with fully curled edges for strength and safety. Front corners have a "waterfall" shape.

103, 104 Upholstered Seat

20-gauge recessed steel seat pan. 13-1/4" x 13-1/2" x 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical

fasteners.

300 Series Frames

Electrically seam-welded 19-gauge x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, reinforced at pivot points with frame strengtheners. Crossbraces double riveted to each leg.

300 Backrests

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 8-1/2" high for maximum support. 2" deep concave shape for maximum support.

304 Upholstered Backrest

24-gauge steel. 14-1/2" x 6" x 1/2" polyfoam stapled to linerboard panel. Replaceable, attached to backrest by screws.

301 Seats

One-piece 20-gauge cold-rolled with fully curled edge for strength and safety. Front corners have a waterfall shape.

303, 304 Upholstered Seats

20-gauge recessed steel seat pan. 5/8" poly-

foam sealed to linerboard panel. Replaceable, attached by mechanical fasteners.

Feet

Replaceable, nonmarring, durable, linear polypropylene.

Frame Finish

Baked on electrostatically applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI
2112 South Green Street
Tupelo, MS 38801



100, 300, 700 Series® Folding Chairs

General Information



**300 Series Steel Seat
(301D)**



**300 Series Upholstered
Seat (303DU)**



**300 Upholstered Seat
and Back (304DU)**

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	•
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
2 double-riveted crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"
Ganging on center	18-1/2"	18-1/2"	18-1/2"

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

100, 300, 700 Series® Folding Chairs

General Information



Steel Seat(701D)



Upholstered Seat
(703DU)



Upholstered Seat and
Back (704DU)

Features

Seam-welded tubular steel frame	•	•	•
Steel seat	•	•	
Steel backrest	•	•	•
Polyfoam seat pad		•	•
Polyfoam backrest pad			•
3 welded crossbraces	•	•	•
Wallsaver design	•	•	•
3" frame strengtheners (a KI exclusive)	•	•	•
Steel seat bridge	•		

General Dimensions

Seat height	17-1/2"	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"	30-1/4"
Overall width	18-1/4"	18-1/4"	18-1/4"
Overall depth	19-1/2"	19-1/2"	19-1/2"

SPECIFICATIONS

700 Series® Frames

Electrically seam-welded 18-gauge, 7/8" o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8" o.d. steel tubing.

Steel Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

704 Upholstered Backrest

Replaceable backrest panel of 1/2" polyfoam stapled to linerboard base. Attached to backrest by screws.

701 Steel Seat

Seat pivots on 1/4" tempered steel rivets. One-piece 20-gauge cold-rolled drawn and shaped steel with fully curled edges.

703, 704U Upholstered Seats

20-gauge recessed steel seat pan. 5/8" poly-

foam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

703S, 704S Upholstered Seat

20-gauge recessed steel seat pan. 1" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

"FTAR" Miracle Fold Tablet Arm

Arm folds independently of chair and has a high degree of clearance from seat to underside of tablet arm. Front hingelock of die-formed 14-gauge steel and molded copolymer, 14-gauge, 7/8" o.d. bright chrome tubular steel arm support. Rear dual action hinge laminated of 11- and 14-gauge steel. Tablet is 5/8" high-density MDF faced with high-pressure plastic laminate top and backing sheets.

"TAR" Folding Tablet Arm

Arm folds with folding action of chair. Tubular steel frame is secured under the seat with formed steel brackets. Heavy-duty formed steel hinge is riveted to frame. Tablet is 5/8"

high-density MDF with high-pressure plastic laminate top and backing sheets.

Feet

Replaceable nonmarring linear polypropylene.

Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Folding Bookrack

Factory-installed only. 10" x 15-3/4" storage area. 5/16" o.d. steel wire frame with spot-welded 1/4" o.d. crosspieces. Zinc finish.

Optional Bright Chrome Finish

Surfaces are nickel-chrome plated.

Frame Finish

Baked on electrostatically applied epoxy powder coating.



100, 300, 700 Series® Folding Chairs

General Information



Tablet Arm (701DTAR)



**Miracle Fold Tablet Arm
(704DFTAR/U)**

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad		•
Polyfoam backrest pad		•
3 welded crossbraces	•	•
Wallsaver design	•	•
3" frame strengtheners (a KI exclusive)	•	•

General Dimensions

Seat height	17-1/2"	17-1/2"
Overall height	30-1/4"	30-1/4"
Overall width	24"	24"
Overall depth	26-1/4"	26-1/4"
Tablet arm	12-1/2" x 22-1/2"	12-1/2" x 22-1/2"




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

100 Series

Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>100</p>	Steel Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear 3" frame strengtheners (A KI exclusive) Wallsaver design 	Unupholstered	101	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>100U</p>	Upholstered Seat <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear Polyfoam seat pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	103S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		5/8" Seat Pad	103U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>100U</p>	Upholstered Seat and Back <ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear Polyfoam seat and backrest pad 1/2" polyfoam backrest pad 3" frame strengtheners (A KI exclusive) Wallsaver design 	1" Seat Pad	104S	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		5/8" Seat Pad	104U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#

Ⓐ
Ⓑ
Ⓒ
Ⓓ

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model=103
Added Lead Time=1 Week
Added List Price=\$8
Model=104
Added Lead Time=1 Week
Added List Price=\$14

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$16



100 Series

Folding Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 47			\$ 39		
N/A	\$ 80	\$ 80	N/A	\$ 69	\$ 69
N/A	75	75	N/A	65	65
N/A	\$ 93	\$ 93	N/A	\$ 79	\$ 79
N/A	88	88	N/A	75	75

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

300 Series

Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>300</p>	Steel Seat <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	Unupholstered	301D	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
 <p>300U</p>	Upholstered Seat <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • Polyfoam seat pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	1" Seat Pad	303DS	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	11#
		5/8" Seat Pad	303DU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	11#
 <p>300U</p>	Upholstered Seat and Back <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 2 "double riveted" crossbraces, front and rear • Polyfoam seat pad and backrest • 1/2" polyfoam backrest pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	1" Seat Pad	304DS	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	12#
		5/8" Seat Pad	304DU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	12#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$210. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = 303
 Added Lead Time = 1 Week
 Added List Price = \$8
 Model = 304
 Added Lead Time = 1 Week
 Added List Price = \$14

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$16



300 Series

Folding Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 57			\$ 49		
N/A	\$ 84	\$ 84	N/A	\$ 64	\$ 64
N/A	79	79	N/A	62	62
N/A	\$ 97	\$ 97	N/A	\$ 74	\$ 74
N/A	92	92	N/A	72	72

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

700 Series®

Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>Steel Seat</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	Unupholstered	701D	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>Upholstered Seat</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • Polyfoam seat pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	1" Seat Pad	703DS	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	5/8" Seat Pad	703DU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
 <p>Upholstered Seat and Back</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • Polyfoam seat and backrest pad • 1/2" polyfoam backrest pad • 3" frame strengtheners (A KI exclusive) • Wallsaver design 	1" Seat Pad	704DS	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#
	5/8" Seat Pad	704DU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	13#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. 3/4" high letters. Three lines maximum. Set-up charge \$210. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =703
Added Lead Time =1 Week
Added List Price =-\$8
Model =704
Added Lead Time =1 Week
Added List Price =-\$14

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$16

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Available only on the 700 Series® Folding Chairs model 704 with upholstered seat and back. Upcharge is \$55



Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 60			\$ 49		
N/A	\$ 78	\$ 78	N/A	\$ 64	\$ 64
N/A	72	72	N/A	62	62
N/A	\$ 92	\$ 92	N/A	\$ 74	\$ 74
N/A	86	86	N/A	72	72

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

700 Series®

Folding Chairs

MODEL	Features	MODEL NUMBER				
		Basic Model	Frame Color	Upholstery Color	Tablet Arm Color	Feet/Bumper Color
 <p>7TA 7TAU</p> <p>Tablet Arm Chair</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces • Plastic laminate arms fold with chair • 3" frame strengtheners (A KI exclusive) • Wallsaver design • Left hand version available • Tablet arm folds with chair 	Steel Seat, Left Hand	701DTAL	□□□		□□□	□□□
	Steel Seat, Right Hand	701DTAR	□□□		□□□	□□□
	Seat Pad/Steel Back, Left Hand	703DTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Steel Back, Right Hand	703DTAR/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Left Hand	704DTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Right Hand	704DTAR/U	□□□	□□□□□	□□□	□□□
 <p>7TA 7TAU</p> <p>Miracle Fold Tablet Arm</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • 3 welded crossbraces, front and rear • Plastic laminate arms fold independently of chair • 3" frame strengtheners (A KI exclusive) • Wallsaver design • Left hand version available • Tablet arm folds independently of chair 	Steel Seat, Left Hand	701DFTAL	□□□		□□□	□□□
	Steel Seat, Right Hand	701DFTAR	□□□		□□□	□□□
	Seat Pad/Steel Back, Left Hand	703DFTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Steel Back, Right Hand	703DFTAR/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Left Hand	704DFTAL/U	□□□	□□□□□	□□□	□□□
	Seat Pad/Padded Back, Right Hand	704DFTAR/U	□□□	□□□□□	□□□	□□□

A

B

C

D

E

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The □ indicates that a choice is required.
•The absence of the □ indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select tablet arm color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- E** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Custom Embossed Backrest

Available on upholstered and steel backrest. ¾" high letters. Three lines maximum. Set-up charge \$210. Upcharge is \$5 per chair. Contact KI to order.

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =703
Added Lead Time =1 Week
Added List Price = \$8
Model =704
Added Lead Time =1 Week
Added List Price = \$14

Bookrack

Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish. Add "/BRK" to model number. Add 1-1/2# to weight. Upcharge is \$16

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Available only on the 700 Series® Folding Chairs model 704 with upholstered seat and back. Upcharge is \$55



700 Series®

Folding Chairs

Approx. Packaged Weight	Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
18#	\$ 170			\$ 142		
18#	170			138		
18#	N/A	180	180	N/A	155	155
18#	N/A	180	180	N/A	145	145
19#	N/A	190	190	N/A	175	175
19#	N/A	190	190	N/A	165	165
19#	\$ 220			\$ 189		
19#	220			179		
20#	N/A	235	235	N/A	209	209
20#	N/A	235	235	N/A	199	199
20#	N/A	245	245	N/A	219	219
20#	N/A	245	245	N/A	209	209

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Auditorium, Comfort Line[®], Design Line Folding Chairs

General Information



**Auditorium Upholstered
Seat and Back (731)**



**Auditorium Upholstered
Seat and Back (734)**

Features

Independent seat rise	•	
Interlocking ganging mechanism	•	•
Tubular steel frame	•	•
Steel rod K brace on front leg frame	•	
Reinforced steel insert tubes on front legs	•	•
Two rear crossbraces	•	•
2-1/2" seat cushion	•	
2" seat cushion		•
1/2" back cushion	•	
5/8" back cushion		•
Optional interlocking armrests	•	

General Dimensions

Seat height	18-1/2"	17-1/2"
Overall height - open	31-7/8"	31-1/2"
Overall height - closed	40-3/4"	
Overall width - armless	19"	18-1/4"
Overall width - with arms	21"	
Folded depth	5"	

SPECIFICATIONS

Auditorium 731 Series Frames

Electrically welded 19-gauge x 7/8" o.d. tubular steel. Front legs reinforced with two tubular steel inserts. U-shaped front leg crossbrace. Steel rod "K" brace welded between front leg frame and "U" brace for added strength. Two 19-gauge x 5/8" crossbraces welded to rear legs.

Auditorium 731 Series Upholstered Backrests

1/2" polyfoam attached with screws to 3/16" molded backboard. Steel back panel is welded to frame. Replaceable upholstery.

Auditorium 731 Upholstered Seats

18-gauge x 7/8" tubular steel seat frame with 8" x 3/4" x 18-gauge steel tubes inserted for added strength. 2-1/2" polyfoam attached with screws to 5/8" Novoply™ seat base. Replaceable upholstery. Underside of seat painted to match frame color. Rectangular numbering plate attached to underside of seat.

Auditorium 731 Series Rubber Feet

Nonmarring heavy-duty rubber feet. Rotatable to compensate for wear.

Auditorium 731 Series Armrest with Interlock

Tubular steel to match chair frame. Electrically welded to chair frame. Top of support arm welded to armrest support base. Welded male and female interlocks on armrest support engage with opposite interlocks on chairs when in engaged position.

Auditorium 731 Series Interlocking Ganging Bracket

Heavy-duty steel. Female interlocks with key-hole slots welded to leg. Male shoulder studs riveted to main chair frame and interlock with female interlocks. Each chair provided with two male interlocks and one female interlock.

Auditorium 731 Series Bright Chrome Finish

Surfaces are duplex nickel-chrome plated in a twenty-one step process.

Auditorium 731 Series Frame Finish

Baked on electrostatically applied epoxy powder coating.

Auditorium 734 Frame

Legs: 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Front legs reinforced with 18 gauge, 3/4" o.d. steel tubing inserts (tube-within-a-tube construction). Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Steel pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Auditorium 734 Backrest

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" preformed backboard, secured to the backrest with screws.

Auditorium 734 Seat

18-gauge electrically seam-welded 7/8"

square steel tubing at front and sides, reinforced by 18-gauge, 3.4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Auditorium 734 Feet

Replaceable nonmarring linear polypropylene.

Auditorium 734 Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Auditorium 734 Folding Arms

Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Auditorium 734 Optional Bright Chrome Finish

Surfaces are nickel-chrome plated.



Auditorium, Comfort Line[®], Design Line Folding Chairs

General Information



Comfort Line[®] (702CL)



Design Line Upholstered
Seat and Back (1104)

Features

Seam-welded tubular steel frame	•	•
Polyfoam seat pad		•
Polyfoam backrest pad	•	•
Molded foam seat cushion	•	
3 welded crossbraces	•	
2 welded crossbraces		•
3" frame strengtheners (a KI exclusive)	•	•
Ganging option	•	•

General Dimensions

Seat height	18"	17-1/2"
Overall height	30-3/4"	30-1/4"
Overall width	18-1/4"	18-1/4"
Overall depth	22-1/4"	19-3/4"

Auditorium 734 Frame Finish

Baked on electrostatically applied epoxy powder coating.

Comfort Line[®] Backrest

Backrest cushion is 5/8" thick. Backrest is reclined an additional 3° to increase comfort.

Comfort Line[®] Seat

Contoured molded seat cushion with waterfall edge. 1-1/2" thick at the front and 2-1/2" thick at the sides and rear. Seat cushion is 15-1/4" wide by 16-1/4" deep; seat height is 18".

Comfort Line[®] Feet

Replaceable nonmarring, high-impact polypropylene.

Comfort Line[®] Frame Finish

Baked on electrostatically applied epoxy powder coating.

Design Line 1100 Series Frames

Legs of electrically seam-welded 19-gauge, 7/8" o.d. steel tubing. Front legs reinforced at pivot points with frame strengtheners. Two leg

braces of 19-gauge, 5/8" o.d. steel tubing.

Design Line Steel Backrests

8-1/2" deep, curved 24-gauge cold-rolled steel. Fully curled edges add to backrest rigidity. Backrest pitch enhances proper posture.

Design Line Upholstered Backrests

Replaceable backrest panel of 5/8" polyfoam glued to linerboard. Attached to backrest by screws.

Design Line Upholstered Seats

20-gauge recessed steel seat pan, 1-1/2" polyfoam stapled to liner panel. Replaceable, attached by mechanical fasteners.

Design Line Feet

Replaceable nonmarring, high-impact polypropylene.

Design Line Frame Finish

Baked on electrostatically applied epoxy powder coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:
KI Tupelo
2112 South Green St.
Tupelo, MS 38801





INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Auditorium

Folding Chairs

	MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
			Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 <p>INDF RARM</p>	731 Auditorium Folding Chair	2-1/2" Seat Pad, 1/2" Back Pad	731	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21#	
		• Welded tubular steel frame						
		• Polyfoam seat and backrest	ARMRC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			2#	
		• 1/2" polyfoam back; 2-1/2" polyfoam seat	ARMRL	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			2#	
		• Interlocking ganging	ARMRR	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			2#	
• Independent seat rise								
• Double rear crossbraces								
 <p>INDF</p>	734 Upholstered Chair	Nonganging	734	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19#	
		• Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction	Ganging	734G	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19#
		• 2-1/2" foam cushioned seat	Steel Leg Cap	734SC	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19#
		• 5/8" foam cushioned backrest						
• 3 welded crossbraces								
• 3" frame strengthener (A KI exclusive)								
 <p>INDF</p>	734 Upholstered Armchair	Nonganging	734FM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	23#	
		• Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction						
		• 2-1/2" foam cushioned seat						
		• 5/8" foam cushioned backrest						
• 3 welded crossbraces								
• Arms fold with chair								
• 3" frame strengthener (A KI exclusive)								
 <p>INDF</p>	734 Upholstered Armchair w/Independent Seat Rise	Nonganging	734IFM	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	23#	
		• Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction						
		• 2-1/2" foam cushioned seat						
		• 5/8" foam cushioned backrest						
• 3 welded crossbraces								
• Arms fold with chair								
• 3" frame strengthener (A KI exclusive)								

A

B

C

D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet/bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =731
Added Lead Time =1 Week
Added List Price =\$29
Model =734
Added Lead Time =1 Week
Added List Price =\$30

Bookrack

Available on 734 models only. Factory installed only. Folds with chair. 15-3/4" W, 10"D. Zinc finish.
Add "/BR" to model number.
Add 1-1/2# to weight. Upcharge is \$18

Chrome

Bright Chrome finish. Add suffix "/CH" under frame color. Upcharge is \$65

Carton Option

For two per carton add "/2P" to end of model number; no upcharge
For one per carton add "/1P" to end of model number; upcharge is \$30.



Auditorium

Folding Chairs

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Vinyl Group 1 & C.O.V.	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Fabric Grade 2	Freight Excluded Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Vinyl Group 2
N/A	\$ 260	\$ 284	\$ 260	\$ 298	N/A	\$ 229	\$ 245	\$ 229	\$ 257
69					59				
69					59				
69					59				
N/A	\$ 229	\$ 254	\$ 229	\$ 267	N/A	\$ 199	\$ 218	\$ 199	\$ 229
N/A	238	265	238	278	N/A	199	218	199	229
N/A	238	265	238	278	N/A	199	218	199	229
N/A	\$ 339	\$ 373	\$ 339	\$ 392	N/A	\$ 299	\$ 323	\$ 299	\$ 339
N/A	\$ 370	\$ 406	\$ 370	\$ 426	N/A	\$ 320	\$ 346	\$ 320	\$ 363

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.



Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Vinyl Group 1 & C.O.V.	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Fabric Grade 1 & C.O.M.	Freight Excluded Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Vinyl Group 2
\$ 172	\$ 172	\$ 191	\$ 136	\$ 136	\$ 149

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Design Line

Folding Chairs

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>11U</p> <p>Upholstered Seat</p> <ul style="list-style-type: none"> • Seam-welded tubular steel frame • Heavy-gauge steel seat and backrest • Tubular steel, front and rear crossbraces • Upholstered seat • Wallsaver design • 3" frame strengtheners (A KI exclusive) 	Upholstered Seat	1103	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
 <p>11U</p> <p>Upholstered Seat and Back</p> <ul style="list-style-type: none"> • Seam-welded tubular steel frame • Heavy-gauge steel seat and backrest • Tubular steel, front and rear crossbraces • Upholstered seat and back • Wallsaver design • 3" frame strengtheners (A KI exclusive) 	Upholstered Seat/Back	1104	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet/ bumper color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model =1103
 Added Lead Time =1 Week
 Added List Price =\$12
 Model =1104
 Added Lead Time =1 Week
 Added List Price =\$16



Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 78	\$ 78	\$ 65	\$ 65
\$ 100	\$ 100	\$ 85	\$ 85

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Front Row Seats®

General Information



**Front Row Seats® 734
Upholstered (FRS734)**



**Front Row Seats® 704
Upholstered Seat/Back
(FRS704D/U)**

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad	•	•
Polyfoam backrest pad	•	•
Welded crossbraces	•	•
Wallsaver design	•	•
3" frame strengtheners (a KI exclusive)	•	•
Ganging option	•	•
Tube-within-a-tube construction	•	

General Dimensions

Seat height	17-1/2"	17-1/2"
Overall height	31-1/2"	30-1/4"
Ganging on center	18-1/2"	18-1/2"
Overall width	18"	18-1/4"
Overall depth	20-1/2"	19-1/2"

SPECIFICATIONS

Front Row Seats® 734 Frame

Legs 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Frame reinforced at pivot points with frame strengtheners. Two rear and one front crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Seat pivots on 1/4" tempered steel rivets at front and 3/16" rivets at rear legs.

Front Row Seats® 734I Independent Folding Seat Frame

Legs 19-gauge electrically seam-welded 7/8" o.d. steel tubing. Front legs reinforced at pivot points with 18-gauge, 3/4" o.d. steel tubing inserts (tube-within-a-tube construction). Two rear crossbraces of 19-gauge, 5/8" o.d. steel tubing welded to legs. Front leg "U" cross-brace of 3/4" o.d., 18-gauge steel tubing welded to legs. Independent-folding seat is hinged by two 11-gauge steel bridges between front and rear legs. Pivots are 1/4" and 3/16" tempered steel rivets.

Front Row Seats® 734 Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edges and spot-welded to frame. Replaceable backrest panel is of 5/8" polyfoam on a 1/4" preformed backboard, secured to the backrest with screws.

Front Row Seats® 734 Seat

18-gauge electrically seam-welded 7/8" square steel tubing at front and sides, reinforced by 18-gauge, 3/4" o.d. tubular steel insert (tube-within-a-tube construction). Back of seat has 18-gauge formed steel angle support. 2" polyfoam bonded to 5/8" Novoply™ base. Replaceable seat cushions fasten to frame with screws.

Front Row Seats® 734I Seat

18-gauge electrically seam-welded 7/8" square steel tubing, reinforced by 18-gauge, 3/4" o.d. tubular steel insert (tube-within-a-tube construction). 2-1/2" polyfoam bonded to 5/8" Novoply™ base. Seat cushions are replaceable, fastened to frame with screws.

Front Row Seats® 734 Folding Arms

Steel frame with a padded and upholstered cushion. Laminated steel frame hinge with 16-gauge, 1/2" o.d. tubular steel arm support.

Front Row Seats® 704 Frames

Legs 19-gauge electrically seam-welded 7/8" o.d. tubing. Front legs reinforced at pivot points with frame strengtheners/seat spacers. Three leg braces of 19-gauge, 5/8" o.d. steel tubing.

Front Row Seats® 704 Steel Backrests

8-1/2" deep, pitched for proper posture support. Panel is curved 24-gauge cold-rolled steel with fully curled edge and spot-welded to frame.

Front Row Seats® 704 Upholstered Backrest

Replaceable backrest panel of 1/2" polyfoam stapled to linerboard base. Attached to backrest by screws.

Front Row Seats® 704U Upholstered

Seats

20-gauge recessed steel seat pan. 5/8" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners, upholstered in vinyl.

Front Row Seats® 704S Upholstered Seats

20-gauge recessed steel seat pan. 1" polyfoam stapled to linerboard panel. Replaceable, attached by mechanical fasteners.

Front Row Seats® Feet

Replaceable nonmarring linear polypropylene.

Front Row Seats® Ganging (Armless Models Only)

Riveted male interlocks engage matching twin keyholes on brazed female bracket.

Front Row Seats® Optional Bright Chrome Finish

Surfaces are nickel-chrome plated.

Front Row Seats® Frame Finish

Baked on electrostatically applied epoxy pow-



Silk Screening charges	Seat or Back Only			Seat and Back		
	1-Color Logo	2-Color Logo	3-Color Logo	1-Color Logo	2-Color Logo	3-Color Logo
Silk Screen Set-up Charge	\$60	\$120	\$175	\$120	\$240	\$345
Silk Screen Application Charge (per chair)						
25-50 Chairs	7	14	22	14	30	45
51-100 Chairs	5	9	12	10	18	25
101+ Chairs	3	6	9	8	10	16
Artwork Charge (per logo)	\$175					

Reorders: No artwork charge if ordered within 1 year of initial order. All other charges apply.

Minimum order of 25 chairs.

der coating.

INFORMATION

C.O.M. Testing and Production Requirements

KI reserves the right to reject unsuitable material. Orders will not be accepted without prior material approval. Send 1 yard of customer's own material for testing. A 1" square sample swatch for identification must accompany original orders.

Send C.O.M. marked with your name and P.O. number to:

KI Tupelo
2112 South Green St.
Tupelo, MS 38801

Licensing Requirements

The ability to manufacture and market Front Row Seats® may be limited by licensing requirements. Contact KI Customer Service.



INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Front Row Seats®

Folding Chairs

Features	MODEL NUMBER							Approx. Packaged Weight	
	Basic Model	Silk Screen Placement	No. of Seat Ink Colors	No. of Back Ink Colors	Frame Color	Upholstery Color	Feet/Bumper Color		
	1" Seat Pad	FRS704D/S	□□□□	□□□□□□	□□□□□□	□□□	□□□□□	□□□	13#
	5/8" Seat Pad	FRS704D/U	□□□□	□□□□□□	□□□□□□	□□□	□□□□□	□□□	13#
<p>FS</p> <p>Upholstered Seat and Back</p> <ul style="list-style-type: none"> • Double hinge • Artwork silk screened on seat, back, or seat and back • Replaceable polyfoam seat and backrest pad • Seam-welded tubular steel frame with heavy-gauge steel backrest • Wallsaver design • 3" frame strengtheners (A KI exclusive) • 1/2" back pad 									
	Ganging	FRS734G	□□□□	□□□□□□	□□□□□□	□□□	□□□□□	□□□	19#
	Nonganging	FRS734	□□□□	□□□□□□	□□□□□□	□□□	□□□□□	□□□	19#
<p>FS</p> <p>Upholstered Chair</p> <ul style="list-style-type: none"> • Artwork silk-screened on seat, back, or seat and back • 2" foam cushioned seat; 5/8" cushioned backrest • Heavy-duty tube-within-a-tube seam-welded steel seat frame and front leg construction • 3 welded crossbraces • Wallsaver design 									

A B C D E F G

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select silk screen placement.
 - SSS** = Seat only
 - SSB** = Back only
 - SSSB** = Seat and back
- C** Select number of seat ink colors.
 - 1INKST** = 1 Ink color
 - 2INKST** = 2 Ink colors
 - 3INKST** = 3 Ink colors
- D** Select number of back ink colors.
 - 1INKBK** = 1 Ink color
 - 2INKBK** = 2 Ink colors
 - 3INKBK** = 3 Ink colors
- E** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- F** Select upholstery grade/color.
 Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- G** Select feet and bumper color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Special Enamel Frame
 Submit paint sample to KI. Orders will not be accepted without prior suitability approval. Add upcharge to standard chair or C.O.M. price. Minimum quantities required.

California TB133 Fire Safety Code
 The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.
 Model =FRS704
 Added Lead Time =1 Week
 Added List Price =\$10

Chrome
 Bright Chrome finish. Add suffix "/CH" under frame color. Upcharge is \$56

Folding Chairs - 05

General Information



Value™ Lite Single Hinge (VL100)

Steel Seat Double Hinge (301D)

Steel Seat Double Hinge w/ Three Crossbraces (331D)

Fabric Upholstered Seat and Back (344DF)

Vinyl Upholstered Seat and Back (344DV)

Fabric Upholstered Seat & Back w/ 2" Padded Seat (354DF)

Features

Seam-welded tubular steel frame	•	•	•	•	•	•
Steel seat		•	•	•	•	
Steel backrest		•	•	•	•	•
Single hinge	•			•	•	•
Double hinge		•	•	•	•	•
2 double-riveted crossbraces		•		•	•	•
3 double-riveted crossbraces			•	•	•	•
3" frame strengtheners (a KI exclusive)		•	•	•	•	•
Wallsaver design	•	•	•			

General Dimensions

Seat height	17-3/4"	17-1/2"	17-1/2"	17-1/2"	17-1/2"	19-3/4"
Overall height	33-3/8"	30-1/4"	30-1/4"	31"	31"	32-3/8"
Overall width	18-1/2"	18-1/4"	18-1/4"	18-1/2"	18-1/2"	19"
Overall depth	21-1/8"	19-1/2"	19-1/2"	21"	21"	21"
Folded depth	3"	2-1/2"	2-1/2"	2-3/4"	2-3/4"	3-3/4"

SPECIFICATIONS

301, 301D, 301DTA, 331D

Frame

Electrically seam-welded 18 ga. x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, reinforced at pivot points with both front and rear leg frame strengtheners. 5/8" dia. cross braces double riveted to each leg.

Steel Backrest

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 2" deep concave shape for maximum support. Rounded back for comfort.

Steel Seat

One-piece 22-gauge cold-rolled with fully curled safety edge, securely welded to frame. Front corners have a waterfall shape.

301DVTA, 344DV, 344DF

Frame

Electrically seam-welded 18 ga. x 7/8" o.d.

tubular steel. 13-gauge "ribbed" linkage, 3/4" dia. cross braces double riveted to each leg.

Upholstered Backrest

One-piece 24-gauge cold-rolled with fully curled safety edge, securely welded to frame. 7/8" polyfoam stapled to linerboard panel attached with screws to backrest. Higher back for added comfort.

Upholstered Seat

One-piece 22-gauge cold-rolled with fully curled safety edge, securely welded to frame. 1-3/8" polyfoam sealed to linerboard panel attached with rivets to seat pan.

354DF

Frame

Electrically seam-welded 18 ga. x 7/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 5/8" cross braces double riveted to each leg.

Upholstered Backrest

One-piece 24-gauge cold-rolled with fully

curled safety edge, securely welded to frame. 7/8" polyfoam stapled to 6 mm linerboard panel attached with screws to backrest. Higher back for added comfort.

Upholstered Seat

20-gauge D-shape tube. 2" polyfoam stapled to 5mm fiberboard attached to frame with 8 metal brackets and rivets.

VL.100.SG.BL

Frame

Electrically seam-welded 17 ga. x 1 - 1/8" o.d. tubular steel. 13-gauge "ribbed" linkage, 2 - 1/4" 11 ga. under seat support brace, 13 ga. side seat support 3/4" arched welded cross braces.

Seat and Backrest

1 - 1/4" thick high density polyethylene plastic.

Tablet Arm

Tablet arm is constructed of high-density particleboard with high-pressure laminate top.



Folding Chairs - 05

General Information



**Steel Seat Double Hinge
w/ Tablet Arm (301DTA)**



**Vinyl Upholstered Seat
Double Hinge w/ Tablet
Arm (301DVTA)**



**Double Tier Storage
Caddy (KDT84)**



**Vertical Storage Caddy
(KV50A)**

Features

Seam-welded tubular steel frame	•	•
Steel seat	•	•
Steel backrest	•	•
Polyfoam seat pad		•
Polyfoam backrest pad		•
Double hinge	•	•
2 double-riveted crossbraces	•	•
Front frame strengtheners	•	•

Features (Capacity)

301, 301D, 331D	84	50
344DV, 344DF	72	42
354DF	48	30
301DTA, 301DVTA	0	25
VL.100.BL.SG	0	40

General Dimensions

Seat height	16-1/2"	17-1/2"		
Overall height	30-1/4"	30-1/4"	67-5/8"	30"
Overall width	21"	21"	33-3/4"	20-7/8"
Overall depth	28-1/4"	28-1/4"	61-1/2"	106-1/2"
Tablet arm	11-1/4" x 21-7/8"	11-1/4" x 21-7/8"		
Tablet arm height from floor	26-1/2"	26-1/2"		
Folded depth	4"	4-1/2"		
Wheels on center			30"	15-1/2"





INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Folding Chairs - 05

Folding Chairs

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
			Basic Model		
 FC	Steel Seat	<ul style="list-style-type: none"> Seam-welded tubular steel frame Heavy-duty steel seat and backrest 2 welded crossbraces, front and rear 3" frame strengtheners (A KI exclusive) Wallsaver design 	Unupholstered Beige	101/BE	10#
 FC	Steel Seat Double Hinge	<ul style="list-style-type: none"> Double hinge Seam-welded tubular steel frame Heavy-duty steel seat and backrest Double-riveted crossbraces, front and rear 3" frame strengtheners (a KI exclusive) Wallsaver design Matching feet (BS has black feet) 	Unupholstered Beige	301D/BE	10#
			Unupholstered Black	301D/BL	10#
			Unupholstered Brown	301D/BR	10#
			Unupholstered Baltic	301D/BS	10#
			Unupholstered Warm Grey	301D/WG	10#
 FC	Steel Seat Double Hinge w/ 3 Crossbraces	<ul style="list-style-type: none"> Double hinge Seam-welded tubular steel frame Heavy-duty steel seat and backrest Double-riveted crossbraces, front and rear Added rear double-riveted crossbrace for superior strength 3" frame strengtheners (a KI exclusive) Wallsaver design Matching feet (BS has black feet) 	Unupholstered Beige	331D/BE	11#
			Unupholstered Black	331D/BL	11#
			Unupholstered Brown	331D/BR	11#
			Unupholstered Baltic	331D/BS	11#
			Unupholstered Warm Grey	331D/WG	11#
 HRDPT	Value™ Lite Single Hinge	<ul style="list-style-type: none"> Single hinge High density polyethylene seat and back Front and back arched welded crossbraces Polyethylene glides Frame color hammer tone black Seat and back color stone grey Sold 4 per carton Integrated handle in backrest Seat and back thickness 1 - 1/4" 		VL.100.BL.SG	13#



HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.




INFORMATION

Cartoning

Model 301 - 4 units per carton
 Model 301D - 4 units per carton
 Model 331D - 4 units per carton
 Model VP.100.BL.SG - 4 units per carton

Folding Chairs - 05

Folding Chairs

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model		
 <p>FC</p> <p>Vinyl Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Vinyl	344DV/BE/VBE		12#
	Beige Frame/Brown Vinyl	344DV/BE/VBR		12#
	Warm Grey Frame/Blue Vinyl	344DV/WG/VBH		12#
	Warm Grey Frame/Black Vinyl	344DV/WG/VBL		12#
	Warm Grey Frame/Burgundy Vinyl	344DV/WG/VBU		12#
	Warm Grey Frame/Grey Vinyl	344DV/WG/VGY		12#
 <p>FC</p> <p>Fabric Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Fabric	344DF/BE/FBE		12#
	Black Frame/Charcoal Fabric	344DF/BL/FCH		12#
	Brown Frame/Walnut Fabric	344DF/BR/FWA		12#
	Warm Grey Frame/Blue Fabric	344DF/WG/FBH		12#
	Warm Grey Frame/Burgundy Fabric	344DF/WG/FBU		12#
	Warm Grey Frame/Grey Fabric	344DF/WG/FGY		12#
 <p>FC</p> <p>Cushioned Fabric Upholstered</p> <ul style="list-style-type: none"> • Double hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 7/8" polyfoam backrest pad • 2" polyfoam seat pad • Higher back for comfort 	Beige Frame/Beige Fabric	354DF/BE/FBE		13#
	Black Frame/Charcoal Fabric	354DF/BL/FCH		13#
	Brown Frame/Walnut Fabric	354DF/BR/FWA		13#
	Warm Grey Frame/Blue Fabric	354DF/WG/FBH		13#
	Warm Grey Frame/Burgundy Fabric	354DF/WG/FBU		13#
	Warm Grey Frame/Grey Fabric	354DF/WG/FGY		13#

A

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

Some models available with Quick Ship leadtimes. See Quick Ship Price List for details.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model 344DV - 4 units per carton
Model 344DF - 4 units per carton
Model 354DF - 4 units per carton



Folding Chairs - 05

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 68	\$ 50
68	50
68	50
68	50
68	50
68	50

\$ 70	\$ 55
70	55
70	55
70	55
70	55
70	55

\$ 80	\$ 63
80	63
80	63
80	63
80	63
80	63

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chairs - 05

Folding Chairs

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
			Basic Model		
 FC	Tablet Arm and Steel Seat <ul style="list-style-type: none"> • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • Left hand version available 	Beige Frame/Oak Tablet-Left	301DTAL/BE/LOK		17#
		Warm Grey Frame/Grey Tablet-Left	301DTAL/WG/LGE		17#
		Beige Frame/Oak Tablet-Right	301DTAR/BE/LOK		17#
		Warm Grey Frame/Grey Tablet-Right	301DTAR/WG/LGE		17#
 FC	Tablet Arm and Vinyl Upholstered Seat <ul style="list-style-type: none"> • Double-hinge • Seam-welded tubular steel frame • Heavy-duty steel seat and backrest • Double-riveted crossbraces, front and rear • 3" front frame strengtheners • Plastic laminate arm folds with the chair • Left hand version available • 7/8" polyfoam backrest pad • 1-3/8" polyfoam seat pad 	Warm Grey Frame/Grey Vinyl/Grey Tablet-Left	301DVTAL/WG/VGY/LGE		18#
		Warm Grey Frame/Grey Vinyl/Grey Tablet-Right	301DVTAR/WG/VGY/LGE		18#



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model 301DTAL - 2 units per carton
 Model 301DTAR - 2 units per carton
 Model 301DVTAL - 2 units per carton
 Model 301DVTAR - 2 units per carton



Folding Chairs - 05

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 103	\$ 71
103	71
103	71
103	71

\$ 122	\$ 85
122	85

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Storage Caddies for Folding Chairs - 05

Folding Chairs

MODEL	Features	W	MODEL NUMBER	Approx. Packaged Weight	
			Basic Model		
 <p>CCAD</p>	<p>Vertical Storage Caddy</p> <ul style="list-style-type: none"> • Heavy-duty 16 ga. steel frame • Adjustable endpost - standard • Tablet arm chairs require double the space of non-tablet arm chairs • Beige finish only 	Capacity 50	50"	KV50A/BE/C	63#
 <p>CCAD</p>	<p>Double-Tier Storage Caddy</p> <ul style="list-style-type: none"> • Heavy-duty 11ga., 1"x2" tubular steel • Chairs suspend from tines • NOTE: Cannot store tablet arm chairs • Beige finish only 	Capacity 84	84"	KDT84/BE/C	100#



HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select base model.

INFORMATION

Cartoning

Model KV50A - 1 unit per carton
 Model KDT84 - 1 unit per carton



Storage Caddies for Folding Chairs - 05

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 537	\$ 430
\$ 1365	\$ 1075

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

General Information



Vertical Storage Caddy (KV) KV25

KV35

KV50



Horizontal Storage Caddy (KH) KH50

KH51



Double-Tier Storage Caddy (KDT84)

Features (Capacity)

100, 300, 700, 1100	25 Chairs	35 Chairs	50 Chairs	50 Chairs	50 Chairs	84 Chairs
734, 702CL	14 Chairs	20 Chairs	27 Chairs			47 Chairs
734FM	11 Chairs	16 Chairs	21 Chairs			36 Chairs

General Dimensions


Length	56-1/2"	80-1/2"	106-1/2"	106-1/2"	106-1/2"	61-1/2"
Width	20-7/8"	20-7/8"	20-7/8"	35-3/8"	33-3/8"	33-3/4"
Height from floor	30"	30"	30"	22"	22"	67-5/8"
Casters on center	15-1/2"	15-1/2"	15-1/2"	15-1/2"	15-1/2"	30"



Replacement Feet (Polypropylene)



Replacement Feet (Rubber)



Replacement Bumper

SPECIFICATIONS

The capacity listed in the above chart is for non tablet Arm Chairs. Tablet arm chairs require double the space. Replacement feet and bumpers are available.

KV Series Vertical Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. To each end, a 4-1/2" x 1-1/2" angle steel member is electrically welded. To each outside corner of the bed is welded a 14-gauge, 1-1/4" o.d. endpost socket to support removable 1-1/8" o.d., 18-gauge endposts. Loading stops are stamped into the bed. 4" high x 1-1/4" wide roller bearing wheels.

Optional adjustable endpost sockets are constructed of welded steel. Sockets and removable endpost are positioned against partial loads to eliminate load from shifting.

KH Series Horizontal Storage Caddy

One-piece bed of 16-gauge steel with sides channeled to 1-1/2" high. Side rails are fitted

into sockets welded to endposts. Distance between side rails is equal to folded height of chairs from top to bottom crossbrace for snug storage. 4" high x 1-1/4" wide roller bearing wheels.

KDT84 Caddy

Legs, uprights and crossbrace are fabricated of 11-gauge, 1" x 2" tubular steel. Legs are welded to uprights; crossbraces are bolted. Open tubing ends are covered with plastic end caps. Chair suspension tines of 14-gauge, 1" o.d. round tubing. 5" high x 1-3/8" wide roller bearing wheels.

NOTE: Do not use KDT-84 for tablet arm chairs.





INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Folding Chair Storage and Accessories

Folding Chairs

	MODEL	Features	MODEL NUMBER			Approx. Packaged Weight	
			Basic Model	Frame Color	Base		
 CCAD	Vertical Storage Caddy	<ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel 50 chair caddies have swivel wheel in bed center Beige finish standard (other colors available at an upcharge) 30" high from floor, empty Tablet arm chairs require double the space of non-tablet arm chairs 	Capacity 25	KV25	BE	<input type="checkbox"/> <input type="checkbox"/>	44#
			Capacity 35	KV35	BE	<input type="checkbox"/> <input type="checkbox"/>	52#
			Capacity 50	KV50	BE	<input type="checkbox"/> <input type="checkbox"/>	63#
 CCAD	Horizontal Storage Caddy	<ul style="list-style-type: none"> One-piece solid bed design All steel construction 4" wheels: 2 fixed, 3 swivel Swivel wheel in bed center Models for #100, #300 and #700 chairs Beige finish standard (other colors available at an upcharge) 22" high from floor; 40-1/8" wide loaded Tablet arm chairs require double the space of non-tablet arm chairs 	Capacity 50,700 Series [®]	KH50	BE	<input type="checkbox"/> <input type="checkbox"/>	68#
			Capacity 50,300 Series Chairs	KH51	BE	<input type="checkbox"/> <input type="checkbox"/>	76#

A
B
C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select base option.
- | | |
|-----------|--|
| C | = Standard swivel/fix wheels |
| SC | = Swivel caddy wheels; add \$19 |
| SW | = Swivel wheels for wood floor; add \$52 |
| WF | = Wood floor-swivel/fix; add \$36 |

OPTIONS

Adjustable Endpost and Sockets

Adapts to KV, KH-50 and KH-51 series chair caddies. Allows endposts to be repositioned to prevent partial loads from shifting. Specify #86.5002 for a KV caddy and #86.5003 for a KH caddy; for field-installable parts or add an "A" in front of frame color when ordering with caddy. Add #10 weight. Upcharge is \$40.

Upcharge is \$23

Folding Chair Caddy Brake Kits

KV and KH folding chair caddies only. Kit adapts to swivel wheels only; for two wheels. Specify: #09.0050
Upcharge is \$11

Chair Caddy Couplers

Joins caddies in tandem. Hitch bolts to caddy bed frame. "A" coupler kit for two caddies.
Specify: #86.0225.A
Upcharge is \$23
"B" coupler kit for two caddies; has locating pin guide for track.
Specify: #86.0225.B



Folding Chair Storage and Accessories

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 379	\$ 300
424	334
497	390

\$ 586	\$ 460
586	460

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C


Shipping

Shipped **knockdown f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #85.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Frame Color	Base	
 <p>CCAD</p> <p>Double-Tier Storage Caddy</p> <ul style="list-style-type: none"> • Rectangular and square tubular steel construction • Chairs suspended from tines • 5" wheels: 2 fixed, 2 swivel • Beige finish standard (other colors available at an upcharge) • 67-7/8" high from floor, empty • NOTE: Cannot store tablet arm chairs 	Capacity 84	KDT84	BE	<input type="checkbox"/> <input type="checkbox"/>	100#

A
B
C

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
 Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select base option.
C = Standard swivel/fixed wheels
SC = All swivel wheels; add \$19



Folding Chair Storage and Accessories

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 1365	\$ 1075

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C





Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Folding Chair Storage and Accessories

Folding Chairs

	MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
			Basic Model	Frame Color	
 HRDPT	Replacement Feet • High-impact polypropylene	100,300,700,734	53.6150	<input type="checkbox"/> <input type="checkbox"/>	.02#
 HRDPT	Replacement Feet • Rubber foot	100,300,700	06.0020.BE		.04#
 HRDPT	Ganging Clamp • Removable • Fits 100, 300, and 700 chairs • 1 clamp per chair required • Will not work on tablet arm chairs		85.1505	<input type="checkbox"/> <input type="checkbox"/>	.1#
 HRDPT	Replacement Bumpers • Plastic bumper fits into top end of rear leg above hinge	100,300,700	53.6154	<input type="checkbox"/> <input type="checkbox"/>	.02#

A

B

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.



Folding Chair Storage and Accessories

Folding Chairs

Delivered Pricing	Freight Excluded Pricing
\$ 1	\$ 1
\$ 2	\$ 1
\$ 2	\$ 2
\$ 1	\$ 1

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #70.

Specifications and prices are subject to change without prior notice.

Industrial/Mechanical Adjustable Stools

General Information



Lowboy Filing Stool (614)



Steel Seat Stool (630)



Upholstered Seat Stool (618U)



Wood Seat Stool (624WA)

Features

Three height ranges available		•	•	•
Adjustable height legs optional		•	•	•
Masonite hardboard seat	•	•		
Wood seat				•
Casters	•			
Upholstered seat	•		•	

General Dimensions

Seat height	14"	18", 24", 30"	18" - 38"	19" - 39"
Seat diameter	14"	14"	14"	14"
Base spread	13"	15-1/2"	14"	15-1/4"

600 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; shaped for an enlarged weld area at point of contact with leg. Replaceable polyethylene feet.

Steel Seat

20-gauge die-formed steel pan with fully curled edges for strength and safety. 14" diameter. Tempered hardboard Masonite inset riveted into seat recess.

Upholstered Seat

20-gauge die-formed steel pan. 14" diameter. Replaceable 5/8" foam pad mounted to liner-board, fastened into seat recess with mechanical fasteners. Upholstered in vinyl.

Wood Seat

14" diameter, 1-1/4" hardwood with clear lacquer finish. Attached to seat with screws.

Polypropylene Stool Seats

Injection-molded thermoplastic with integral rib construction for strength. 13" diameter. Color permeates throughout. White marks may occur at four spots on the front edge of seat but does not alter the structural integrity of the chair.

Nonstandard Steel Stool Seat Heights

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.

Base Spreads

Base spread for 18" stools are 14"; 24" stools are 15-1/4"; 30" stools are 15-1/2".

Glides

Glides are available on standard or adjustable stools. Glides are optional on non-adjustable stools.

Frame Finish

Baked on electrostatically applied epoxy powder coating.



Industrial/Mechanical Adjustable Stools

General Information



**Steel Seat/Back Stool
(618B)**



**Upholstered Seat/Back
Stool (630BU)**



**Wood Seat/Back Stool
(624BW)**



**Polypropylene Seat Stool
(624P)**

Features

Three height ranges available	•	•	•	
Adjustable height legs optional	•	•	•	
Masonite hardboard seat	•			
Wood seat			•	
Upholstered seat		•		
Steel backrest	•		•	
Polypropylene seat				•
Upholstered backrest		•		

General Dimensions

Seat height	18 - 38"	18" - 38"	18" - 38"	18" - 38"
Seat diameter	14"	14"	14"	14"
Backrest height	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	13-3/8" - 15-3/8"	
Backrest width	11-3/4"	11-3/4"	11-3/4"	
Base spread	14"	15-1/2"	15-1/4"	15-1/4"

INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Industrial/Mechanical Adjustable Stools

General Information



Adjustable Leg/Back Stool (724BA)



Upholstered Seat Stool (830A)



Upholstered Seat/Back Stool (830BA)



Upholstered Swivel Seat/Back Stool (824SB)

Features

Three height ranges available		•	•	
Adjustable height legs optional	•	•	•	
Masonite hardboard seat	•			
Upholstered seat		•	•	•
Steel backrest	•			
Upholstered backrest			•	•

General Dimensions

Seat width	15"			
Seat depth	14-1/2"			
Seat height	18" - 32"	19" - 39"	18" - 38"	24" - 28"
Seat diameter		14"	14"	14"
Backrest height from seat	13-3/8" - 15-3/8"		13-3/8" - 15-3/8"	13-3/8" - 15-3/8"
Backrest width	11-3/4"		11-3/4"	11-3/4"
Base spread	15"	15-1/2"	15-1/2"	14-1/2"

700, 800 SERIES INDUSTRIAL STOOLS SPECIFICATIONS

Frames

Two leg sections of 18-gauge, 7/8" o.d. seam-welded tubular steel are crossed and welded together. Footring and leg frame are welded into a single unit. Footrings are 18-gauge, 5/8" o.d.; 700 are 16-gauge, 1/2" o.d. Footrings are shaped for an enlarged weld area at point of contact with leg. The 824SB footring is 19-gauge, 5/8" o.d. tubular steel. Replaceable polyethylene feet.

Steel Backrest

18-gauge curved steel back with 6-gauge steel support. 2" height and 2" depth adjustment range.

Upholstered Backrest

18-gauge curved steel back with 6-gauge steel support. 5/8" foam pad upholstered in vinyl. Replaceable. 2" height and 2" depth adjustment range.

700 Series® Steel Seat

Heavy-gauge die-formed steel with fully curled edges for strength and safety. 15" wide, 14-1/2" deep. 1/8" tempered hardboard riveted into seat recess.

800 Series Steel Seat

Heavy-gauge die-formed steel pan, 14" diameter. 1-1/8" foam pad upholstered in vinyl, fastened to linerboard.

824SB Adjustable Height

Seat swivels 360°. Height adjustment is made by rotating a bell on a threaded post. It locks with a set screw. Self-leveling stainless steel capped nylon base glides.

Adjustable Legs

Nickel-plated telescoping leg section is drilled and tapped for set screw. The height range is 8" in 1" increments. Self-leveling stainless steel capped glides.

Base Spreads

Base spread are 13-1/2" (718); 15" (724); 15"

(730); 14" (818); 14-1/2" (824); 15-1/2" (830).

Frame Finish

Baked on electrostatically applied epoxy powder coating.

MECHANICAL ADJUSTABLE STOOLS SPECIFICATIONS

Backrest

6-gauge spring steel support. 2" horizontal adjustment; locks with wing screw. 2" vertical adjustment; locks with hand wheel. Backrest hinged at top.

Steel Seats

14" diameter heavy-gauge die-formed steel with fully curled edges for safety and strength. 1/8" tempered hardboard Masonite in recess. Riveted to lift assembly.

Plywood Seats and Backs

Waterfall design, compound curved for com-

fort. 15-3/8" wide x 15-5/8" deep seat; 13" wide x 6-1/4" high backrest. 5-ply with hardwood veneer surface, sealed and lacquered. Meets NEMA standards. Seats riveted to lift assembly; backrests to back support.

Box Cushion Upholstered Seats, Upholstered Backrests

2" foam cushion fastened to particleboard base. 1" foam on backrest. 15-1/2" wide x 14" deep seat; 13-5/8" wide x 6-1/2" high backrest. Seats riveted to lift assembly; backrests to back support.

Adjustable Height Mechanism

Seat swivels 360°. Height adjustment is made by rotating a bell on a threaded post. Locks with a set screw. 6" height range.

Tubular Steel Bases

Seam-welded tubular steel, welded in an integral unit. Legs: 1.1" x 14-gauge; footrings: 3/4" x 18-gauge; 15" diameter. Self-leveling rubber cushioned glides with a steel base.



Industrial/Mechanical Adjustable Stools

General Information



Steel Seat, Threaded Post Mechanism (ATSSM)



Plywood Seat and Back, Threaded Post Mechanism (ATPBM)



Upholstered Seat and Back, Threaded Post Mechanism (ATUBM)

Features

360° swivel	•	•	•
6" adjustable height range	•	•	•
Masonite hardboard seat	•		
Wood seat/back		•	
Upholstered seat/back			•
Adjustable backrest		•	•
Three height ranges	•	•	•
Optional casters	•	•	•

General Dimensions

Seat width		15-3/8"	15-1/2"
Seat depth		15-5/8"	14"
Seat diameter	14"		
Backrest height		6-1/4"	6-1/2"
Backrest width		13"	13-5/8"
Base spread	16-1/4"	16-1/4"	16-1/4"

Base Spread

All stools maintain a 16-1/4" base spread.

Frame Finish

Baked on electrostatically applied epoxy powder coating.




INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

600 Series

Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color		
 600 600U	Lowboy Filing Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet 14" diameter steel seat with tempered hardboard inset Casters are standard 	Unupholstered, 14" H	614	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		9#	
		Upholstered, 14" H	614U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		10#
 600	Steel Seat Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed leg or adjustable height leg models available Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hardboard inset 	Fixed Height, 18" H	618	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8#
		Adjustable Height, 19"-27"H	618A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			11#
		Fixed Height, 24"H	624	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
		Adjustable Height, 25"-33"H	624A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			12#
		Fixed Height, 30"H	630	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		Adjustable Height, 31"-39"H	630A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			13#
 600U	Upholstered Seat Stool <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed leg or adjustable height leg models available Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with upholstered seat pad 	Fixed Height, 18" H	618U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	8#
		Adjustable Height, 19"-27"H	618UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		11#
		Fixed Height, 24"H	624U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
		Adjustable Height, 25"-33"H	624UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		12#
		Fixed Height, 30"H	630U	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
		Adjustable Height, 31"-39"H	630UA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		13#

A
B
C
D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
Selection of feet color for 614 and 614U will substitute polyethylene feet for casters

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$9

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$14 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.
Unupholstered #85.5701 \$30 Each
Upholstered #85.5702 \$40 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$23/Set of 4 legs



600 Series

Industrial Stools

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 99		\$ 79	
N/A	116	N/A	92
\$ 61		\$ 50	
82		68	
72		59	
92		74	
82		66	
110		89	
N/A	\$ 76	N/A	\$ 63
N/A	98	N/A	79
N/A	84	N/A	68
N/A	104	N/A	82
N/A	90	N/A	71
N/A	108	N/A	85

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	Feet/Bumper Color	
 <p>600</p> <p>Wood Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter, 1-1/4" maple hardwood seat with clear lacquer finish 	Fixed Height, 18" H	618W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 24"H	624W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
	Fixed Height, 30"H	630W	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable Height, 31"-39"H	630WA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			20#
 <p>600</p> <p>Steel Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with tempered hardboard inset Steel backrest with 2" vertical and 2" horizontal adjustment 	Fixed Height, 18" H	618B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Adjustable Height, 19"-27"H	618BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			17#
	Fixed Height, 24"H	624B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	624BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 30"H	630B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 31"-39"H	630BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
 <p>600U</p> <p>Upholstered Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter steel seat with vinyl upholstered seat and back pads Backrest has 2" vertical and 2" horizontal adjustment 	Fixed Height, 18"H	618BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
	Adjustable Height, 19"-27"H	618BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		16#
	Fixed Height, 24"H	624BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	624BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Fixed Height, 30"H	630BU	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 31"-39"H	630BUA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#

A **B** **C** **D**

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$14 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.
Unupholstered #85.5701 \$30 Each
Upholstered #85.5702 \$40 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$23/Set of 4 legs

California TB133 Fire Safety Code

The above seating products can be manufac-

ured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$10



600 Series

Industrial Stools

Delivered Pricing Unupholstered	Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 108		\$ 82	
138		108	
116		88	
140		112	
116		89	
144		115	
\$ 102		\$ 77	
123		92	
106		82	
128		99	
118		99	
146		119	
N/A	\$ 115	N/A	\$ 92
N/A	140	N/A	110
N/A	124	N/A	99
N/A	145	N/A	114
N/A	144	N/A	119
N/A	170	N/A	139

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C



Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

600 Series

Industrial Stools

MODEL	Features	MODEL NUMBER				Approx. Packaged Weight
		Basic Model	Frame Color	Seat Color	Feet/Bumper Color	
 <p>600</p> <p>Wood Seat/Backrest Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter, 1-1/4" maple hardwood seat with clear lacquer finish Steel backrest with 2" vertical and 2" horizontal adjustment 	Fixed Height, 18" H	618BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			18#
	Fixed Height, 24"H	624BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			19#
	Fixed Height, 30"H	630BW	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable Height, 31"-39"H	630BWA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>			20#
 <p>600</p> <p>Polypropylene Seat</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Optional adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 13" diameter polypropylene seat attaches to steel mounting plate which is welded to legs 	Fixed Height, 18" H	618P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable Height, 19"-27"H	618PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Fixed Height, 24"H	624P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Adjustable Height, 25"-33"H	624PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		19#
	Fixed Height, 30"H	630P	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		18#
	Adjustable Height, 31"-39"H	630PA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		20#
			A	B	C	D

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select seat color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- D** Select feet color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required. Add Cutting Upcharge \$14 Each

Steel Stool Adjustable Leg and Backrest Components

600 Series Adjustable Backrests: May be added to stools (except models 614 and 614-U). Installation by purchaser, all hardware included. Please specify paint or upholstery color.
Unupholstered #85.5701 \$30 Each
Upholstered #85.5702 \$40 Each

600 Series Adjustable Legs: Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify #85.5705 \$23/Set of 4 legs



600 Series

Industrial Stools

Delivered Pricing	Freight Excluded Pricing
\$ 158	\$ 123
186	138
168	128
180	140
150	118
178	143

\$ 79	\$ 62
110	89
83	66
112	92
87	69
120	99

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

700 Series®

Industrial Stools



700

MODEL	Features	MODEL NUMBER		Approx. Packaged Weight
		Basic Model	Frame Color	
Adjustable Leg/Backrest Stool	Unupholstered, 18-26"H	718BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	19#
	Unupholstered, 24-32"H	724BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20#

Adjustable Leg/Backrest Stool

- Seam-welded tubular steel frame with steel seat pan
- Enamel frame
- Adjustable height legs have 8" range in 1" increments and have self-leveling glides
- Nickel plated telescoping leg section locks with set screws
- 15" x 14-1/2" steel seat with tempered hardboard inset
- Steel backrest with 2" vertical and 2" horizontal adjustment

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.

OPTIONS

Steel Stool Adjustable Leg and Backrest Components

700, 800 Series Adjustable Backrests: Installation by purchaser, all hardware included. Please specify paint or upholstery color.

Unupholstered #85.5701 \$30 Each
Upholstered #85.5702 \$40 Each

700, 800 Series Adjustable Legs: May be added to any stool except 824SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify: #85.5705 \$23/Set of 4 legs

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$14 Each



Delivered Pricing	Freight Excluded Pricing
\$ 155	\$ 129
165	132

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

800 Series

Industrial Stools

MODEL	Features	MODEL NUMBER			Approx. Packaged Weight
		Basic Model	Frame Color	Upholstery Color	
 <p>800U</p> <p>Upholstered Seat Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter seat Foam cushioned seat upholstered in vinyl upholstery 	Fixed, 18"H	818	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	9#
	Adjustable, 19-27"H	818A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	11#
	Fixed, 24"H	824	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	10#
	Adjustable, 25-33"H	824A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	Fixed, 30"H	830	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	12#
	Adjustable, 31-39"H	830A	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	14#
 <p>800U</p> <p>Upholstered Seat/Backrest</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame Fixed legs have polyethylene feet Adjustable height legs have 8" range in 1" increments and have self-leveling glides Nickel plated telescoping leg section locks with set screws 14" diameter seat Foam cushioned seat and backrest upholstered in vinyl upholstery Backrest has 2" vertical and 2" horizontal adjustment 	Fixed, 18"H	818B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	15#
	Adjustable, 19-27"H	818BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	17#
	Fixed, 24"H	824B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	16#
	Adjustable, 25-33"H	824BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Fixed, 30"H	830B	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	18#
	Adjustable, 31-39"H	830BA	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	20#
 <p>800U</p> <p>Upholstered Swivel Seat/Backrest Stool</p> <ul style="list-style-type: none"> Seam-welded tubular steel frame with steel seat pan Enamel frame 14" diameter seat Foam cushioned seat and backrest upholstered in vinyl upholstery Backrest has 2" vertical and 2" horizontal adjustment 360° swivel seat, height locks with set screw Self-leveling glides 	Upholstered, 24-28"H	824SB	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	21#

A

B

C

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

OPTIONS

Steel Stool Adjustable Leg and Backrest Components

700, 800 Series Adjustable Backrests: Installation by purchaser, all hardware included. Please specify paint or upholstery color.

Unupholstered #85.5701 \$30 Each
Upholstered #85.5702 \$40 Each

700, 800 Series Adjustable Legs: May be added to any stool except 824SB. Installation by purchaser; includes four telescoping legs with self-leveling glides, set screws. The adjustable leg inserts ship with glides already attached.
Specify: #85.5705 \$23/Set of 4 legs

Nonstandard Steel Stool Seat Height

Minimum order of 10 stools. Minimum height is 15". Specify: Standard model with next greater height than required.
Add Cutting Upcharge \$14 Each

California TB133 Fire Safety Code

The above seating products can be manufac-

tured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$12



800 Series

Industrial Stools

Delivered Pricing Vinyl Group 1 & C.O.V.	Freight Excluded Pricing Vinyl Group 1 & C.O.V.
\$ 114	\$ 94
136	112
120	99
146	124
124	102
144	119
<hr/>	
\$ 150	\$ 124
176	142
160	129
180	149
160	132
184	149
<hr/>	
\$ 146	\$ 120

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C




Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Mechanical Adjustable

Industrial Stools

	MODEL	Features	MODEL NUMBER				Approx. Packaged Weight	
			Basic Model	Frame Color	Upholstery Color	Base		
 MAS	Steel Seat	<ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range 14" diameter steel seat with recessed hard-board inset Enamel frame standard Available in three seat height ranges 	17-23"H Seat; 7-1/2"H Footring	ATSSM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	18#	
			19-25"H Seat; 9-1/2"H Footring	ATSSM.1925	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	18#	
			24-30"H Seat; 13-1/2"H Footring	ATSSM.2430	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	19#	
 MAS	Plywood Seat and Backrest	<ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range Compound curve waterfall seat design, 15-3/8" W x 15-5/8" D Backrest pivots has 2" vertical and horizontal adjustments, 13-5/8" W x 6-1/4" H Enamel frame standard Clear lacquer plywood finish standard Available in three seat height ranges 	17-1/4-23-1/4"H Seat; 7-1/2"H Footring	ATPBM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	23#	
			19-1/4-25-1/4"H Seat; 9-1/2"H Footring	ATPBM.1925	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	23#	
			24-1/4-30-1/4"H Seat; 13-1/2"H Footring	ATPBM.2430	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	25#	
 MASU	Upholstered Seat and Backrest	<ul style="list-style-type: none"> Mechanical height adjustment; threaded post locks with set screw Infinite seat height adjustment in 6" range Box cushion upholstered seat with 2" foam, 15-1/2" W x 14" D Foam cushioned backrest pivots and has 2" vertical and horizontal adjustments, 13-5/8" W x 6-1/2" H Enamel frame standard Available in three seat height ranges 	17-1/4-23-1/4"H Seat; 7-1/2"H Footring	ATUBM.1723	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	25#
			21-1/4-27-1/4"H Seat; 9-1/2"H Footring	ATUBM.2127	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	25#
			26-1/4-32-1/4"H Seat; 13-1/2"H Footring	ATUBM.2632	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	27#
			A	B	C	D		

HOW TO ORDER

Indicate the following information on order form:

- Quantity of each item.
- Model number, including options. See "How To Build a Model Number".
- Any special service required.

Note: •The indicates that a choice is required.
 •The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select frame color.
Refer to color addendum at ki.com or in KI Price List or KI Fabrics & Finishes binder.
- C** Select upholstery grade/color.
Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.
- D** Select base option.
C = Carpet casters; add \$31
G = Glides (standard)

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
 Added Lead Time = 1 Week
 Added List Price = \$22

Casters

1-1/2" black soft composition plastic with ball bearing swivel. Zinc-plated frame. Adds 1-3/4" to seat and footring heights. Add suffix "/C" to end of model number. 1-1/2 #Weight



Mechanical Adjustable

Industrial Stools

Delivered Pricing Unupholstered	Delivered Pricing Fabric Grade 1	Delivered Pricing Vinyl Group 2	Freight Excluded Pricing Unupholstered	Freight Excluded Pricing Fabric Grade 1	Freight Excluded Pricing Vinyl Group 2
\$ 250			\$ 210		
260			215		
270			220		
\$ 350			\$ 290		
365			295		
365			300		
N/A	\$ 411	\$ 452	N/A	\$ 320	\$ 351
N/A	416	457	N/A	325	356
N/A	423	466	N/A	330	362

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **assembled f.o.b. (freight excluded) or freight prepaid f.o.b. (delivered) Tupelo, Mississippi 38804** factory. Freight class #125.

Specifications and prices are subject to change without prior notice.

Medical and Laboratory

General Information



Features

Upholstered seat	•	•	•	•
Casters	•	•	•	•
Pneumatic seat height adjustment	•	•	•	•

General Dimensions

Seat height	16" - 21"	22" - 32"	16" - 21"	16" - 21"
Overall height	16" - 21"	22" - 32"	16" - 21"	28" - 36"
Seat diameter	16"	16"	16"	16"
Back size				13"W x 9"H
Overall width	19"	19"	19"	25"

SPECIFICATIONS

Medical & Laboratory Stools are shipped unassembled.

Upholstered Seat

The seat has a unibody molded 2.5" HR foam on plywood.

Pneumatic Ring

The KICL12 and KICL13 stools offer height adjustment with a pneumatic 360-degree, hand-activated ring. The KICL14 and KICL15 stools offer height adjustment with a pneumatic 360-degree, foot-activated ring.

Pneumatic Cylinder

Cylinders have a 5" range, except the KICL13 stool which has a 10" range.

Base

The KICL12, KICL13, and KICL14 have a 20" base. The KICL15 has a 24" base. All bases are die-cast aluminum with a chrome finish.

Casters

All stools have safety soft casters.

INFORMATION

C.O.M. Testing and Production Requirements

Not all materials are suitable for upholstering this product. A 1 yd. x 54" sample must be submitted and approved prior to acceptance of an order. If the fabric is directional in pattern or weave, the direction must be indicated on the submitted sample, and additional yardage may be requested.

Test samples must be sent to:

KICL
Attn: C.O.M. Department
2009 Wright Ave.
La Verne, CA 91750







INFORMATION

Warranty

Refer to KI Terms & Conditions document or visit ki.com

Medical and Laboratory

Stools

MODEL	MODEL NUMBER		Approx. Packaged Weight
	Basic Model	Upholstery Color	
 <p>KICL12 Stool</p> <ul style="list-style-type: none"> • 5" seat height range • 360-degree, hand activation pneumatic <p>EXAM</p>	KICL12	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 <p>KICL13 Stool</p> <ul style="list-style-type: none"> • 10" seat height range • 360-degree, hand activation pneumatic • 18" chrome footring <p>EXAM</p>	KICL13	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 <p>KICL14 Stools</p> <ul style="list-style-type: none"> • 5" seat height range • 360-degree, foot activation pneumatic <p>EXAM</p>	KICL14	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	28#
 <p>KICL15 Stools</p> <ul style="list-style-type: none"> • 5" seat height range • 360-degree, foot activation pneumatic <p>EXAM</p>	KICL15	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	33#

A

B

HOW TO ORDER

Indicate the following information on order form:

1. Quantity of each item.
2. Model number, including options. See "How To Build a Model Number".
3. Any special service required.

Note: •The indicates that a choice is required.
•The absence of the indicates that no choice is required.

HOW TO BUILD A MODEL NUMBER

- A** Select basic model.
- B** Select upholstery grade/color. Refer to color addendum at ki.com or in KI Fabrics & Finishes binder.

UPHOLSTERY INFORMATION

C.O.M. Upholstery

C.O.M. requirement for KICL12, KICL13, and KICL14 is .75 yards per chair of 54" wide nondirectional fabric. C.O.M. requirement for KICL15 is 1 yard per chair of 54" wide nondirectional fabric. For complete information on ordering C.O.M., see "Ordering C.O.M., C.O.V. and C.O.L." section.

OPTIONS

California TB133 Fire Safety Code

The above seating products can be manufactured using the appropriate flame-retardant materials for compliance to California Technical Bulletin 133. Add "FR" to end of model number.

Model = Upholstered
Added Lead Time = 1 Week
Added List Price = \$82



Medical and Laboratory Stools

Delivered Pricing Fabric Grade 1 & C.O.M.	Delivered Pricing Fabric Grade 2	Delivered Pricing Fabric Grade 3	Delivered Pricing Vinyl Group 2	Delivered Pricing C.O.V.	Delivered Pricing Pallas Fabric Group P1	Delivered Pricing Pallas Fabric Group P2	Delivered Pricing Pallas Fabric Group P3	Delivered Pricing Pallas Fabric Group P4
\$ 257	\$ 300	\$ 306	\$ 306	\$ 257	\$ 324	\$ 342	\$ 361	\$ 376
\$ 355	\$ 399	\$ 404	\$ 404	\$ 355	\$ 423	\$ 441	\$ 460	\$ 475
\$ 366	\$ 409	\$ 414	\$ 414	\$ 366	\$ 434	\$ 452	\$ 471	\$ 485
\$ 492	\$ 546	\$ 557	\$ 557	\$ 492	\$ 582	\$ 606	\$ 631	\$ 651

SPECIAL SERVICES

Special Carton Marking

With specially marked information N/C

Shipping

Shipped **k.d. freight prepaid f.o.b.**
LaVerne, California 91750 factory. Freight
class #125.

Specifications and prices are subject to change
without prior notice.

Index

Model No.	Description	Page	Model No.	Description	Page
06.0020.BE	Folding Chairs: Replacement Feet	48	KV50A/BE/C	Folding Chairs: Vertical Storage Caddy	40
101	Folding Chairs: Steel Seat	10	VL.100.BL.SG	Folding Chairs: Value™Lite Single Hinge	34
101/BE	Folding Chairs: Steel Seat	34			
103S	Folding Chairs: Upholstered Seat	10			
104S	Folding Chairs: Upholstered Seat and Back	10			
1103	Folding Chairs: Upholstered Seat	24			
1104	Folding Chairs: Upholstered Seat and Back	24			
301D	Folding Chairs: Steel Seat	12			
301D/BE	Folding Chairs: Steel Seat Double Hinge	34			
301DTAL/BE/LOK	Folding Chairs: Tablet Arm and Steel Seat	38			
301DVTAL/WG/VGY/LGE	Folding Chairs: Tablet Arm and Vinyl Upholstered Seat	38			
303DS	Folding Chairs: Upholstered Seat	12			
304DS	Folding Chairs: Upholstered Seat and Back	12			
331D/BE	Folding Chairs: Steel Seat Double Hinge w/ 3 Crossbraces	34			
344DF/BE/FBE	Folding Chairs: Fabric Upholstered	36			
344DV/BE/VBE	Folding Chairs: Vinyl Upholstered	36			
354DF/BE/FBE	Folding Chairs: Cushioned Fabric Upholstered	36			
53.6150	Folding Chairs: Replacement Feet	48			
53.6154	Folding Chairs: Replacement Bumpers	48			
614	Industrial Stools: Lowboy Filing Stool	54			
618	Industrial Stools: Steel Seat Stool	54			
618B	Industrial Stools: Steel Seat/Backrest	56			
618BU	Industrial Stools: Upholstered Seat/Backrest	56			
618BW	Industrial Stools: Wood Seat/Backrest Stool	58			
618P	Industrial Stools: Polypropylene Seat	58			
618U	Industrial Stools: Upholstered Seat Stool	54			
618W	Industrial Stools: Wood Seat	56			
701D	Folding Chairs: Steel Seat	14			
701DFTAL	Folding Chairs: Miracle Fold Tablet Arm	16			
701DTAL	Folding Chairs: Tablet Arm Chair	16			
702CL	Folding Chairs: Folding Chair	22			
703DS	Folding Chairs: Upholstered Seat	14			
704DS	Folding Chairs: Upholstered Seat and Back	14			
718BA	Industrial Stools: Adjustable Leg/Backrest Stool	60			
731	Folding Chairs: 731 Auditorium Folding Chair	20			
734	Folding Chairs: 734 Upholstered Chair	20			
734FM	Folding Chairs: 734 Upholstered Armchair	20			
734IFM	Folding Chairs: 734 Upholstered Armchair w/Independent Seat Rise	20			
818	Industrial Stools: Upholstered Seat Stool	62			
818B	Industrial Stools: Upholstered Seat/Backrest	62			
824SB	Industrial Stools: Upholstered Swivel Seat/Backrest Stool	62			
85.1505	Folding Chairs: Ganging Clamp	48			
ATPBM.1723	Industrial Stools: Plywood Seat and Backrest	64			
ATSSM.1723	Industrial Stools: Steel Seat	64			
ATUBM.1723	Industrial Stools: Upholstered Seat and Backrest	64			
FRS704D/S	Folding Chairs: Upholstered Seat and Back	28			
FRS704D/S	Folding Chairs: Upholstered Seat and Back	30			
FRS734	Folding Chairs: Upholstered Chair	28			
FRS734	Folding Chairs: Upholstered Chair	30			
FRS734FM	Folding Chairs: Upholstered Armchair	28			
FRS734FM	Folding Chairs: Upholstered Armchair	30			
KDT84	Folding Chairs: Double-Tier Storage Caddy	46			
KDT84/BE/C	Folding Chairs: Double-Tier Storage Caddy	40			
KH50	Folding Chairs: Horizontal Storage Caddy	44			
KICL12	Stools: KICL12 Stool	68			
KICL13	Stools: KICL13 Stool	68			
KICL14	Stools: KICL14 Stools	68			
KICL15	Stools: KICL15 Stools	68			
KV25	Folding Chairs: Vertical Storage Caddy	44			



**You make the rules.
We make the rest.®**

Of course KI solutions work better for you. They're made for you. No one pays more attention to customer needs than we do. We don't design our furniture to win awards (even though it does). We don't rely on one-size-fits-all solutions (even though they would make our life easier). We find out what you need. And, we make it. The same applies to our service, distribution channels...everything we do. It's all built around knowing what you want and giving you the choice. KI solutions work, because we're working for you.

KI
1330 Bellevue Street
P.O. Box 8100
Green Bay, Wisconsin 54302-8100
1-800-424-2432
www.ki.com

KI is a registered trademark
of Krueger International, Inc.

© 2008 KI
All Rights Reserved.
Litho in USA.
KI-11480/KI/VL/308