Agenda Date: 5/22/24 Agenda Item: 1A



STATE OF NEW JERSEY Board of Public Utilities 44 South Clinton Avenue, 1<sup>st</sup> Floor Trenton, New Jersey 08625-0350 www.ni.gov/bpu/

**WATER** 

IN THE MATTER OF SIMMONS WATER COMPANY ) REQUEST FOR 90 DAY EXTENSION TO FILE CY 2023 ) ANNUAL REPORT BY JUNE 30, 2024 ) ORDER

DOCKET NO. WO24040233

Parties of Record:

Rahn J. Singer, Accountant, Simmons Water Company

BY THE BOARD:

By this Order, the New Jersey Board of Public Utilities ("Board") grants a three (3) month extension request for Simmons Water Company ("Simmons") to file its Calendar Year ("CY") 2023 Annual Report by June 30, 2024.

### BACKGROUND

Pursuant to N.J.A.C. 14:3-6.3, every utility shall file with the Board, on or before March 31 of each year, an annual report summarizing its finances and operations for the preceding calendar year. A utility may file a request with the Board Secretary for an extension of up to 30 days for filing the annual report. Each additional 30-day extension, after the initial extension is granted, requires the submission of a separate request for extension. N.J.A.C. 14:3-6.3(d). Pursuant to N.J.A.C. 14:1-1.2, the rules shall be liberally construed to permit the Board to carry out its functions and the Board may waive the rules if full compliance would result in "hardship or inconvenience." N.J.A.C. 14:1-1.2(b)(2)(ii).

In an email received on March 25, 2024, Simmons requested to extend the due date for submission of its CY 2023 annual report for three (3) months. Due to the timeliness of the request, the earliest response possible is after the May 22, 2024 Board agenda meeting. Simmons stated that the water utility would require additional time to ensure the accuracy of the filing.

### **DISCUSSION AND FINDINGS**

The Board is authorized to relax or waive its rules pursuant to N.J.A.C. 14:1-1.2, which provides that the rules may be liberally construed to permit the Board to carry out its statutory functions. Upon a showing of good cause, the Board may relax or permit deviations from the rule. N.J.A.C. 14:1-1.2(b).

The Board <u>FINDS</u> that Simmons' request for a 90-day extension is reasonable and that good cause exists. Accordingly, the Board <u>HEREBY APPROVES</u> an extension of 90 days to June 30, 2024 for Simmons' filing of the CY 2023 Annual Report.

This Order shall be effective on May 29, 2024.

DATED: May 22, 2024

BOARD OF PUBLIC UTILITIES BY:

CHRISTINE GUHL-SADOVY

DR. ZENON CHRISTODOULOU COMMISSIONER

MARIAN

COMMISSIONER

MIC EL BANGE

COMMISSIONER

SHERRI L. GOLDEN SECRETARY

ATTEST:

I HEREBY CERTIFY that the within document is a true copy of the original in the files of the Board of Public Utilities.

# IN THE MATTER OF SIMMONS WATER COMPANY REQUEST FOR 90 DAY EXTENSION TO FILE CY 2023 ANNUAL REPORT BY JUNE 30, 2024

# DOCKET NO. WO24040233

# SERVICE LIST

### Simmons Water Company, Inc.

Rahn J. Singer, Requester for Utility Post Office Box 900 Branchville, New Jersey 07826-0900 <u>RAHN@rahnsingercpa.com</u>

### **Division of Rate Counsel**

Brian O. Lipman, Esq., Director 140 East Front Street, 4<sup>th</sup> Floor Trenton, New Jersey 08625-0003 <u>blipman@rpa.nj.gov</u>

#### Department of Law & Public Safety

Division of Law NJ Department of Law and Public Safety Richard J. Hughes Justice Complex Public Utilities Section 25 Market Street, P.O. Box 112 Trenton, NJ 08625

Pamela Owen, Chief, DAG pamela.owen@law.njoag.gov

Meliha Arnautovic, DAG meliha.arnautovic@law.njoag.gov

# **Board of Public Utilities**

44 South Clinton Avenue, 1<sup>st</sup> Floor Post Office Box 350 Trenton, New Jersey 08625-0350

Sherri L. Golden, Board Secretary board.secretary@bpu.nj.gov

Stacy Peterson, Deputy Executive Director stacy.peterson@bpu.nj.gov

**Division of Audits** 

Alice Bator, Director alice.bator@bpu.nj.gov

Paul Buhagiar, Bureau Chief paul.buhagiar@bpu.nj.gov

Matthew Holman, Auditor matthew.holman@bpu.nj.gov

Counsel's Office

Carol Artale, Deputy General Counsel <u>carol.artale@bpu.nj.gov</u>

Kit Burnette, Legal Specialist kit.burnette@bpu.nj.gov