

**Pennsylvania
New Jersey
Delaware
Maryland**

**Implementation
Guideline**

For

Electronic Data Interchange

TRANSACTION SET

**814 Advance Notice of Intent to Drop
Request and Response
Ver/Rel 004010**

Table of Contents

Summary of Changes.....3
General Notes4
Pennsylvania Notes.....5
New Jersey Notes5
Delaware Notes5
Maryland Notes5
How to Use the Implementation Guideline6
X12 Structure.....7
Data Dictionary for 814 Drop.....8
Segment: ST Transaction Set Header10
Segment: BGN Beginning Segment11
Segment: N1 Name (8S=LDC Name)12
Segment: N1 Name (SJ=ESP Name).....13
Segment: N1 Name (8R=Customer Name)14
Segment: LIN Item Identification.....15
Segment: ASI Action or Status Indicator.....17
Segment: REF Reference Identification (7G=Rejection Status).....18
Segment: REF Reference Identification (1P=Status Reason).....20
Segment: REF Reference Identification (11=ESP Account Number)22
Segment: REF Reference Identification (12=LDC Account Number)23
Segment: REF Reference Identification (45=LDC Old Account Number)24
Segment: DTM Date/Time Reference (245=Estimated Completion).....25
Segment: SE Transaction Set Trailer26
814 Notice of Intent to Drop Examples27

	Summary of Changes
January 1, 2001 Version 0.1	Draft 0.1
January 9, 2001 Version 0.2	<ul style="list-style-type: none"> - Add clarification to definition to use of DTM*245 - Clarify Notes section on LIN segment - Correct Notes section on ASI segment - Correct Notes section on REF*7G segment - Remove B14 as valid REF*7G code - Correct description of REF*1P segment, and when it is used. - Add clarification to REF*11 regarding use of punctuation
January 18, 2001 Version 1.0	<ul style="list-style-type: none"> - Transaction FINAL for Pennsylvania - Transaction not reviewed for New Jersey, Delaware, Maryland
October 19, 2001 Version 1.0rev01	Incorporate Delaware Electric Coop (DEC) information for Delaware
December 13, 2001 Version 1.0rev02	Incorporate PA Change Control 038 – add clarification that DTM*245 may be revisited if other LDCs use transaction.
January 9, 2002 Version 2.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
July 4, 2009 Version 2.0.2D	Incorporate PA Change Control 047
January 24, 2010 Version 2.1	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
November 4, 2010 Version 2.1.1D	Incorporate PA Change Control 069 – PECO use of transaction beginning in 2011.
February 28, 2011 Version 3.0	This transaction is a new FINAL version for Pennsylvania, New Jersey, Maryland, and Delaware.
February 16, 2012 Version 3.01	Incorporate PA Change Control 093 (Admin Changes)

General Notes	
Use	<p>ESP to LDC - The Notice of Intent to Drop Request should be used when a utility has a requirement that the supplier must provide advance notice of intent to terminate a contract when there is reasonable belief that a customer's contract will be terminated. The supplier must send this transaction to the utility as a request. The utility will respond with an "acceptance".</p> <p>Note: The ESP must still send the drop request transaction at the appropriate time. The LDC will not drop a customer based on receipt of a notice of intent to drop transaction.</p> <p>LDC to ESP - Notice of Intent to Drop can be sent from the EDC to the EGS to notify the EGS of the impending possibility of a customer termination for non-payment.</p>
One Account per 814	One customer account per 814.
Tracking number on Request and Response transactions	On the request, the LIN01 is a unique tracking number for each line item (LIN) in this transaction. This number must be unique over all time, and is assigned by the sender of the request transactions. This number must be returned on the response transaction (accept or reject), in the same element (LIN01).
Multiple LINs	There is only one LIN per account per 814
Response per LIN	There will be one 814 advance notice of intent to drop response for each 814 advance notice of intent to drop request.
Echoing Data on Reject	If a transaction is rejected due to invalid information, the Response may echo back the invalid data along with the reason code.
LDC Definitions:	<p>The term LDC (Local Distribution Company) in this document refers to the utility. Each state may refer to the utility by a different acronym:</p> <ul style="list-style-type: none"> • EDC – Electric Distribution Company (Pennsylvania, Delaware) • LDC – Local Distribution Company (New Jersey) • EC – Electric Company (Maryland)
ESP Definitions:	<p>The term ESP (Energy Service Provider) in this document refers to the supplier. Each state may refer to the supplier by a different acronym:</p> <ul style="list-style-type: none"> • EGS – Electric Generation Supplier (Pennsylvania) • TPS – Third Party Supplier (New Jersey) • ES – Electric Supplier (Delaware) • ES – Electricity Supplier (Maryland)

Pennsylvania Notes	
Rules:	<p>ESP to LDC (Duquesne Light ONLY)</p> <ul style="list-style-type: none">• Duquesne Light requires the EGS to provide advance notice of intent to terminate a contract when there is reasonable belief that a customer's contract will be terminated.• PECO does not support the ESP initiated 814ND transaction. <p>LDC to ESP</p> <ul style="list-style-type: none">• Both Duquesne and PECO will send the 814ND to notify the ESP of the impending possibility of a customer termination for non-payment. The response 814ND from the ESP to both Duquesne Light and PECO is optional.• The EDC to EGS 814ND does not supersede the 814 Drop. In the event the EGS does not receive the normal 814 drop after receipt of the 814ND, the customer has not been terminated for non-payment.• Transaction timelines<ul style="list-style-type: none">○ Duquesne - The EDC to EGS 814ND will be sent 7 days prior to the normal 814 Drop which will only be sent if the account is actually terminated for non-payment.○ PECO - The EDC to EGS 814ND will be sent 30 days prior to the normal 814 Drop <u>ONLY</u> if the account is actually terminated for non-payment. This does not imply the customer will be dropped 100% of the time as they still are given time to pay their past due balance before PECO finals the account. (In the scenario that a customer is pending enrollment with a new EGS and pending drop with a current EGS, PECO will send an 814 AND transaction to both EGSs.)

New Jersey Notes	
Rules:	This transaction is not used in New Jersey.

Delaware Notes	
Rules:	This transaction is not used in Delaware

Maryland Notes	
Rules:	This transaction is not used in Maryland.

How to Use the Implementation Guideline

Segment: **REF** Reference Identification
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

This section is used to show the X12 Rules for this segment. You must look further into the grayboxes below for State Rules.

Notes:	Recommended by UIG
PA Use:	Must be identical to account number as it appears on the customer's bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.
	Request: Required Accept Response: Required Reject Response: Required
NJ Use:	Same as PA
Example:	REF*12*2931839200

The "Notes:" section generally contains notes by the Utility Industry Group (UIG).

This section is used to show the individual State's Rules for implementation of this segment.

One or more examples.

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>X12 Attributes</u>
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 12 Billing Account LDC assigned account number for end use customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

This column shows the use of each data element. If state rules differ, this will show "Conditional" and the conditions will be explained in the appropriate grayboxes.

These are X12 code descriptions, which often do not relate to the information we are trying to send. Unfortunately, X12 cannot keep up with our code needs so we often change the meanings of existing codes. See graybox for the UIG or state definitions.

This column shows the X12 attributes for each data element. Please refer to Data Dictionary for individual state rules.

M = Mandatory, O= Optional, X = Conditional

AN = Alphanumeric, N# = Decimal value, ID = Identification, R = Real

1/30 = Minimum 1, Maximum 30

814 General Request, Response or Confirmation X12 Structure

Functional Group ID=**GE**

Heading

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max. Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BGN	Beginning Segment	M	1		
			LOOP ID - N1			>1	
	040	N1	Name	O	1		n1

Detail

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max. Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
			LOOP ID - LIN			>1	
	010	LIN	Item Identification	O	1		
	020	ASI	Action or Status Indicator	O	1		
	030	REF	Reference Identification	O	>1		
	040	DTM	Date/Time Reference	O	>1		

Summary

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max. Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	150	SE	Transaction Set Trailer	M	1		

Transaction Set Notes:

1. The N1 loop is used to identify the transaction sender and receiver.

Data Dictionary for 814 Drop

<i>Appl Field</i>	<i>Field Name</i>	<i>Description</i>	<i>EDI Element</i>	<i>Loop / Related EDI Qualifier</i>	<i>Data Type</i>
1	Transaction Set Purpose Code	Duquesne Request = 14 (advance notification) Response = CN (Completion notification) PECO Request = 13 (advance notification) Response = 11 (response - OPTIONAL)	BGN01		X(2)
2	Transaction Reference Number	Unique Number assigned by the sender identifying this transaction. This number must be unique over time.	BGN02		X(30)
3	System Date	Date that the data was processed by the sender's application system.	BGN03		9(8)
4	Transaction Reference Number	Original Transaction Reference Number echoed from the Original Request Transaction (BGN02).	BGN06		X(30)
5	LDC Name	LDC's Name	N102	N1: N101 = 8S	X(60)
6	LDC Duns	LDC's DUNS Number or DUNS+4 Number	N104	N1: N101 = 8S N103 = 1 or 9 N106 = 40 or 41	X(13)
7	ESP Name	ESP's Name	N102	N1: N101 = SJ	X(60)
8	ESP Duns	ESP's DUNS Number or DUNS+4 Number	N104	N1: N101 = SJ N103 = 1 or 9 N106 = 40 or 41	X(13)
9	Customer Name	Customer Name as it appears on the Customer's Bill	N102	N1: N101 = 8R	X(35) Note: X(60) for MD
10	Line Item Transaction Reference Number	Unique Tracking Number for each line item in this transaction. This number must be unique over time.	LIN01		X(20)
11	Generation Services Indicator	Indicates the transaction is related to Generation Services	LIN05 = CE	LIN02 = SH LIN03 = EL LIN04 = SH	X(2)
12	Action Code	Used to indicate this is an advance notice of intent to drop transaction. On the request, this will be "PF" (Preliminary final)	ASI01= Request: PF (Preliminary final) Accept Response: WQ Reject Response: U	LIN: ASI02= 126	X(2)
Note that the following REF segments may appear in any order on the actual EDI transaction.					
21	Rejection Reason Code	Code explaining reason for rejection.	REF02	LIN: REF01= 7G	X(3)

22	Rejection Reason Text	Text explaining rejection.	REF03	LIN: REF01= 7G	X(80)
23	Status Reason Code	This is used to convey status reason codes on a Response to a Request.	REF02	LIN: REF01= 1P	X(3)
24	Status Reason Text	Text to provide status information.	REF03	LIN: REF01= 1P	X(80)
25	ESP Account Number	ESP Customer Account Number	REF02	LIN: REF01= 11	X(30)
26	LDC Account Number	LDC Customer Account Number	REF02	LIN: REF01= 12	X(30)
27	Old Account Number	Previous LDC Customer Account Number	REF02	LIN: REF01= 45	X(30)
28	Estimated Completion	<u>Duquesne</u> Estimated meter read date of termination of service <u>PECO</u> Projected date on which PECO intends to send an EDI 814 drop to the EGS	DTM02	DTM01= 245	9(8)

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Comments:

PA Use:	Required
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Example:	ST*814*000000001

Data Element Summary

	Ref.	Data		X12 Attributes
	Des.	Element	Name	
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 814 General Request, Response or Confirmation	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BGN** Beginning Segment
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
 2 BGN03 is the transaction set date.
 3 BGN04 is the transaction set time.
 4 BGN05 is the transaction set time qualifier.
 5 BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Comments:

PA Use:	Required
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Request Example:	BGN*14*199904011956531*19990401 (Note: BGN06 not used in the request.)
Response Example:	BGN*CN*199904020830531*19990402***199904011956531 (Note: BGN06 is optional on the response.)

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>X12 Attributes</u>
Must Use	BGN01	353	Transaction Set Purpose Code Code identifying purpose of transaction set Duquesne 14 Advance Notification Used by party sending this transaction CN Completion Notification Used by party responding to transaction PECO 13 Advance Notification Used by PECO when sending this transaction. 11 Response Used by EGS responding to transaction (submission of response by EGS to PECO is optional)	M ID 2/2
Must Use	BGN02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier A unique transaction identification number assigned by the originator of this transaction. This number must be unique over time.	M AN 1/30
Must Use	BGN03	373	Date Date (CCYYMMDD) The transaction creation date – the date that the data was processed by the sender’s application system.	M DT 8/8
Optional	BGN06	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier If used, refers to the BGN02 identification number of the original Request. Not used on the request. Optional on the response.	O AN 1/30

Segment: **N1** Name (8S=LDC Name)
Position: 040
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

PA Use:	Request: Required Accept Response: Required Reject Response: Required for response if provided in the request.
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Examples:	N1*8S*LDC COMPANY*1*007909411**40 (as Receiver) N1*8S*LDC COMPANY*1*007909411**41 (as Sender)

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8S Consumer Service Provider (CSP) LDC	M ID 2/3
Must Use	N102	93	Name Free-form name LDC Company Name	X AN 1/60
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	X ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code LDC D-U-N-S Number or D-U-N-S + 4 Number	X AN 2/80
Must Use	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual. Used in addition to the N103 and N104 to identify the transaction sender and receiver when more than two parties are identified by N1 loops. 40 Receiver Entity to accept transmission 41 Submitter Entity transmitting transaction set	O ID 2/3

Segment: **N1** Name (SJ=ESP Name)
Position: 040
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

PA Use:	Request: Required Accept Response: Required Reject Response: Required for response if provided in the request.
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Examples:	N1*SJ*ESP COMPANY*9*007909422ESP1**41 (as Sender) N1*SJ*ESP COMPANY*9*007909422ESP1**40 (as Receiver)

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual SJ Service Provider ESP	M ID 2/3
Must Use	N102	93	Name Free-form name ESP Company Name	X AN 1/60
Must Use	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 9 D-U-N-S+4, D-U-N-S Number with Four Character Suffix	X ID 1/2
Must Use	N104	67	Identification Code Code identifying a party or other code ESP D-U-N-S Number or D-U-N-S + 4 Number	X AN 2/80
Must Use	N106	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual. Used in addition to the N103 and N104 to identify the transaction sender and receiver when more than two parties are identified by N1 loops. 40 Receiver Entity to accept transmission 41 Submitter Entity transmitting transaction set	O ID 2/3

Segment: **N1** Name (8R=Customer Name)
Position: 040
Loop: N1
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:
Comments: 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
 2 N105 and N106 further define the type of entity in N101.

PA Use:	Request: Required Accept Response: Required Reject Response: Required for response if provided in the request.
	Note: If this transaction is ever used by Allegheny, they will validate on first four characters of the Last Name or Company Name as it appears on Customer's Bill
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Example:	N1*8R*CUSTOMER NAME

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual 8R Consumer Service Provider (CSP) Customer Used to identify the customer associated with the LDC service account	M ID 2/3
Must Use	N102	93	Name Free-form name Customer Name as it appears on the customer's bill	X AN 1/60

Segment: **LIN** Item Identification
Position: 010
Loop: LIN
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To specify basic item identification data
Syntax Notes:

- 1 If either LIN04 or LIN05 is present, then the other is required.
- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.
- 4 If either LIN10 or LIN11 is present, then the other is required.
- 5 If either LIN12 or LIN13 is present, then the other is required.
- 6 If either LIN14 or LIN15 is present, then the other is required.
- 7 If either LIN16 or LIN17 is present, then the other is required.
- 8 If either LIN18 or LIN19 is present, then the other is required.
- 9 If either LIN20 or LIN21 is present, then the other is required.
- 10 If either LIN22 or LIN23 is present, then the other is required.
- 11 If either LIN24 or LIN25 is present, then the other is required.
- 12 If either LIN26 or LIN27 is present, then the other is required.
- 13 If either LIN28 or LIN29 is present, then the other is required.
- 14 If either LIN30 or LIN31 is present, then the other is required.

Semantic Notes:

- 1 LIN01 is the line item identification

Comments:

- 1 See the Data Dictionary for a complete list of IDs.
- 2 LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

Notes:	The LIN segment indicates the product and service being requested. LIN03 is used to identify the product (electric vs. gas) and LIN05 is used to identify the service being requested. For example, <i>LIN*I*SH*EL*SH*CE</i> indicates that the product is electric and 'generation services' is the service being requested. CE
PA Use:	Request: Required Accept Response: Required Reject Response: Required if it was provided on the request.
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Examples:	LIN*ADVDR0P200112000000001*SH*EL*SH*CE

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	LIN01	350	Assigned Identification Alphanumeric characters assigned for differentiation within a transaction set On the request, this is a unique tracking number for each line item (LIN) in this transaction. This number must be unique over time. This number must be returned on the response transaction in the same element.	O AN 1/20
Must Use	LIN02	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) SH Service Requested	M ID 2/2
Must Use	LIN03	234	Product/Service ID Identifying number for a product or service EL Electric Service Identifies the product	M AN 1/48
Must Use	LIN04	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) SH Service Requested	M ID 2/2

Must Use

LIN05

234

Product/Service ID

M AN 1/48

Identifying number for a product or service

CE

Generation Services

Indicates this transaction is related to Generation Services.

Segment: **ASI** Action or Status Indicator
Position: 020
Loop: LIN
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To indicate the action to be taken with the information provided or the status of the entity described

Syntax Notes:
Semantic Notes:
Comments:

Notes:	Identifies the action to be taken or the status of a requested action for the service identified in the LIN segment.	
	When this transaction is sent by the ESP, the ASI01 value will always be set to PF (Preliminary Final)	
PA Use:	Request:	Required
	Accept Response:	Required
	Reject Response:	Required
NJ Use:	N/A	
DE Use:	N/A	
MD Use:	N/A	
Request Example:	ASI*PF*126	
Response Examples:	ASI*WQ*126	Accept Response
	ASI*U*126	Reject Response

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	ASI01	306	Action Code Code indicating type of action PF Preliminary Final U Reject WQ Accept	M ID 1/2
Must Use	ASI02	875	Maintenance Type Code Code identifying the specific type of item maintenance 126 Non-renewal Advance notice of intent to drop	M ID 3/3

Segment: **REF** Reference Identification (7G=Rejection Status)
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes: 1 At least one of REF02 or REF03 is required.
 2 If either C04003 or C04004 is present, then the other is required.
 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.
Comments:

Notes:	This iteration of the REF segment is used to convey the rejection reason codes in response to a Request. The rejection reason codes are conveyed in this segment rather than in the ASI03 to allow for multiple rejection reasons. This segment will only be sent if the transaction is rejected.		
PA Use:	Request:	Not Used	
	Accept Response:	Not Used	
	Reject Response:	Required	
NJ Use:	N/A		
DE Use:	N/A		
MD Use:	N/A		
Example:	REF*7G*A13*ADDITIONAL REASON TEXT HERE		

Data Element Summary

Ref. Des.	Data Element	Name	X12 Attributes
Must Use REF01	128	Reference Identification Qualifier	M ID 2/3
		Code qualifying the Reference Identification	
		7G	Data Quality Reject Reason
			Reject reasons associated with a reject status notification.

Rules for Rejection Reason Codes

The codes on the next several pages have been identified by the UIG to convey rejection reasons. Only the codes listed for each service are valid for that service. If you require additional codes, send an email to the appropriate state's listserver.

“A13” (Other) must **only** be used when an existing error code does not convey the reason correctly. Each time “A13” (Other) is used for a new purpose, an E-mail must be sent to the appropriate state's listserver by the party sending the code, to notify the market participants about the text explanation for A13. This information will be compiled and new codes will be issued on a periodic basis.

PA Listserver: edtwg@ls.eei.org

NJ Listserver: njbpu@ls.eei.org

Reason For Rejection Codes – Required on a **Rejection Notice of Intent to Drop Response** Transaction:

127 Reference Identification

X AN 1/30

Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

LDC		
Confirmation		
Response to ESP		
X	008	Account exists but is not active
X	A13	Other (Explanation Required in REF03)
X	A76	Account Not Found
		This includes invalid account numbers as well as no account number being found.
X	A77	Name Specified Does Not Match Account
X	A84	Invalid Relationship (not ESP of record)
X	A91	Service is not offered at customer's location
		For instance, used to indicate that this is a gas only account, no electric service exists on the account.
X	ACI	Action Code (ASI01) invalid
X	API	Required information missing (REF03 Required)
X	DIV	Date Invalid
X	MTI	Maintenance Type Code (ASI02) invalid
X	UND	Cannot identify ESP
X	UNE	Cannot identify LDC

Optional

REF03

352

Description

X AN 1/80

A free-form description to clarify the related data elements and their content

Used to further describe the rejection reason code sent in REF02. Code "A13" requires text explanation in this element.

Segment: **REF** Reference Identification (1P=Status Reason)
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes: 1 At least one of REF02 or REF03 is required.
 2 If either C04003 or C04004 is present, then the other is required.
 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.
Comments:

Notes:	This iteration of the REF segment is used to convey status reason codes on a response to a Request. The status reason codes are conveyed in this segment rather than in the ASI03 to allow for multiple status reasons.
PA Use:	Request: Not Used Accept Response: Required when status information must be conveyed. Reject Response: Required when status information must be conveyed.
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Example:	REF*1P*A13*ADDITIONAL REASON TEXT HERE

Data Element Summary

Ref.	Data Element	Name	X12 Attributes
Must Use	REF01	128 Reference Identification Qualifier	M ID 2/3
		Code qualifying the Reference Identification	
		1P Accessorial Status Code	
		Used in the instance where the 814 Request is accepted, but additional status information must be provided; e.g. code W09, special off-cycle meter read cannot be performed.	

Rules for Status Reason Codes

The codes on the next several pages have been identified by the UIG to convey status reasons. Only the codes listed for each service are valid for that service. If you require additional codes, send an email to the appropriate state's listserver.

“A13” (Other) must **only** be used when an existing error code does not convey the reason correctly. Each time “A13” (Other) is used for a new purpose, an E-mail must be sent to the appropriate state's listserver by the party sending the code, to notify the market participants about the text explanation for A13. This information will be compiled and new codes will be issued on a periodic basis.

PA Listserver: edtwg@ls.eei.org

NJ Listserver: njbpu@ls.eei.org

Status Reason Codes – Use as appropriate on the **Notice of Intent to Drop Response** Transaction. This is used when transaction Accepted, but there is additional information to be conveyed to the other party.

Must Use	X	AN 1/30	
<u>LDC Confirmation Response to ESP</u>			
X	A13		Other
			Explanation Required in REF03
X	SNP		Service Not Provided

Conditional	REF03	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content Used to further describe the status reason code sent in REF02. Code “A13” requires text explanation in this element.		

Segment: **REF** Reference Identification (11=ESP Account Number)
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes: 1 At least one of REF02 or REF03 is required.
 2 If either C04003 or C04004 is present, then the other is required.
 3 If either C04005 or C04006 is present, then the other is required.
Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.
Comments:

PA Use:	Must exclude punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.	
	ESP Advance Notification transaction:	Required if it was previously provided to the LDC
	LDC Response:	Required if it was provided on the request
NJ Use:	N/A	
DE Use:	N/A	
MD Use:	N/A	
Example:	REF*11*2348400586	

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 11 Account Number ESP-assigned account number for end use customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment: **REF** Reference Identification (12=LDC Account Number)
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

PA Use:	Must be identical to account number as it appears on the customer's bill, excluding punctuation (spaces, dashes, etc.). Significant leading and trailing zeros must be included.	
	Request:	Required
	Accept Response:	Required
	Reject Response:	Required – when the rejection reason is due to an LDC account number not being provided in the request, this segment must not be sent on the response.
NJ Use:	N/A	
DE Use:	N/A	
MD Use:	N/A	
Example:	REF*12*2931839200	

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 12 Billing Account LDC-assigned account number for end use customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment: **REF** Reference Identification (45=LDC Old Account Number)
Position: 030
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

PA Use:	ESP Advance Notification transaction: LDC Response:	Not Used Required if account number was changed in last 60 days
NJ Use:	N/A	
DE Use:	N/A	
MD Use:	N/A	
Example:	REF*45*1105687500	

Data Element Summary

	Ref. Des.	Data Element	Name	X12 Attributes
Must Use	REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification 45 Old Account Number LDC's previous account number for the end use customer.	M ID 2/3
Must Use	REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X AN 1/30

Segment: **DTM** Date/Time Reference (245=Estimated Completion)
Position: 040
Loop: LIN
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of DTM02 DTM03 or DTM05 is required.
- 2 If DTM04 is present, then DTM03 is required.
- 3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:
Comments:

PA Use:	<p>07/2011 Note: Since Duquesne and PECO are currently the only utilities using this transaction, the definition reflects their use of the date. If other LDCs begin to use the transaction, this section may need to be revised.</p> <p>The Expected Customer Termination date provided by the EGS will be printed on the letter to the customer, as long as the date is in valid date format, and is a date greater than the current date of processing. Validation will not be performed to determine if this is a valid scheduled meter reading date for this account.</p>				
	<table> <tr> <td>ESP Advance Notification transaction:</td> <td>Required</td> </tr> <tr> <td>LDC Response:</td> <td>Not Used</td> </tr> </table>	ESP Advance Notification transaction:	Required	LDC Response:	Not Used
ESP Advance Notification transaction:	Required				
LDC Response:	Not Used				
NJ Use:	N/A				
DE Use:	N/A				
MD Use:	N/A				
Example:	DTM*245*20010331				

Data Element Summary

Ref. Des.	Data Element	Name	X12 Attributes
Must Use DTM01	374	Date/Time Qualifier	M ID 3/3
		Code specifying type of date or time, or both date and time	
		245 Estimated Completion	
		When sent from ESP to LDC, estimated meter read date that the service with the ESP may end.	
		When sent from EDC to ESP:	
		<u>Duquesne</u>	
		The anticipated date of impending termination for non-payment.	
		<u>PECO</u>	
		The projected date on which PECO intends to send an EDI 814 drop to the EGS	
Must Use DTM02	373	Date	X DT 8/8
		Date expressed as CCYYMMDD	

Segment: **SE** Transaction Set Trailer
Position: 150
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:
Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

PA Use:	Required
NJ Use:	N/A
DE Use:	N/A
MD Use:	N/A
Example:	SE*28*00000001

Data Element Summary

	Ref.	Data		X12 Attributes
	Des.	Element	Name	
Must Use	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
Must Use	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

814 Notice of Intent to Drop Examples

Example: Notification of Intent to Drop Request - ESP to LDC (DLCO Only)

BGN*14*20001219195653001*20001219	BGN segment indicating this is an advance notification transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*NOTICE20001219000001*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*PF*126	Notice of non-renewal of customer contract (PF = Preliminary Final and 126 = non-renewal)
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number
DTM*245*20010322	Indicates the scheduled meter read that may represent the scheduled customer contract completion date

Example: Accept Contract End Notification LDC to ESP (DLCO Only)

BGN*CN*2000121908000001*20001219***20001219195653001	BGN segment indicating this is a completion notification transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN* LDC20001219000099*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*WQ*126	Indicates the notice of non-renewal of customer contract was accepted
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Reject Contract End Notification LDC to ESP (DLCO Only)

BGN*CN*2000121908000001*20001219***20001219195653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN* LDC20001219000099*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*U*126	Indicates the notice of non-renewal of customer contract was rejected
REF*7G*A76*ACCOUNT NOT FOUND	Rejection Reason
REF*11*2348400999	ESP Account Number
REF*12*293839200	LDC Account Number

Example: Notification of Intent to Drop Request – LDC to ESP (DLCO)

BGN*14*20001219195653001*20001219	BGN segment indicating this is an advance notification transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*NOTICE20001219000001*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*PF*126	Notice of non-renewal of customer contract (PF = Preliminary Final and 126 = non-renewal)
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number
DTM*245*20010322	Indicates the scheduled meter read that may represent the scheduled customer contract completion date

Example: **Notification of Intent to Drop Request – LDC to ESP (PECO)**

BGN*13*20001219195653001*20001219	BGN segment indicating this is a request transaction
N1*8S*LDC COMPANY*1*007909411**41	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**40	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN*NOTICE20001219000001*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*PF*126	Notice of non-renewal of customer contract
REF*11*1234567890	ESP Account Number
REF*12*1234567890	LDC Account Number
DTM*245*20110322	Projected date on which PECO intends to send an EDI 814 drop to the

Example: **Accept Contract End Notification ESP to LDC**

BGN*CN*2000121908000001*20001219***20001219195653001	BGN segment indicating this is a completion notification transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN* LDC20001219000099*SH*EL*SH*CE	Transaction reference number, indication that the transaction is for Electric Generation Services
ASI*WQ*126	Indicates the notice of non-renewal of customer contract was accepted
REF*11*2348400586	ESP Account Number
REF*12*293839200	LDC Account Number

Example: **Reject Contract End Notification ESP to LDC**

BGN*CN*2000121908000001*20001219***20001219195653001	BGN segment indicating this is a Response transaction
N1*8S*LDC COMPANY*1*007909411**40	LDC Name and DUNS information
N1*SJ*ESP COMPANY*9*007909422ESP1**41	ESP Name and DUNS information
N1*8R*CUSTOMER NAME	Customer Name
LIN* LDC20001219000099*SH*EL*SH*CE	Transaction reference number, indication that the

	transaction is for Electric Generation Services
ASI*U*126	Indicates the notice of non-renewal of customer contract was rejected
REF*7G*A76*ACCOUNT NOT FOUND	Rejection Reason
REF*11*2348400999	ESP Account Number
REF*12*293839200	LDC Account Number