

Estimated Groundwater Availability in the Delaware River Basin

Water Management Advisory Committee

June 16th, 2022

Sara Sayed

Water Resource Scientist,

DRBC Water Resource Planning Section

Presented to an advisory committee of the DRBC on June 16, 2022.
Contents should not be published or re-posted in whole or in part
without permission of DRBC.

Outline

- 1. Introduction**
- 2. Recap: Methods**
- 3. Results**
- 4. Next Steps**

2060 Sustainable Water Supply Plan



Goal: Provide projections of future average annual water use in the Delaware River Basin, through the year 2060, to be used in future planning assessments.

Represent each water use *sector* at the Basin-wide scale. ✓



Apply GW results to the 147 subbasins (Sloto & Buxton, 2006) and the sub-watersheds of SEPA-GWPA. ★



Relate results to regulatory approvals.



Apply SW results at the source level for future availability analyses.

Purpose

- Analyze groundwater availability for the Delaware River Basin and provide projected availability estimates to the year 2060 in support of water supply planning.



Recap: Methods

Data Sources

1

Groundwater Baseflow Data, Basin Wide

- 147 subbasins
- Sloto & Buxton baseflows

2

Groundwater baseflow data, SEPA-GWPA

- 18 CFR Part 430

3

Groundwater withdrawal data


- Water Withdrawal and Consumption Use Estimates for the Delaware River Basin (1990-2017) With Projections through 2060 (Thompson & Pindar, 2021)

Availability Analysis


Basin ID	Basin Name (abbreviated)	25-year RI (MGY)	50-year RI (MGY)	Projected net GW Withdrawals (MGY)		Projected 95% withdrawals		Percent of 25-year RI		Percent of 50-year RI		Percent of 25-year RI (95%)		Percent of 50-year RI (95%)	
				2020	2060	2020	2060	2020	2060	2020	2060	2020	2060	2020	2060
DB-001	Upper West Branch Delaware River	21,161	19,576	236	221	296	286	1%	1%	1%	1%	1%	1%	2%	1%

Results

Screening tool assessment (DB-067)




Percent Groundwater Use for 25-Year Annual Baseflow Recurrence



Sloto, Ronald A., and Debra E. Buxton. "Estimated Groundwater Availability in the Delaware River Basin, 1997-2000." USGS Scientific Investigations Report, 25 May 2007, doi:10.3133/sir20065125.


Percent Groundwater Use for 50-Year Annual Baseflow Recurrence




Sloto, Ronald A., and Debra E. Buxton. "Estimated Groundwater Availability in the Delaware River Basin, 1997-2000." USGS Scientific Investigations Report, 25 May 2007, doi:10.3133/sir20065125.

SEPA-GWPA Basins of Concern (SP-03 & SP-29)


SP-03 (net groundwater withdrawals)



SP-29 (net groundwater withdrawals)




Percent Groundwater Use for 25-Year Annual Baseflow Recurrence



- EQUAL OR GREATER THAN 100 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 75 AND LESS THAN 100 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 50 AND LESS THAN 75 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 25 AND LESS THAN 50 PERCENT USE OF AVAILABLE GROUNDWATER
- LESS THAN 25 PERCENT USE OF AVAILABLE GROUNDWATER

Percent Groundwater Use for 50-Year Annual Baseflow Recurrence



- EQUAL TO OR GREATER THAN 100 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 75 AND LESS THAN 100 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 50 AND LESS THAN 75 PERCENT USE OF AVAILABLE GROUNDWATER
- EQUAL TO OR GREATER THAN 25 AND LESS THAN 50 PERCENT USE OF AVAILABLE GROUNDWATER
- LESS THAN 25 PERCENT USE OF AVAILABLE GROUNDWATER

Next Steps

- DRBC will request review of specific report sections from DNREC, NJDEP, PADEP & PA Water Science Center
- Technical Report to be published in **mid 2022**
- Recommended areas for further exploration:
 - Updating and improving the accuracy of recurrence interval baseflow values
 - Impacts to groundwater availability from climate change
 - Coastal Plain geology & groundwater availability
 - Seasonality of use and availability

Swann Memorial Fountain in Logan Square
Philadelphia, Pennsylvania.
Credit: © Lori Newman
Used with permission

Questions?



Sara Sayed
Water Resource Scientist

Delaware River Basin Commission
E: Sara.Sayed@drbc.gov



Michael Thompson, P.E.
Water Resource Engineer

Delaware River Basin Commission
E: Michael.Thompson@drbc.gov



Chad Pindar, P.E.
Manager – Water Resource
Planning Section

Delaware River Basin Commission
E: Chad.Pindar@drbc.gov