

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|--------------------|---|--|
| State Total | DISEASE | |
| | AMOEBIASIS | 84 |
| | BABESIOSIS | 156 |
| | BOTULISM - INFANT | 11 |
| | BRUCELLOSIS | 1 |
| | CAMPYLOBACTERIOSIS | 905 |
| | CREUTZFELDT-JAKOB DISEASE | 4 |
| | CRYPTOSPORIDIOSIS | 53 |
| | CYCLOSPORIASIS | 8 |
| | DENGUE FEVER | 7 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 70 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 102 |
| | FOODBORNE INTOXICATIONS - CIGUATERA | 3 |
| | FOODBORNE INTOXICATIONS - SCOMBROID | 3 |
| | GIARDIASIS | 430 |
| | HAEMOPHILUS INFLUENZAE | 132 |
| | HEMOLYTIC UREMIC SYNDROME | 3 |
| | HEPATITIS A | 71 |
| | HEPATITIS B - ACUTE | 93 |
| | HEPATITIS B - CHRONIC | 298 |
| | HEPATITIS B - PERINATAL | 1 |
| | HEPATITIS C - ACUTE | 7 |
| | HEPATITIS C - CHRONIC | 4495 |
| | INFLUENZA, NOVEL INFLUENZA A | 3558 |
| | KAWASAKI DISEASE | 1 |
| | LEGIONELLOSIS | 218 |
| | LEPROSY (HANSEN DISEASE) | 1 |
| | LISTERIOSIS | 45 |
| | LYME DISEASE | 4973 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|--------------------|--|--|
| State Total | DISEASE | |
| State Total | MALARIA | 103 |
| | MEASLES | 2 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 19 |
| | MUMPS | 200 |
| | PERTUSSIS | 244 |
| | PSITTACOSIS | 2 |
| | Q FEVER - ACUTE | 1 |
| | Q FEVER - CHRONIC | 1 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 63 |
| | RUBELLA - CONGENITAL | 1 |
| | SALMONELLOSIS | 1132 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 9 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 67 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 30 |
| | SHIGELLOSIS | 587 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 44 |
| | STREPTOCOCCUS PNEUMONIAE | 791 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITH TOXIC SHOCK SYNDROME | 3 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 167 |
| | TOXIC SHOCK SYNDROME - STAPHYLOCOCCAL | 3 |
| | TULAREMIA | 2 |
| | TYPHOID FEVER | 35 |
| | VANCOMYCIN-INTERMEDIATE STAPHYLOCOCCUS AUREUS (VISA) | 1 |
| | VARICELLA | 470 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 32 |
| | WEST NILE VIRUS (WNV) | 3 |
| | YERSINIOSIS | 13 |
| COUNTY | DISEASE | |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| ATLANTIC | AMOEBIASIS | 4 |
| | BABESIOSIS | 18 |
| | CAMPYLOBACTERIOSIS | 29 |
| | CREUTZFELDT-JAKOB DISEASE | 1 |
| | CRYPTOSPORIDIOSIS | 2 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 4 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 11 |
| | GIARDIASIS | 14 |
| | HAEMOPHILUS INFLUENZAE | 7 |
| | HEPATITIS A | 2 |
| | HEPATITIS B - ACUTE | 7 |
| | HEPATITIS B - CHRONIC | 16 |
| | HEPATITIS C - ACUTE | 3 |
| | HEPATITIS C - CHRONIC | 255 |
| | INFLUENZA, NOVEL INFLUENZA A | 91 |
| | LEGIONELLOSIS | 2 |
| | LYME DISEASE | 137 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | PERTUSSIS | 3 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 3 |
| | SALMONELLOSIS | 30 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 1 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 2 |
| | SHIGELLOSIS | 4 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 49 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITH TOXIC SHOCK SYNDROME | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| ATLANTIC | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 6 |
| | VARICELLA | 15 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| | YERSINIOSIS | 4 |
| BERGEN | AMOEBIASIS | 8 |
| | BABESIOSIS | 3 |
| | CAMPYLOBACTERIOSIS | 131 |
| | CRYPTOSPORIDIOSIS | 2 |
| | CYCLOSPORIASIS | 1 |
| | DENGUE FEVER | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 4 |
| | FOODBORNE INTOXICATIONS - CIGUATERA | 1 |
| | GIARDIASIS | 43 |
| | HAEMOPHILUS INFLUENZAE | 16 |
| | HEPATITIS A | 12 |
| | HEPATITIS B - ACUTE | 8 |
| | HEPATITIS B - CHRONIC | 49 |
| | HEPATITIS B - PERINATAL | 1 |
| | HEPATITIS C - CHRONIC | 264 |
| | INFLUENZA, NOVEL INFLUENZA A | 410 |
| | LEGIONELLOSIS | 16 |
| | LISTERIOSIS | 7 |
| | LYME DISEASE | 282 |
| | MALARIA | 7 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | MUMPS | 3 |
| | PERTUSSIS | 33 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------|--|--|
| COUNTY | DISEASE | |
| BERGEN | ROCKY MOUNTAIN SPOTTED FEVER | 3 |
| | SALMONELLOSIS | 113 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 13 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 3 |
| | SHIGELLOSIS | 26 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 7 |
| | STREPTOCOCCUS PNEUMONIAE | 68 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 22 |
| | TYPHOID FEVER | 5 |
| | VARICELLA | 73 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 3 |
| BURLINGTON | AMOEBIASIS | 1 |
| | BABESIOSIS | 33 |
| | CAMPYLOBACTERIOSIS | 33 |
| | CRYPTOSPORIDIOSIS | 3 |
| | CYCLOSPORIASIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 8 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 20 |
| | GIARDIASIS | 11 |
| | HAEMOPHILUS INFLUENZAE | 4 |
| | HEPATITIS B - ACUTE | 5 |
| | HEPATITIS B - CHRONIC | 9 |
| | HEPATITIS C - CHRONIC | 221 |
| | INFLUENZA, NOVEL INFLUENZA A | 222 |
| | LEGIONELLOSIS | 11 |
| | LISTERIOSIS | 4 |
| | LYME DISEASE | 407 |
| | MALARIA | 3 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-------------------|--|--|
| COUNTY | DISEASE | |
| BURLINGTON | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | PERTUSSIS | 8 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 5 |
| | RUBELLA - CONGENITAL | 1 |
| | SALMONELLOSIS | 45 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 5 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 29 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 12 |
| | TOXIC SHOCK SYNDROME - STAPHYLOCOCCAL | 1 |
| | VARICELLA | 20 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| | YERSINIOSIS | 1 |
| CAMDEN | AMOEBIASIS | 2 |
| | BABESIOSIS | 16 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 32 |
| | GIARDIASIS | 15 |
| | HAEMOPHILUS INFLUENZAE | 8 |
| | HEPATITIS A | 1 |
| | HEPATITIS B - ACUTE | 6 |
| | HEPATITIS B - CHRONIC | 7 |
| | HEPATITIS C - CHRONIC | 234 |
| | INFLUENZA, NOVEL INFLUENZA A | 119 |
| | KAWASAKI DISEASE | 1 |
| | LEGIONELLOSIS | 9 |
| | LYME DISEASE | 6 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| CAMDEN | MALARIA | 4 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | PERTUSSIS | 3 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 2 |
| | SALMONELLOSIS | 62 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 41 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 3 |
| | STREPTOCOCCUS PNEUMONIAE | 47 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 18 |
| | TYPHOID FEVER | 3 |
| | VARICELLA | 6 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| | WEST NILE VIRUS (WNV) | 2 |
| | YERSINIOSIS | 1 |
| CAPE MAY | CAMPYLOBACTERIOSIS | 8 |
| | CRYPTOSPORIDIOSIS | 10 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 1 |
| | GIARDIASIS | 6 |
| | HAEMOPHILUS INFLUENZAE | 2 |
| | HEPATITIS B - ACUTE | 1 |
| | HEPATITIS B - CHRONIC | 1 |
| | HEPATITIS C - CHRONIC | 109 |
| | INFLUENZA, NOVEL INFLUENZA A | 65 |
| | LEGIONELLOSIS | 2 |
| | LYME DISEASE | 40 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 2 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-------------------|---|--|
| COUNTY | DISEASE | |
| CAPE MAY | SALMONELLOSIS | 15 |
| | SHIGELLOSIS | 2 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 2 |
| | STREPTOCOCCUS PNEUMONIAE | 12 |
| | VARICELLA | 12 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| | YERSINIOSIS | 1 |
| CUMBERLAND | AMOEBIASIS | 3 |
| | CAMPYLOBACTERIOSIS | 14 |
| | CYCLOSPORIASIS | 1 |
| | DENGUE FEVER | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 5 |
| | GIARDIASIS | 7 |
| | HAEMOPHILUS INFLUENZAE | 4 |
| | HEPATITIS A | 1 |
| | HEPATITIS B - ACUTE | 4 |
| | HEPATITIS B - CHRONIC | 2 |
| | HEPATITIS C - CHRONIC | 318 |
| | INFLUENZA, NOVEL INFLUENZA A | 44 |
| | LEGIONELLOSIS | 2 |
| | LISTERIOSIS | 1 |
| | LYME DISEASE | 195 |
| | MUMPS | 2 |
| | PERTUSSIS | 7 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 6 |
| | SALMONELLOSIS | 21 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 1 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 15 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------|--|--|
| COUNTY | DISEASE | |
| CUMBERLAND | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 28 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 5 |
| | VARICELLA | 10 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 1 |
| ESSEX | AMOEBIASIS | 9 |
| | BABESIOSIS | 1 |
| | CAMPYLOBACTERIOSIS | 78 |
| | CRYPTOSPORIDIOSIS | 7 |
| | CYCLOSPORIASIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 6 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 2 |
| | GIARDIASIS | 42 |
| | HAEMOPHILUS INFLUENZAE | 11 |
| | HEPATITIS A | 10 |
| | HEPATITIS B - ACUTE | 12 |
| | HEPATITIS B - CHRONIC | 50 |
| | HEPATITIS C - ACUTE | 1 |
| | HEPATITIS C - CHRONIC | 417 |
| | INFLUENZA, NOVEL INFLUENZA A | 306 |
| | LEGIONELLOSIS | 40 |
| | LISTERIOSIS | 4 |
| | LYME DISEASE | 209 |
| | MALARIA | 27 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 2 |
| | MUMPS | 4 |
| | PERTUSSIS | 8 |
| | Q FEVER - ACUTE | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-------------------|---|--|
| COUNTY | DISEASE | |
| ESSEX | ROCKY MOUNTAIN SPOTTED FEVER | 2 |
| | SALMONELLOSIS | 96 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 5 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 4 |
| | SHIGELLOSIS | 35 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 8 |
| | STREPTOCOCCUS PNEUMONIAE | 100 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 19 |
| | TYPHOID FEVER | 1 |
| | VANCOMYCIN-INTERMEDIATE STAPHYLOCOCCUS AUREUS (VISA) | 1 |
| | VARICELLA | 55 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| GLOUCESTER | AMOEBIASIS | 1 |
| | BABESIOSIS | 4 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 16 |
| | CRYPTOSPORIDIOSIS | 6 |
| | CYCLOSPORIASIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 4 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 2 |
| | GIARDIASIS | 15 |
| | HAEMOPHILUS INFLUENZAE | 6 |
| | HEPATITIS A | 3 |
| | HEPATITIS B - CHRONIC | 4 |
| | HEPATITIS C - CHRONIC | 79 |
| | INFLUENZA, NOVEL INFLUENZA A | 101 |
| | LEGIONELLOSIS | 17 |
| | LYME DISEASE | 150 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-------------------|---|--|
| COUNTY | DISEASE | |
| GLOUCESTER | MALARIA | 5 |
| | PERTUSSIS | 4 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 3 |
| | SALMONELLOSIS | 25 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 1 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 10 |
| | STREPTOCOCCUS PNEUMONIAE | 39 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 3 |
| | TULAREMIA | 1 |
| | VARICELLA | 7 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 1 |
| HUDSON | AMOEBIASIS | 12 |
| | BABESIOSIS | 1 |
| | CAMPYLOBACTERIOSIS | 37 |
| | CRYPTOSPORIDIOSIS | 2 |
| | CYCLOSPORIASIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 1 |
| | GIARDIASIS | 37 |
| | HAEMOPHILUS INFLUENZAE | 3 |
| | HEPATITIS A | 8 |
| | HEPATITIS B - ACUTE | 5 |
| | HEPATITIS B - CHRONIC | 28 |
| | HEPATITIS C - CHRONIC | 405 |
| | INFLUENZA, NOVEL INFLUENZA A | 161 |
| | LEGIONELLOSIS | 20 |
| | LISTERIOSIS | 2 |
| | LYME DISEASE | 59 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------------|---|--|
| COUNTY | DISEASE | |
| HUDSON | MALARIA | 12 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 3 |
| | MUMPS | 3 |
| | PERTUSSIS | 4 |
| | SALMONELLOSIS | 76 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 4 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 21 |
| | STREPTOCOCCUS PNEUMONIAE | 21 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 3 |
| | TYPHOID FEVER | 5 |
| | VARICELLA | 13 |
| HUNTERDON | AMOEBIASIS | 3 |
| | BABESIOSIS | 18 |
| | CAMPYLOBACTERIOSIS | 16 |
| | CRYPTOSPORIDIOSIS | 4 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 9 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 19 |
| | GIARDIASIS | 18 |
| | HAEMOPHILUS INFLUENZAE | 2 |
| | HEPATITIS B - ACUTE | 3 |
| | HEPATITIS C - CHRONIC | 100 |
| | INFLUENZA, NOVEL INFLUENZA A | 75 |
| | LISTERIOSIS | 1 |
| | LYME DISEASE | 444 |
| | MALARIA | 1 |
| | PERTUSSIS | 71 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 3 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------------|---|--|
| COUNTY | DISEASE | |
| HUNTERDON | SALMONELLOSIS | 23 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 5 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 8 |
| | STREPTOCOCCUS PNEUMONIAE | 5 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 5 |
| | TOXIC SHOCK SYNDROME - STAPHYLOCOCCAL | 1 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 10 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 3 |
| | WEST NILE VIRUS (WNV) | 1 |
| MERCER | AMOEBIASIS | 3 |
| | BABESIOSIS | 10 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 46 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 1 |
| | FOODBORNE INTOXICATIONS - CIGUATERA | 2 |
| | FOODBORNE INTOXICATIONS - SCOMBROID | 1 |
| | GIARDIASIS | 25 |
| | HAEMOPHILUS INFLUENZAE | 6 |
| | HEMOLYTIC UREMIC SYNDROME | 1 |
| | HEPATITIS A | 4 |
| | HEPATITIS B - ACUTE | 2 |
| | HEPATITIS B - CHRONIC | 15 |
| | HEPATITIS C - CHRONIC | 436 |
| | INFLUENZA, NOVEL INFLUENZA A | 205 |
| | LEGIONELLOSIS | 13 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------------|---|--|
| COUNTY | DISEASE | |
| MERCER | LISTERIOSIS | 2 |
| | LYME DISEASE | 253 |
| | MALARIA | 8 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | PERTUSSIS | 20 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 2 |
| | SALMONELLOSIS | 67 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 3 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 4 |
| | SHIGELLOSIS | 26 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 5 |
| | STREPTOCOCCUS PNEUMONIAE | 46 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 10 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 14 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 1 |
| | YERSINIOSIS | 1 |
| MIDDLESEX | AMOEBIASIS | 9 |
| | BABESIOSIS | 6 |
| | BRUCELLOSIS | 1 |
| | CAMPYLOBACTERIOSIS | 80 |
| | DENGUE FEVER | 3 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | GIARDIASIS | 29 |
| | HAEMOPHILUS INFLUENZAE | 10 |
| | HEMOLYTIC UREMIC SYNDROME | 1 |
| | HEPATITIS A | 7 |
| | HEPATITIS B - ACUTE | 7 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|------------------|---|--|
| COUNTY | DISEASE | |
| MIDDLESEX | HEPATITIS B - CHRONIC | 22 |
| | HEPATITIS C - CHRONIC | 232 |
| | INFLUENZA, NOVEL INFLUENZA A | 467 |
| | LEGIONELLOSIS | 12 |
| | LISTERIOSIS | 6 |
| | LYME DISEASE | 183 |
| | MALARIA | 12 |
| | MEASLES | 2 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | MUMPS | 1 |
| | PERTUSSIS | 13 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 2 |
| | SALMONELLOSIS | 96 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 1 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 24 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 5 |
| | STREPTOCOCCUS PNEUMONIAE | 59 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 9 |
| | TYPHOID FEVER | 12 |
| | VARICELLA | 28 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| | YERSINIOSIS | 2 |
| MONMOUTH | AMOEBIASIS | 9 |
| | BABESIOSIS | 21 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 71 |
| | CRYPTOSPORIDIOSIS | 2 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| MONMOUTH | EHRlichiosis/ANAPlasmosis - ANAPlasma PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 18 |
| | EHRlichiosis/ANAPlasmosis - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 10 |
| | GIARDIASIS | 28 |
| | HAEMOPHILUS INFLUENZAE | 10 |
| | HEPATITIS A | 6 |
| | HEPATITIS B - ACUTE | 6 |
| | HEPATITIS B - CHRONIC | 14 |
| | HEPATITIS C - CHRONIC | 311 |
| | INFLUENZA, NOVEL INFLUENZA A | 216 |
| | LEGIONELLOSIS | 6 |
| | LEPROSY (HANSEN DISEASE) | 1 |
| | LISTERIOSIS | 4 |
| | LYME DISEASE | 409 |
| | MALARIA | 6 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 2 |
| | MUMPS | 2 |
| | PERTUSSIS | 10 |
| | Q FEVER - CHRONIC | 1 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 10 |
| | SALMONELLOSIS | 97 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 3 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 5 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 2 |
| | SHIGELLOSIS | 20 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 63 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITH TOXIC SHOCK SYNDROME | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| MONMOUTH | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 8 |
| | TULAREMIA | 1 |
| | TYPHOID FEVER | 3 |
| | VARICELLA | 29 |
| | YERSINIOSIS | 2 |
| MORRIS | AMOEBIASIS | 5 |
| | BABESIOSIS | 1 |
| | BOTULISM - INFANT | 2 |
| | CAMPYLOBACTERIOSIS | 44 |
| | CREUTZFELDT-JAKOB DISEASE | 1 |
| | CRYPTOSPORIDIOSIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 4 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 2 |
| | GIARDIASIS | 26 |
| | HAEMOPHILUS INFLUENZAE | 6 |
| | HEPATITIS A | 3 |
| | HEPATITIS B - ACUTE | 4 |
| | HEPATITIS B - CHRONIC | 12 |
| | HEPATITIS C - CHRONIC | 137 |
| | INFLUENZA, NOVEL INFLUENZA A | 183 |
| | LEGIONELLOSIS | 17 |
| | LISTERIOSIS | 4 |
| | LYME DISEASE | 641 |
| | MALARIA | 2 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 1 |
| | MUMPS | 2 |
| | PERTUSSIS | 12 |
| | SALMONELLOSIS | 56 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|---------------|--|--|
| COUNTY | DISEASE | |
| MORRIS | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 4 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 5 |
| | SHIGELLOSIS | 15 |
| | STREPTOCOCCUS PNEUMONIAE | 31 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 4 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 32 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAЕ SPP.) | 2 |
| | YERSINIOSIS | 1 |
| OCEAN | AMOEBIASIS | 2 |
| | BABESIOSIS | 19 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 93 |
| | CRYPTOSPORIDIOSIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 8 |
| | FOODBORNE INTOXICATIONS - SCOMBROID | 1 |
| | GIARDIASIS | 30 |
| | HAEMOPHILUS INFLUENZAE | 10 |
| | HEPATITIS A | 1 |
| | HEPATITIS B - ACUTE | 11 |
| | HEPATITIS B - CHRONIC | 12 |
| | HEPATITIS C - ACUTE | 2 |
| | HEPATITIS C - CHRONIC | 210 |
| | INFLUENZA, NOVEL INFLUENZA A | 178 |
| | LEGIONELLOSIS | 8 |
| | LISTERIOSIS | 4 |
| | LYME DISEASE | 189 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|----------------|---|--|
| COUNTY | DISEASE | |
| OCEAN | MALARIA | 1 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 2 |
| | MUMPS | 177 |
| | PERTUSSIS | 8 |
| | PSITTACOSIS | 2 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 5 |
| | SALMONELLOSIS | 94 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 1 |
| | SHIGELLOSIS | 223 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 2 |
| | STREPTOCOCCUS PNEUMONIAE | 70 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 12 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 16 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 3 |
| PASSAIC | AMOEBIASIS | 7 |
| | BABESIOSIS | 1 |
| | CAMPYLOBACTERIOSIS | 65 |
| | CREUTZFELDT-JAKOB DISEASE | 1 |
| | CRYPTOSPORIDIOSIS | 2 |
| | DENGUE FEVER | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 1 |
| | GIARDIASIS | 26 |
| | HAEMOPHILUS INFLUENZAE | 11 |
| | HEPATITIS A | 7 |
| | HEPATITIS B - ACUTE | 9 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|----------------|--|--|
| COUNTY | DISEASE | |
| PASSAIC | HEPATITIS B - CHRONIC | 18 |
| | HEPATITIS C - ACUTE | 1 |
| | HEPATITIS C - CHRONIC | 171 |
| | INFLUENZA, NOVEL INFLUENZA A | 284 |
| | LEGIONELLOSIS | 6 |
| | LISTERIOSIS | 1 |
| | LYME DISEASE | 253 |
| | MALARIA | 2 |
| | MUMPS | 6 |
| | PERTUSSIS | 8 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 4 |
| | SALMONELLOSIS | 85 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 2 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 4 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - O157:H7 | 2 |
| | SHIGELLOSIS | 79 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 3 |
| | STREPTOCOCCUS PNEUMONIAE | 31 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITH TOXIC SHOCK SYNDROME | 1 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 6 |
| | TOXIC SHOCK SYNDROME - STAPHYLOCOCCAL | 1 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 24 |
| SALEM | CAMPYLOBACTERIOSIS | 9 |
| | CRYPTOSPORIDIOSIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 3 |
| | GIARDIASIS | 1 |
| | HEPATITIS A | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|--|--|
| COUNTY | DISEASE | |
| SALEM | HEPATITIS B - CHRONIC | 1 |
| | HEPATITIS C - CHRONIC | 86 |
| | INFLUENZA, NOVEL INFLUENZA A | 7 |
| | LEGIONELLOSIS | 3 |
| | LISTERIOSIS | 1 |
| | LYME DISEASE | 45 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 8 |
| | SALMONELLOSIS | 6 |
| | SHIGELLOSIS | 1 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 15 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 2 |
| | VARICELLA | 5 |
| SOMERSET | AMOEBIASIS | 2 |
| | BABESIOSIS | 2 |
| | BOTULISM - INFANT | 2 |
| | CAMPYLOBACTERIOSIS | 41 |
| | CRYPTOSPORIDIOSIS | 1 |
| | CYCLOSPORIASIS | 1 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 5 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 4 |
| | FOODBORNE INTOXICATIONS - SCOMBROID | 1 |
| | GIARDIASIS | 14 |
| | HAEMOPHILUS INFLUENZAE | 3 |
| | HEPATITIS A | 1 |
| | HEPATITIS B - CHRONIC | 14 |
| | HEPATITIS C - CHRONIC | 113 |
| | INFLUENZA, NOVEL INFLUENZA A | 147 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|-----------------|---|--|
| COUNTY | DISEASE | |
| SOMERSET | LEGIONELLOSIS | 8 |
| | LISTERIOSIS | 1 |
| | LYME DISEASE | 256 |
| | MALARIA | 6 |
| | PERTUSSIS | 7 |
| | SALMONELLOSIS | 35 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 2 |
| | SHIGELLOSIS | 10 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 24 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 7 |
| | VARICELLA | 5 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 3 |
| SUSSEX | BABESIOSIS | 2 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 12 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 2 |
| | GIARDIASIS | 13 |
| | HAEMOPHILUS INFLUENZAE | 5 |
| | HEPATITIS B - ACUTE | 3 |
| | HEPATITIS C - CHRONIC | 75 |
| | INFLUENZA, NOVEL INFLUENZA A | 35 |
| | LEGIONELLOSIS | 4 |
| | LYME DISEASE | 434 |
| | MALARIA | 1 |
| | PERTUSSIS | 5 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|---------------|---|--|
| COUNTY | DISEASE | |
| SUSSEX | SALMONELLOSIS | 16 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) | 1 |
| | SHIGELLOSIS | 1 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 16 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 2 |
| | VARICELLA | 43 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 1 |
| UNION | AMOEBIASIS | 3 |
| | BOTULISM - INFANT | 1 |
| | CAMPYLOBACTERIOSIS | 32 |
| | CRYPTOSPORIDIOSIS | 2 |
| | CYCLOSPORIASIS | 1 |
| | DENGUE FEVER | 1 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 1 |
| | GIARDIASIS | 27 |
| | HAEMOPHILUS INFLUENZAE | 6 |
| | HEPATITIS A | 4 |
| | HEPATITIS B - CHRONIC | 23 |
| | HEPATITIS C - CHRONIC | 277 |
| | INFLUENZA, NOVEL INFLUENZA A | 192 |
| | LEGIONELLOSIS | 18 |
| | LISTERIOSIS | 3 |
| | LYME DISEASE | 88 |
| | MALARIA | 6 |
| | MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS) | 3 |
| | PERTUSSIS | 13 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 1 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|----------------|---|--|
| COUNTY | DISEASE | |
| UNION | SALMONELLOSIS | 65 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 6 |
| | SHIGELLOSIS | 20 |
| | STREPTOCOCCUS AGALACTIAE (GBS) | 2 |
| | STREPTOCOCCUS PNEUMONIAE | 35 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 10 |
| | TYPHOID FEVER | 1 |
| | VARICELLA | 33 |
| | VIBRIO INFECTIONS (OTHER THAN V.CHOLERAEE SPP.) | 2 |
| UNKNOWN | HEPATITIS B - CHRONIC | 1 |
| | LYME DISEASE | 1 |
| WARREN | AMOEBIASIS | 1 |
| | CAMPYLOBACTERIOSIS | 18 |
| | CREUTZFELDT-JAKOB DISEASE | 1 |
| | CRYPTOSPORIDIOSIS | 7 |
| | EHRlichiosis/ANAPLASMOSIS - ANAPLASMA PHAGOCYTOPHILUM (PREVIOUSLY HGE) | 6 |
| | EHRlichiosis/ANAPLASMOSIS - EHRlichia CHAFFEENSIS (PREVIOUSLY HME) | 5 |
| | GIARDIASIS | 3 |
| | HAEMOPHILUS INFLUENZAE | 2 |
| | HEMOLYTIC UREMIC SYNDROME | 1 |
| | HEPATITIS C - CHRONIC | 45 |
| | INFLUENZA, NOVEL INFLUENZA A | 50 |
| | LEGIONELLOSIS | 4 |
| | LYME DISEASE | 292 |
| | PERTUSSIS | 7 |
| | ROCKY MOUNTAIN SPOTTED FEVER | 1 |
| | SALMONELLOSIS | 9 |
| | SHIGA TOXIN-PRODUCING E.COLI (STEC) - NON O157:H7 | 5 |

(Continued)

2009 New Jersey Reportable Communicable Disease Report
(January 4, 2009 to January 2, 2010)
(excl. Sexually Transmitted Diseases and Tuberculosis)
(Refer to Technical Notes for Case Definitions and Reporting Criteria)

| | | Number of Cases (1/4/2009-1/2/2010) |
|---------------|--|--|
| COUNTY | DISEASE | |
| WARREN | SHIGELLOSIS | 1 |
| | STREPTOCOCCUS PNEUMONIAE | 3 |
| | STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME | 4 |
| | VARICELLA | 20 |