

Technical Notes for December 31, 2023 – December 28, 2024 New Jersey Reportable Communicable Disease Summary Report (excludes sexually transmitted diseases [chancroid, chlamydia, granuloma inguinale, gonorrhea, lymphogranuloma venereum, syphilis], HIV/AIDS and tuberculosis)

- The report includes **NJDOH-approved confirmed** cases for the following diseases.  
AMOEBIASIS  
BOTULISM – FOODBORNE  
BOTULISM – INFANT  
BOTULISM - OTHER, UNSPECIFIED  
BOTULISM - WOUND  
CHOLERA - NON O1/O139  
CHOLERA - O1  
CHOLERA - O139  
DIPHTHERIA  
EBOLA  
HANTAVIRUS - INFECTION  
HANTAVIRUS - PULMONARY SYNDROME  
HEPATITIS A  
HEPATITIS B – PERINATAL  
HEPATITIS C – PERINATAL  
INFLUENZA, HUMAN ISOLATES - NOVEL INFLUENZA A  
INFLUENZA, HUMAN ISOLATES - TYPE 2009 H1N1  
INFLUENZA, HUMAN ISOLATES - TYPE A (SUBTYPING NOT DONE)  
INFLUENZA, HUMAN ISOLATES - TYPE A H1  
INFLUENZA, HUMAN ISOLATES - TYPE A H3  
INFLUENZA, HUMAN ISOLATES - TYPE B  
LASSA FEVER  
LEGIONELLOSIS  
LEPROSY (HANSEN DISEASE)  
LISTERIOSIS  
MALARIA  
MEASLES  
MARBURG  
MULTISYSTEM INFLAMMATORY SYNDROME (MIS)  
POLIOMYELITIS  
RABIES  
RUBELLA - NON-CONGENITAL  
STREPTOCOCCUS AGALACTIAE (GBS)  
STREPTOCOCCUS PYOGENES (GAS) - WITHOUT TOXIC SHOCK SYNDROME  
TETANUS  
TRICHINOSIS  
VANCOMYCIN-INTERMEDIATE STAPHYLOCOCCUS AUREUS (VISA)  
VANCOMYCIN-RESISTANT STAPHYLOCOCCUS AUREUS (VRSA)  
VIRAL HEMORRHAGIC FEVERS OTHER (NOT MARBURG, EBOLA, LASSA)
- This report includes both **NJDOH-approved confirmed AND probable** cases for the following diseases.  
ALPHA-GAL SYNDROME  
ANAPLASMOSIS  
ANTHRAX

ANTHRAX - CUTANEOUS  
ANTHRAX - INHALATION  
ANTHRAX - INTESTINAL  
ANTHRAX - OROPHARYNGEAL  
BABESIOSIS  
BORRELIA MIYAMOTOI  
BRUCELLOSIS  
CALIFORNIA ENCEPHALITIS(CE)  
CAMPYLOBACTERIOSIS  
CHIKUNGUNYA  
CREUTZFELDT-JAKOB DISEASE  
CREUTZFELDT-JAKOB DISEASE - FAMILIAL  
CREUTZFELDT-JAKOB DISEASE - IATROGENIC  
CREUTZFELDT-JAKOB DISEASE - NEW VARIANT  
CREUTZFELDT-JAKOB DISEASE - SPORADIC  
CREUTZFELDT-JAKOB DISEASE - UNKNOWN  
CRYPTOSPORIDIOSIS  
CYCLOSPORIASIS  
DENGUE FEVER - DENGUE  
DENGUE FEVER - DENGUE-LIKE ILLNESS  
DENGUE FEVER - SEVERE DENGUE  
EASTERN EQUINE ENCEPHALITIS(EEE)  
EHRlichiosis – EHRlichia chaffeensis  
EHRlichiosis – EHRlichia ewingii  
EHRlichiosis – EHRlichia muris eauclairensis  
EHRlichiosis – OTHER OR UNSPECIFIED EHRlichia  
GIARDIASIS  
HAEMOPHILUS INFLUENZAE  
HEMOLYTIC UREMIC SYNDROME  
HEPATITIS B – ACUTE  
HEPATITIS B – CHRONIC  
HEPATITIS C – ACUTE  
HEPATITIS C – CHRONIC  
JAMESTOWN CANYON VIRUS  
LACROSSE ENCEPHALITIS(LSE)  
LEPTOSPIROSIS  
LYME DISEASE  
MENINGOCOCCAL DISEASE (NEISSERIA MENINGITIDIS)  
MPOX  
MUMPS  
NOVEL CORONAVIRUS-2019 NCOV  
PERTUSSIS  
PLAGUE  
POWASSAN  
PSITTACOSIS  
Q FEVER – ACUTE  
Q FEVER – CHRONIC  
RUBELLA - CONGENITAL  
SALMONELLOSIS - NON TYPHOID  
SALMONELLOSIS - PARATYPHOID FEVER  
SARS

SHIGA TOXIN–PRODUCING E.COLI (STEC) - NON O157:H7  
 SHIGA TOXIN–PRODUCING E.COLI (STEC) - O157:H7  
 SHIGELLOSIS  
 SMALLPOX  
 SPOTTED FEVER GROUP RICKETTSIOSIS  
 ST LOUIS ENCEPHALITIS (SLE)  
 STREPTOCOCCUS PYOGENES (GAS) - WITH TOXIC SHOCK SYNDROME  
 TOXIC SHOCK SYNDROME – STAPHYLOCOCCAL  
 TULAREMIA  
 TYPHOID FEVER  
 VARICELLA  
 VIBRIO INFECTIONS (OTHER THAN V.CHOLERAE SPP.)  
 WEST NILE VIRUS (WNV)  
 WESTERN EQUINE ENCEPHALITIS(WEE)  
 YELLOW FEVER  
 YERSINIOSIS  
 ZIKA VIRUS - DISEASE, CONGENITAL  
 ZIKA VIRUS - DISEASE, NON-CONGENITAL

- This report includes **NJDOH-approved confirmed** and **NJDOH-E-closed** cases for STREPTOCOCCUS PNEUMONIAE.
- Diseases listed above which are designated as nationally notifiable by the Centers for Disease Control are reported to CDC per MMWR print criteria (<https://ndc.services.cdc.gov/event-codes-other-surveillance-resources/>).
- The following nationally notifiable diseases are not following CDC MMWR print criteria:
  - HAEMOPHILUS INFLUENZAE, MUMPS, PERTUSSIS, and RUBELLA – CONGENITAL should include confirmed, probable, and unknown cases for CDC reporting. However, New Jersey does not utilize “unknown” case status in disease reporting. New Jersey reports confirmed and probable cases only.
  - New Jersey reports confirmed MEASLES, RUBELLA - NON-CONGENITAL, and TETANUS cases only.
- The following diseases, infections, or conditions are not currently covered in N.J.A.C. 8:57, but they are included in NJDOH public health surveillance efforts.
  - ALPHA-GAL SYNDROME (surveillance initiated in 2022);
  - BORRELIA MIYAMOTOI (surveillance initiated in 2017);
  - LEPTOSPIROSIS (surveillance initiated in 2014).
- ALPHA-GAL SYNDROME –In 2022, CDS requested voluntary reporting of Alpha-gal syndrome cases from electronic laboratory reporting partners. The number of cases in this report may underestimate the actual number of cases in New Jersey.
- ANAPLASMOSIS – Beginning in January 2024, anaplasmosis is listed separately from ehrlichiosis.
- BORRELIA MIYAMOTOI –In 2017, CDS requested voluntary reporting of Borrelia miyamotoi cases from laboratories and healthcare providers. The number of cases in this report may underestimate the actual number of cases in New Jersey.

- Brucellosis - The case definition for brucellosis was changed and implemented in New Jersey in 2024.
- CAMPYLOBACTERIOSIS – Campylobacteriosis was added to the nationally notifiable disease list in 2025.
- CREUTZFELDT-JAKOB DISEASE -- Cases are classified as confirmed or probable according to date of death. With Creutzfeldt-Jakob disease, date of death may be in the calendar year following identification of suspect cases. As such, the total number of cases in the CDRSS report is preliminary and may change when additional suspect cases are classified.
- CRYPTOSPORIDIOSIS – Confirmed and probable case classification will be distinguished from each other in the MMWR annual summary, not weekly tables.
- EHRLICHIOSIS – The case definition for ehrlichiosis was changed and implemented in New Jersey in 2024.
- FOODBORNE INTOXICATIONS – CIGUATERA, FOODBORNE INTOXICATIONS - MUSHROOM POISONING, FOODBORNE INTOXICATIONS - PARALYTIC SHELLFISH POISONING, and FOODBORNE INTOXICATIONS - SCOMBROID  
There are no formal case definitions for foodborne intoxications. These counts represent all reported cases of foodborne intoxications diagnosed by a healthcare provider and any clinically compatible cases epidemiologically linked to a diagnosed case.
- HANTAVIRUS has two subgroups from 2017: Infection and Pulmonary Syndrome.
- HEPATITIS A - In 2019, the case definition was updated to accommodate hepatitis A virus RNA detected by NAAT (such as PCR or genotyping).
- HEPATITIS B - PERINATAL– There are 47 perinatal hepatitis B cases that remain open for completion in CDRSS for MMWR Year 2023 due to follow-up needed on infants to ensure that correct prophylaxis, vaccination, and testing is done. Follow up on these cases may take place over 24-month timeframe.
- HEPATITIS C – ACUTE and CHRONIC –The latest revised Council of State and Territorial Epidemiologists (CSTE) standard Hepatitis C case definitions took full effect in January 2020. These revisions include laboratory criteria change for Acute and Chronic Hepatitis C whereby all positive test for antibodies (Anti-HCV) to hepatitis C virus irrespective of signal-to-cut-off are used for diagnosis. Additionally, Case Classification now includes a Probable component for cases with only a positive Anti-HCV test and no positive Nucleic Acid Test (NAT) for HCV RNA reported. Full descriptions of the definitions can be found on the NJ DOH Website Hepatitis C page in the investigation guideline.
- HEPATITIS C – PERINATAL – Confirmed Perinatal HCV cases are included in CDC Reporting. The definition for a confirmed Perinatal HCV case is an infant who has a positive test for HCV RNA nucleic acid amplification test (NAAT), HCV antigen, or detectable HCV genotype at  $\geq 2$  months and  $\leq 36$  months of age and is not known to have been exposed to HCV via a mechanism other than perinatal. Test results prior to 2

months of age are not used for classification. Test results after 36 months of age are reported under the 2020 Acute and Chronic HCV Infection case classification and not as perinatal HCV infection. Event date should be based on earliest relevant laboratory test date within the 2-36-month window.

- **INFLUENZA** - There are no formal case definitions for influenza. NJDOH accepts any positive influenza test (i.e., rapid antigen, PCR, culture) as a confirmed report of influenza. Reports are received from commercial laboratories, acute care laboratories and the state public health laboratory. Reports received electronically from laboratories are entered into CDRSS as confirmed and E-closed. These counts represent only reported cases and do not represent all influenza positive influenza cases occurring in the state.
- **LEPTOSPIROSIS** – In 2014, CDS requested voluntary reporting of leptospirosis cases from laboratories and healthcare providers. The numbers in this report may not be a complete representation of volume of cases in New Jersey.
- **LISTERIOSIS**: In 2019, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria and *L. monocytogenes* isolated from non-sterile sites.
- **LYME DISEASE**: In 2022, the national surveillance case definition for Lyme disease was updated to a laboratory-based surveillance strategy. This resulted in an expected higher number of cases compared to prior years.
- **MPOX**: CDC requested reporting of MPOX cases starting in 2022.
- **Q FEVER - ACUTE** and **Q FEVER - CHRONIC** were added to the nationally notifiable disease list in 2008 to report confirmed and probable. Only Q FEVER, with no subcategory, was reported to NJDOH prior to 2008.
- **SALMONELLOSIS - NON TYPHOID** - In 2017, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria.
- **SALMONELLOSIS - PARATYPHOID FEVER** – In 2018, as per CDC recommendations a new subgroup was added for *S. Paratyphi* Infection, classifying the isolation of *S. Paratyphi* A, B (tartrate negative), or C from a clinical specimen as a confirmed case and the detection of *S. Paratyphi* A, B (tartrate negative), or C in a clinical specimen using a CIDT or epidemiological linkage as a probable case.
- **SHIGA TOXIN–PRODUCING E.COLI (STEC) - NON O157:H7** and **SHIGA TOXIN–PRODUCING E.COLI (STEC) - O157:H7** were reported to CDC as Confirmed and Probable only from 2011. In 2018, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria and these cases are classified as probable cases.
- **SHIGELLOSIS** - In 2017, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria and these cases are classified as probable cases.
- **SPOTTED FEVER GROUP RICKETTSIOSIS (SFGR)** - The case definition for SFGR was changed and implemented in NJ in 2020. This change removed previously

acceptable laboratory tests from the case definition leading to a decrease in the number of cases.

- **STREPTOCOCCUS PNEUMONIAE** – include both confirmed and probable cases reported since 2017. According to the 2017 changes to the NNDSS, it's been recommended that a definition for a probable case be added to include a case that meets laboratory criteria for the identification of *Streptococcus pneumoniae* from a sterile body site by a CIDT without isolation of the bacteria.
- **VIBRIO INFECTIONS (OTHER THAN V.CHOLERAЕ SPP.)** – In 2017, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria and these cases are classified as probable cases.
- **YERSINIOSIS** – Starting in 2024, the case definition was updated to accommodate culture-independent diagnostic testing in the laboratory criteria and a total of 367 cases are classified as probable cases in 2024.
- Please consult the Communicable Disease Service at 609-826-5964 or <https://www.nj.gov/health/cd/topics/> for case definitions of reportable diseases listed in the report.
- This report is for public health use only. DATA WITH VALUES LESS THAN FIVE SHOULD NOT BE RELEASED TO THE PUBLIC WITHOUT ACCOMPANYING INTERPRETATION. Rates calculated from these numbers are statistically unreliable for interpretation.