

2019 Season highlight:

- Three human cases of Eastern equine encephalitis (EEE) have been reported in Atlantic, Somerset and Union Counties.
- Eleven equine cases of EEE have been reported from 7 counties. One alpaca and one deer case of EEE was reported from Camden County. EEE has been detected in 73 mosquito pools in 13 counties.
- Seven cases of West Nile virus have been reported (Atlantic (2), Bergen (2), Burlington, Gloucester and Hunterdon counties). WNV has been detected in mosquito pools in all NJ counties. The number of WNV positive pools is significantly lower than historical averages.
- Four cases of Powassan (including two fatalities) have been reported in Sussex County.

1. Human Testing

New Jersey Administrative Code (N.J.A.C.) Title 8 Chapter 57 mandates public health reporting of specified vector-borne diseases to prevent further disease spread.

Table 1.1 Human Cases^a

| Mosquito-borne diseases | 2019 ^b | | 2018 | Tickborne Diseases | |
|-----------------------------|-------------------|------|-----------------------------------|--------------------|------|
| | 2019 ^b | 2018 | | 2019 ^b | 2018 |
| Chikungunya | 7 | 16 | Anaplasmosis | 108 | 118 |
| Dengue | 53 | 20 | Babesiosis | 199 | 249 |
| Eastern equine encephalitis | 3 | - | <i>Borrelia miyamotoi</i> | 14 | 8 |
| Jamestown Canyon | - | - | Ehrlichiosis | 103 | 94 |
| Malaria | 86 | 93 | Lyme disease | 2505 | 4000 |
| West Nile | 7 | 61 | Powassan | 4 | 1 |
| Zika | 6 | 10 | Spotted fever group rickettsioses | 160 | 147 |

^a Data for 2019 reflect confirmed and probable cases that have been approved by NJDOH. This does not include cases under investigation. All 2019 numbers are preliminary and are subject to change. 2018 numbers represent total number of cases for the year.

^b Cumulative through week 42 (week ending October 19, 2019).

2. Mosquito Testing

The New Jersey Department of Health Public Health and Environmental Laboratories (PHEL) and the Cape May County Department of Mosquito Control Bio-safety Level 3 Laboratory (CMBSL3) perform arboviral testing on mosquito pools collected by county mosquito control agencies throughout New Jersey.

West Nile virus (WNV):

- A total of 11,158 mosquito pools have been tested for WNV; 363 mosquito pools were positive for WNV with the highest numbers reported from Bergen and Burlington counties.
- The first positive pool was detected in week 22 (Passaic county). In 2018 the first WNV positive mosquito pool was identified in week 23.
- The total number of positive mosquito pools detected this season is significantly lower than historical averages (see chart below).
- The positive pools were detected in *Aedes albopictus*, *Aedes cantator*, *Aedes japonicus*, *Aedes triseriatus*, *Anopheles punctipennis*, *Coquillettia perturbans*, *Culex erraticus*, *Culex pipiens*, *Culex spp* and *Culiseta melanura* species.
- 88% ($n=318$) of the positive pools were *Culex sp*.


*Test results may be incomplete; Counties submit pools for testing on specific weekdays. Mosquito testing data reflects test results received from PHEL, CMBSL3 and US Army Public Health as of October 22, 2019.

WNV Positive Mosquito Pools

| County | Week 42 | | Cumulative Total (week 42) | |
|--------------|----------|----------|----------------------------|-------------|
| | 2019* | 2018 | 2019* | 2018 |
| Bergen | | | 83 | 161 |
| Burlington | | | 56 | 35 |
| Hudson | | | 41 | 68 |
| Union | | | 34 | 78 |
| Hunterdon | | | 20 | 159 |
| Monmouth | | | 18 | 63 |
| Somerset | | | 17 | 84 |
| Atlantic | | 1 | 15 | 23 |
| Gloucester | | 4 | 14 | 117 |
| Ocean | | | 11 | 26 |
| Middlesex | | | 9 | 56 |
| Morris | | | 9 | 166 |
| Camden | | | 8 | 40 |
| Mercer | | | 8 | 43 |
| Cape May | | | 5 | 20 |
| Passaic | | | 4 | 16 |
| Salem | | | 3 | 9 |
| Sussex | | 1 | 3 | 55 |
| Warren | | | 3 | 82 |
| Cumberland | | | 1 | 10 |
| Essex | | | 1 | 14 |
| Total | - | 6 | 363 | 1325 |

Week 42: October 14-20, 2018; October 13-19, 2019

West Nile Virus Positive Mosquito Pools, NJ (2018 - 2019)



Eastern equine encephalitis virus (EEE)


- A total of 10,379 mosquito pools have been tested for EEE; 73 mosquito pools from 13 counties were positive for EEE. This is the highest number of pools reported in the past 7 years (see chart below) and exceeds the total number of EEE positive mosquito pools in 2018 ($n=14$).
- The highest number of positive pools was reported in Sussex County ($n=11$).
- The first positive pool was detected in week 27 (Monmouth county). In 2018, the first EEE mosquito pool was reported in week 26.
- 5 northern counties (Morris, Hunterdon, Sussex, Union and Warren) detected EEE positive pools. These are the first EEE positive pools detected in the northern part of the state in at least 7 years.
- 74% ($n=54$) of the positive pools were *Culiseta melanura*. *Culiseta melanura* species was detected in 10 counties reporting positives.
- Other positive species detected were *Aedes albopictus* (Atlantic and Ocean), *Aedes canadensis* (Morris and Sussex), *Aedes triseriatus* (Morris) and *Culex* spp (Atlantic, Camden, Hunterdon, Morris, Ocean, Sussex, Union and Warren).

EEE Positive Mosquito Pools

| County | Week 42 | | Cumulative Total (week 42) | |
|--------------|----------|----------|----------------------------|-----------|
| | 2019* | 2018 | 2019* | 2018 |
| Sussex | | | 11 | |
| Atlantic | | | 10 | 1 |
| Morris | | | 10 | |
| Burlington | | | 9 | 5 |
| Camden | | | 8 | 4 |
| Monmouth | | | 8 | 1 |
| Gloucester | | | 6 | |
| Hunterdon | | | 2 | |
| Ocean | | | 3 | |
| Salem | | | 3 | 2 |
| Cape May | | | 1 | |
| Union | | | 1 | |
| Warren | | | 1 | |
| Bergen | | | | |
| Cumberland | | | | 1 |
| Essex | | | | |
| Hudson | | | | |
| Mercer | | | | |
| Middlesex | | | | |
| Passaic | | | | |
| Somerset | | | | |
| Total | - | - | 73 | 14 |

Week 42: October 14-20, 2018; October 13-19, 2019

EEE Positive Mosquito Pools in NJ, 2012-2019



Other viruses:

In 2019, PHEL and Cape May County BLS3 brought on new capacity to test for viruses as a panel. Mosquito pools from all counties have been tested for other arboviruses: St. Louis encephalitis virus (SLE), Jamestown Canyon Virus (JCV), La Crosse encephalitis virus (LAC), Chikungunya virus (CHIKV), Dengue virus (DENV), Zika Virus (ZIKV).

Positive pools for other viruses have been detected in 5 counties (Bergen, Burlington, Passaic, Salem and Sussex).

La Crosse encephalitis virus (LAC):

- A mosquito pool collected on May 31st (week 22) in Passaic County tested positive for La Crosse virus at PHEL. The positive pool was detected in *Aedes triseriatus* species.
- In 2014, 2 mosquito pools collected from the Joint Base MDL (Burlington County) by the Department of the Airforce tested positive for LACV. The virus was detected in both *Ochlerotatus triseriatus* and *Aedes albopictus*.
- There have not been any human La Crosse virus cases reported in at least the past 20 years.

Jamestown Canyon virus (JCV):

- Five mosquito pools from 4 counties have tested positive for Jamestown Canyon virus. Positive pools were identified in the following counties: Sussex (week 23 and week 37), Bergen (week 25), Burlington (week 27) and Salem (week 34).
- The positive pools were detected in *Aedes abserratus*, *Aedes cantator*, *Anopheles crucians*, *Anopheles punctipennis* and *Coquillettidia perturbans* species.
- NJ reported its first and only human case of Jamestown Canyon virus in 2015 in a Sussex County resident.

Cumulative 2019 Mosquito Pool Testing (Other Viruses^a)

| County | SLE | | JCV | | LAC | | CHIKV | | DENV | | ZIKV | |
|--------------|--------------|----------|-------------|----------|------------|----------|------------|----------|------------|----------|------------|----------|
| | Pools | Pos | Pools | Pos | Pools | Pos | Pools | Pos | Pools | Pos | Pools | Pos |
| Atlantic | 488 | | 488 | | | | 80 | | 80 | | 80 | |
| Bergen | 327 | | 327 | 1 | 23 | | 5 | | 5 | | 5 | |
| Burlington | 456 | | 456 | 1 | 22 | | | | | | | |
| Camden | 142 | | 114 | | | | 16 | | 16 | | 16 | |
| Cape May | 2885 | | 21 | | 190 | | 444 | | | | 444 | |
| Cumberland | 357 | | 357 | | 11 | | | | | | | |
| Essex | 152 | | 152 | | 1 | | | | | | | |
| Gloucester | 627 | | 613 | | 7 | | 17 | | 17 | | 17 | |
| Hudson | 254 | | 254 | | 8 | | | | | | | |
| Hunterdon | 348 | | 348 | | 3 | | | | | | | |
| Mercer | 427 | | 427 | | 34 | | 24 | | 24 | | 24 | |
| Middlesex | 288 | | 288 | | 4 | | 10 | | 10 | | 10 | |
| Monmouth | 544 | | 544 | | 20 | | | | | | | |
| Morris | 601 | | 601 | | | | | | | | | |
| Ocean | 400 | | 400 | | | | | | | | | |
| Passaic | 207 | | 207 | | 18 | 1 | | | | | | |
| Salem | 593 | | 576 | 1 | 21 | | | | | | | |
| Somerset | 306 | | 306 | | | | | | | | | |
| Sussex | 396 | | 396 | 2 | 21 | | | | | | | |
| Union | 224 | | 224 | | 10 | | | | | | | |
| Warren | 357 | | 357 | | | | | | | | | |
| Total | 10379 | - | 7456 | 5 | 393 | 1 | 596 | - | 152 | - | 596 | - |

^a St. Louis encephalitis virus (SLE), Jamestown Canyon Virus (JCV), La Crosse encephalitis virus (LAC), Chikungunya virus (CHIKV), Dengue virus (DENV), Zika Virus (ZIKV)
 Numbers in white columns represent number of pools tested to date in 2019
 Numbers in blue shaded columns represent positive pools in 2019

3. Equine/Avian /Other Animal Testing^a

Equine testing for WNV and EEE is conducted at the New Jersey Department of Agriculture's Animal Health and Diagnostic Laboratory.

Eleven equine cases, one alpaca case and one deer case of EEE have been reported this season. The deer case from Camden county died in week 28. This is the earliest report of EEE in the state since 2012.

No equine West Nile cases have been reported this season.

Equine Cases (EEE)

| CDC Week | County | Age | Sex | Vaccination Status | Onset Date | Animal Status |
|----------|------------|-------------|---------|--------------------|------------|--------------------|
| 30 | Ocean | 12-year-old | Mare | Unvaccinated | 7/23/19 | Euthanized 7/23/19 |
| 30 | Ocean | 20-year-old | Gelding | Unvaccinated | 7/26/19 | Euthanized 7/26/19 |
| 32 | Monmouth | 1-year-old | Colt | EWT 2019 | 8/05/19 | Euthanized 8/05/19 |
| 33 | Ocean | 2-year-old | Gelding | Incomplete | 8/15/19 | Euthanized 8/16/19 |
| 33 | Morris | 18-year-old | Gelding | Unvaccinated | 8/15/19 | Euthanized 8/16/19 |
| 35 | Salem | 4-month-old | Colt | Unknown | Unknown | Euthanized 8/25/19 |
| 35 | Atlantic | 1 year old | Filly | Unknown | Unknown | Euthanized 8/24/19 |
| 35 | Ocean | Unknown | Gelding | Unknown | Unknown | Euthanized 8/26/19 |
| 35 | Ocean | 4-year-old | Gelding | Unknown | Unknown | Euthanized 8/26/19 |
| 39 | Burlington | 1-year-old | Filly | Unknown | 9/24/19 | Euthanized 9/29/19 |
| 40 | Camden | 3-year-old | Gelding | EWT 2019 | 9/30/19 | Euthanized 9/30/19 |

Other Animal Cases (EEE):

| CDC Week | Animal | County | Age | Sex | Onset Date | Animal Status |
|----------|--------|--------|------------|-------------|------------|-------------------|
| 28 | Deer | Camden | Unknown | Unknown | Unknown | Died 7/11/19 |
| 31 | Alpaca | Camden | 7-year-old | Male Alpaca | 8/02/19 | Euthanized 8/3/19 |

^a Cumulative through week 42 (week ending October 19, 2019)



Routine avian testing has been discontinued but is available upon request at PHEL.

4. Surveillance Maps

West Nile Virus (WNV)

Week 42 WNV Activity (2019)




Cumulative WNV Activity 2019



Eastern equine encephalitis (EEE)




2018 EEE Activity

Cumulative EEE Activity 2019



Jamestown Canyon Virus Activity 2019

La Crosse Virus Activity 2019




5. Syndromic Surveillance for Tick-related Emergency Department Visits

EpiCenter is a syndromic surveillance system developed and maintained by Health Monitoring Systems, Inc, for monitoring by health departments in the United States. New Jersey's EpiCenter receives real time Emergency Department (ED) data from 78 acute care and satellite health (99 percent reporting) facilities statewide. The system collects "chief complaint" information and limited patient registration data from existing ED computer systems.

The chart below represents NJ residents seen at emergency departments state wide with a tick-bite complaint or signs/symptoms associated with a reported tick-bite. Tick-related ED visits occur throughout the year with peak number of visits in the summer months and a smaller peak in the fall weeks when adult *Ixodes scapularis* (blacklegged ticks) are active.

As of week 42, the number of tick related ED visits is below trends observed in past 5 years.



Data reflects ED visits downloaded from EpiCenter as of October 22, 2019

For More Information

- NJDOH Communicable Disease Service: <http://nj.gov/health/cd/topics/vectorborne.shtml>
- NJDEP Office of Mosquito Control Coordination: <http://www.nj.gov/dep/mosquito/>
- NJDA Division of Animal Health: <http://www.nj.gov/agriculture/divisions/ah/>
- Rutgers Center for Vector Biology: <http://vectorbio.rutgers.edu/>
- **New!** New Jersey Arboviral Activity Maps: <http://bit.ly/JerseySurv>