Formaldehyde Hazards in Nail Salons



Salon owners using products that contain formaldehyde or may release formaldehyde products <u>must comply</u> with the following OSHA standards:

OSHA Formaldehyde Standard 1910.1048: osha.gov/laws-regs/regulations/standardnumber/1910/1910.1048

OSHA Hazard Communication Standard 1910.1200: osha.gov/laws-regs/regulations/standardnumber/1910/1910.1200



Know the health risks.

- Breathing certain levels can cause/worsen asthma, cause eye/nose irritation, and result in allergic reactions.
- Fairly low levels can cause nose/throat irritation, causing coughs, chest pain, shortness of breath, and wheezing.
- Higher levels can cause throat swelling, lung inflammation, and fluid in the lungs.
- Long-term exposures may lead to certain cancers.

Understand the exposure.

- Exposure can occur while using nail enamels and hardeners.
- Harmful vapors are inhaled while using product. Product can also get on skin or in eyes.
- Best way to decrease exposure to formaldehyde and other chemicals is by increasing ventilation.

Read the labels.

- Read the label on the product bottle or box and the products safety data sheet.
- Formaldehyde might be listed as methylene glycol, formalin, methylene oxide, paraform, formic aldehyde, methanal, oxomethane, oxymethylene, or CAS Number 50-00-0.



Scan the QR code to access our factsheet with more detailed information and resources on how to protect nail salon workers from formaldehyde exposure.

nj.gov/health/ceohs