



New Jersey State Cancer Registry

List of reportable diseases and conditions

Effective date March 10, 2011; Revised September 2026

IMPORTANT NOTE: This list is not intended to be an exhaustive list of all reportable conditions. Please refer to the General Rules for Reportability and to the ICD-O-3.2 Manual.

General Rules for Reportability

All cases meeting the following criteria must be reported to the NJSCR:

- (a) Any in situ or invasive neoplasm with a behavior code of “/2” or “/3” in the International Classification of Diseases for Oncology (ICD-O) Third Edition
- (b) All solid tumors of the brain and central nervous system, including meninges and intracranial endocrine structures, listed in the ICD-O-3.2 with behavior codes of “/0”, “/1”, “/2”, or “/3.”
- (c) Any diagnosis including any of the following words:
 - Cancer
 - Carcinoma
 - Adenocarcinoma
 - Carcinoid tumor
 - Leukemia
 - Lymphoma
 - Malignant
 - Sarcoma
- (d) Any reportable diagnosis which contains any of the following ambiguous terms in the final diagnosis:

Apparent(ly)	Most likely
Appears	Presumed
Comparable with	Probable
Compatible/Compatible with	Suspect(ed)
Consistent with	Suspicious (for)
Favor(s)	Typical (of)
Malignant appearing	

Exceptions

Cases meeting the following criteria are not reportable to the NJSCR:

- (a) Diagnoses based on cytology specimens containing any ambiguous term listed in (d) above. Exception: The date of a suspicious cytology may be used as the date of diagnosis when a definitive diagnosis follows the suspicious cytology. See Date of Diagnosis coding instructions for more information. This is a change to previous instructions.
- (b) Basal cell carcinomas and squamous cell carcinomas of the skin are NOT reportable, except when they are diagnosed in the labia, clitoris, vulva, prepuce, penis or scrotum.
- (c) Carcinoma in situ of the cervix and/or cervical squamous intraepithelial neoplasia III (CIN III) are NOT reportable.

If any uncertainty regarding the reporting of a particular case exists, the health care facility, physician, dentist, other health care provider or independent clinical laboratory shall:

- 1. Contact the Department for guidance at (609) 633-0500 and/or
- 2. View information on the following website <http://www.nj.gov/health/ces/njsr.shtml> and/or
- 3. View [Appendix E of SEER Program manual](#) for non-reportable examples

The following conditions are reportable to the NJSCR for the site of origin listed. This list is not meant to be exhaustive. Please refer to the [ICD-O-3.2 manual](#) and follow the reportability guidelines above.

ALL SITES

Askin tumor
Chordoma
Cylindroma (except of skin)
Desmoplastic small round cell tumor
Dysgerminoma
Epithelioid hemangioendothelioma, malignant
Epithelioma, malignant
Fibroblastic reticular cell tumor/sarcoma
Germ cell tumor, nonseminomatous
Germinoma
Hemangioendothelioma, malignant
High grade squamous intraepithelial lesion (HSIL)
Intraepithelial neoplasia grade II/III
Langerhans cell histiocytosis, disseminated (ONLY)
Malignant mastocytosis
Malignant tumor, all cell types
Mast cell sarcoma

Medulloepithelioma
 Melanoma
 Mesenchymoma, malignant
 Mesothelioma, malignant and in-situ
 Myelodysplastic/Myeloproliferative neoplasm, unclassifiable
 Myoepithelioma, malignant
 Neuroblastoma
 Neuroendocrine Tumor, Grade 1 (NET GR1)
 Neuroendocrine Tumor, Grade 2 (NET GR2)
 Neuroepithelioma
 PEComa, malignant
 Peripheral neuroectodermal tumor
 Perivascular epithelioid cell tumor, malignant
 Phosphaturic mesenchymal tumor, malignant
 Plasmacytoma
 Polyembryoma
 Sezary syndrome
 Solitary fibrous tumor, malignant
 Squamous dysplasia, high grade for sites other than colon/GI
 Squamous intraepithelial neoplasia, grade II & III (SIN II & III) (8077/2), except Cervix and Skin
 Yolk sac tumor

ADRENAL

Adrenal cortical carcinoma
 Adrenal medullary paraganglioma
 Aortic body tumor, malignant
 Carotid body tumor, malignant
 Chromaffin paraganglioma
 Chromaffin tumor
 Chromaffinoma
 Composite pheochromocytoma
 Extra-adrenal paraganglioma, malignant
 Ganglioneuroblastoma
 Germinoma
 Mixed Germ Cell Tumor
 Neuroblastoma
 Neuroendocrine carcinoma
 Neuroepithelioma
 Paraganglioma, malignant
 Pheochromoblastoma
 Pheochromocytoma, NOS
 Sympathicoblastoma
 Teratoma, malignant, NOS

Teratoma w/malignant transformation
Yolk Sac Tumor

ANUS (see [G-I Tract](#))

APPENDIX (see [G-I Tract](#))

BILE DUCTS (see [Gallbladder and Extrahepatic Bile Ducts](#))

BLOOD (see [Hematopoietic/Lymphoid](#))

BLOOD VESSELS (see [Soft Tissues](#))

BONE AND JOINTS

Adamantinoma
Ameloblastic fibrodentinosarcoma
Ameloblastic fibro-odontosarcoma
Ameloblastoma, malignant
Angioblastoma (+)
Angiosarcoma
Askin tumor
Chondroblastoma, malignant
Chondrosarcoma
Chordoma
Ewing Sarcoma
Fibrous histiocytoma, malignant
Fibrosarcoma (medullary, periosteal, central, endosteal)
Giant cell tumor, malignant
Hemangioendothelioma, malignant
Mesenchymal chondrosarcoma
Odontogenic tumor, malignant
Osteogenic Sarcoma
Osteosarcoma
Peripheral neuroectodermal tumor
Plasmacytoma
Solitary fibrous tumor, malignant

BONE MARROW (see [Hematopoietic/Lymphoid](#))

BRAIN & CNS (brain, spinal cord, cranial nerves, meninges, and other CNS)

Acoustic neuroma (O)
Ameloblastoma, malignant/metastasizing

Angiocentric glioma (+)
Angiolipoma (O)
Angiomatous meningioma (O)
Astroblastoma
Astrocytoma, any type
Atypical choroid plexus papilloma (+)
Atypical lipoma (+)
Atypical meningioma (+)
Atypical teratoid/rhabdoid tumor
Capillary hemangioma (O)
Cavernous hemangioma/angioma (O)
Cauda equina neuroendocrine tumor
Central neurocytoma (+)
Chordoid glioma (+)
Chordoma, NOS
Choroid plexus papilloma, malignant
Choroid plexus papilloma (O)
Choroid meningioma (+)
Clear cell meningioma (+)
CNS Embryonal tumor, NOS
CNS tumor with BCCR internal tandem duplication
Dermoid cyst (O)
Desmoplastic infantile astrocytoma (+)
Diffuse astrocytoma, MYB- or MYBL1-altered (+)
Diffuse leptomeningeal glioneuronal tumor
Diffuse low-grade glioma, MAPK pathway- altered (+)
Diffuse melanocytosis (O)
Diffuse midline glioma, H3 K27-altered
Diffuse pediatric-type glioma, H3-wildtype and IDH-wildtype
Dysembryoplastic neuroepithelial tumor (O)
Dysplastic gangliocytoma of cerebellum (O) (Lhermitte-Duclos)
Embryonal tumor with multilayered rosettes, NOS
Embryonal tumor with rhabdoid features
Ependymoblastoma
Ependymoma
Fibrolipoma (O)
Fibroma (O)
Fibrous meningioma (O)
Gangliocytoma (O)
Ganglioglioma (+)
Ganglioneuroblastoma
Ganglioneuroma (O)
Gemistocytic astrocytoma IDH mutant

Germinoma
 Glioblastoma
 Gliofibroma (+)
 Glioma, all types
 Gliomatosis cerebri (+)
 Glioneural tumor (+)
 Glioneuronal tumor (+)
 Hemangioblastoma (+)
 Hemangioendothelioma, benign (O)
 Hemangioendothelioma (+)
 Hemangioma (O)
 Hemangiopericytoma, benign (O)
 Hemangiopericytoma (+)
 Hemangiopericytoma, malignant
 High-grade astrocytoma with piloid features (HGAP) (O)
 Infant-type hemispheric glioma
 Juvenile xanthogranuloma (+)
 Langerhans Cell Histiocytosis
 Leiomyoma (O)
 Leiomyomatosis (+)
 Lipoma (O)
 MALT lymphoma of the dura
 Medulloblastoma (histologically defined)
 Medulloepithelioma
 Melanotic neurofibroma (O)
 Meningeal melanocytoma (+)
 Meningeal sarcomatosis
 Meningioma, malignant
 Meningioma (O)
 Meningiomatosis (+)
 Meningiotheliomatous meningioma (O)
 Meningiothelial meningioma (O)
 Multinodular and vasculating neuronal tumor (MVNT) (O)
 Myxoid glioneuronal tumor
 Myxopapillary ependymoma (+)
 Neoplasm, benign (O)
 Neoplasm, uncertain whether benign or malignant (+)
 Neurilemoma (O)
 Neurinomatosis (+)
 Neuroblastoma
 Neurocytoma (O)
 Neuroepithelioma, NOS
 Neuroma (O)

Neurothekeoma (O)
 Nerve sheath myxoma
 Nerve sheath tumor
 Oligodendroglioma
 Pacinian tumor (O)
 Papillary meningioma
 Papillary glioneuronal tumor
 Paranglioma
 Peripheral neuroectodermal tumor
 Perineurioma (O)
 Pilocytic Astrocytoma/Juvenile
 Pilocytic Astrocytoma (+)
 Pineocytoma
 Plexiform neurofibroma (O)
 Polarespongioblastoma
 Polymorphous low-grade neuroepithelial tumor of the young
 Primary intracranial sarcoma, DICER1-mutant
 Primitive neuroectodermal tumor
 Psammomatous meningioma (O)
 Rhabdomyoma (O)
 Rosette-forming glioneuronal tumor (+)
 Schwannoma (any)
 Smooth muscle tumor (+)
 Soft tissue tumor, benign (O)
 Solitary fibrous tumor (O)
 Spongioblastoma
 Spongioneuroblastoma
 Subependymal astrocytoma
 Subependymal giant cell astrocytoma (+)
 Supependymoma (+)
 Tectal Plate Lipoma
 Teratoid medulloepithelioma
 Teratoma, benign (O)
 Teratoma (+)
 Transitional meningioma (O)
 Tumor cells, benign (O)
 Tumor cells, malignant
 Venous hemangioma (O)

BREAST

Adenocarcinoma
 Adenomyoepithelioma with carcinoma
 Apocrine carcinoma

Carcinoid Tumor
 Colloid carcinoma
 Comedocarcinoma
 Cribriform carcinoma
 Cystosarcoma phyllodes, malignant only
 Ductal carcinoma, in situ
 Epithelial-myoepithelial carcinoma
 Fibroblastic reticular cell tumor
 Glassy cell carcinoma
 Glycogen rich carcinoma
 Granular cell tumor, malignant
 Hemangioendothelioma, malignant
 Histiocytosis, malignant
 Infiltrating carcinoma of the breast such as:
 Duct adenocarcinoma
 Duct and lobular
 Duct carcinoma
 Duct and Paget's disease
 Ductular
 Lobular
 Inflammatory carcinoma
 Lipid-rich carcinoma
 Lobular carcinoma, in situ
 Lobular and intraductal, in situ
 Lobular neoplasia grade II & III (LN II & III)/lobular intraepithelial neoplasia grade II & III (LIN II & III)
 Lymphoma
 Medullary carcinoma
 Mesenchymoma, malignant
 Metaplastic carcinoma
 Mixed acinar ductal carcinoma
 Mucinous carcinoma
 Mucinous cystadenocarcinoma
 Mucoepidermoid carcinoma
 Myoepithelioma, malignant
 Neuroendocrine carcinoma
 Neuroendocrine tumor
 Oncocytic carcinoma
 Papillary carcinoma, in situ
 Paget's disease
 Periductal stromal tumor, low grade
 Phyllodes tumor, malignant
 Polymorphous carcinoma

Sebaceous carcinoma
Stromal sarcoma of breast
Tubular carcinoma

BRONCHUS (see [Lung](#))

CERVIX (see [UTERUS](#))

COLON (see [G-I tract](#))

EAR (see [SKIN](#), [Soft tissue](#))

ENDOMETRIUM (see [UTERUS](#))

ESOPHAGUS (see [G-I tract](#))

EYE

Conjunctival intraepithelial lesion (C-MIL) & Low Grade (LG-CMIL)
Conjunctival intraepithelial neoplasia grade III
Diktyoma, malignant
Epidermoid carcinoma
Medulloepithelioma, malignant
Melanoma, malignant
Mixed tumor, malignant
Primary choroidal lymphoma
Retinoblastoma
Sarcoma
Squamous cell carcinoma
Squamous cell epithelioma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
(Tumors of the orbit: See soft tissues and Hematopoietic/Lymphoid)

FALLOPIAN TUBE (see [UTERUS](#))

GALLBLADDER AND EXTRAHEPATIC BILE DUCTS

Adenocarcinoma
Adenocarcinoma, intestinal type
Biliary intraepithelial neoplasia, high grade
Carcinoid tumor, malignant
Carcinoma (other)
Cholangiocarcinoma

Clear Cell Adenocarcinoma, NOS
Intestinal-type adenoma, high grade
Intracholecystic papillary neoplasm (ICPN) with high-grade dysplasia
Klatskin tumor
Mixed neuroendocrine non-neuroendocrine neoplasm
Mucinous Cystadenocarcinoma
Neuroendocrine Carcinoma

GASTRO-INTESTINAL TRACT (esophagus, stomach, intestine, appendix, colon, anus)

Adenocarcinoma
Adenocarcinoma, intestinal type
Adenoid cystic carcinoma
(Adeno)carcinoma in adenomatous polyp with or without invasion of stalk
Adenomatous polyp, high grade dysplasia (stomach and small intestine ONLY)
Adenosarcoma
Anal intraepithelial neoplasia II & III (AIN II & AIN III)
Apudoma (+)
Argentaffinoma (+)
Barrett's Esophagus with High Grade Dysplasia
Basaloid squamous cell carcinoma
Bowen's disease of anus
Carcinoid tumor
Carcinofibroma
Carcinosarcoma
Cloacogenic carcinoma
Combined small cell carcinoma
Desmoplastic small round cell tumor
Enterochromaffin cell carcinoid
Enterochromaffin-like cell tumor, malignant
Epidermoid carcinoma
Esophageal intraepithelial neoplasia (dysplasia), high grade or Grade III
Extra-adrenal paraganglioma
Gastrinoma
Gastroblastoma
Gastrointestinal autonomic nerve tumor (GANT)
Gastrointestinal pacemaker cell tumor
Gastrointestinal stromal tumor (GIST), NOS
Glucagonoma, malignant
Hemangiopericytoma, malignant
High grade appendiceal mucinous neoplasm (HAMN)
High grade dysplasia of esophagus, stomach, small intestine
High grade squamous intraepithelial lesion (HGSIL) of the anus
Immunoproliferative disease, small intestine

Intestinal-type adenoma, high grade (stomach and small intestines ONLY)
 Kaposi's Sarcoma
 Low grade appendiceal mucinous neoplasm (LAMN)
 Leiomyosarcoma
 Linitis plastica
 Lymphoepithelioma-like carcinoma
 Lymphoma
 Medullary carcinoma, NOS
 Medullary carcinoma with lymphoid stroma
 Mesodermal mixed tumor
 Mesenchymoma, malignant
 Microcarcinoid tumor
 Micropapillary carcinoma, NOS
 Mixed germ cell tumor
 Mixed neuroendocrine non-neuroendocrine neoplasm
 Mixed tumor of esophagus, malignant only
 Mullerian mixed tumor
 Mucoepidermoid carcinoma
 Neuroendocrine carcinoma
 Pancreatobiliary-type carcinoma
 Paget disease of anus
 Polypoid adenoma, malignant only
 Serrated adenocarcinoma
 Serrated dysplasia, high grade (stomach and small intestines ONLY)
 Signet ring cell carcinoma
 Squamous cell carcinoma
 Squamous cell carcinoma, HPV-associated
 Squamous cell carcinoma, HPV-independent
 Squamous cell epithelioma
 Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
 Somatostatinoma
 Transitional cell carcinoma
 Tubular adenocarcinoma

HEMATOPOIETIC/LYMPHOID (Including blood, bone marrow, lymph nodes, spleen and tumors of hematopoietic or lymphoid histogenesis found in other sites.)

Acute Erythroid Leukemia
 Acute megakaryoblastic leukemia
 Acute myelosclerosis, NOS
 Acute panmyelosis with myelofibrosis
 ALK-Positive Histiocytosis
 Anaplastic large cell lymphoma ALK-negative/Breast implant-associated anaplastic large cell lymphoma

Blastic plasmacytoid dendritic cell neoplasm
 Chronic lymphoproliferative disorder of NK cells
 Chronic myeloproliferative disease
 Classic Hodgkin Lymphoma
 Lymphocyte depleted, NOS (LDCHL)
 Lymphocyte-rich (LR-cHL)
 Mixed cellularity (MC-cHL)
 Nodular sclerosis, NOS (NSCHL)
 Dendritic cell sarcoma
 Erdhiem-Chester Disease
 Erythroleukemia
 Essential thrombocythemia
 Extramedullary plasmacytoma
 Fibroblastic reticular cell tumor
 Heavy chain disease, all such as:
 Alpha
 Gamma (Franklin's Disease)
 Mu
 Not otherwise specified
 Hypereosinophilic syndrome
 Idiopathic thrombocythemia
 Interdigitating dendritic cell sarcoma (IDCS)
 Intravascular large B cell lymphoma
 JMML in children with CBL syndrome
 JMML in neurofibromatosis type 1 (NF1)
 JMML-like disorders in children with Noonan syndrome (NS)
 KRAS-mutated JMML
 Langerhans cell histiocytosis, disseminated (ONLY)
 Leukemia, all
 Leukemic reticuloendotheliosis
 Lymphoid neoplasm
 Lymphoma, all
 Lymphomatoid granulomatosis, grade 3
 Lymphoreticular process, malignant
 Malignant mastocytosis
 Megakaryocytic leukemia
 Megakaryocytic myelosclerosis (MMM)
 Megakaryocytosis, malignant
 Multiple myeloma
 Mycosis fungoides
 Myelodysplastic/Myeloproliferative neoplasm, NOS, unclassifiable
 Myelodysplastic neoplasm with low blasts and single-lineage dysplasia
 Myelodysplastic syndrome

Myelodysplastic syndrome with ring sideroblasts and multilineage dysplasia
 Myelofibrosis with myeloid metaplasia, malignant only
 Myeloid neoplasm
 Post cytotoxic therapy (MN-pCTs)
 Myeloid/lymphoid neoplasms with PCM1-JAK2
 Myeloid and lymphoid neoplasms with PDGFRA rearrangement
 Myeloid and lymphoid neoplasms with PDGFRB rearrangement
 Myeloid and lymphoid neoplasm with FGFR1 rearrangement
 Myeloma
 Myeloproliferative disease
 NRAS-mutated JMML
 Panmyelosis, acute
 Primary myelofibrosis
 Polycythemia Vera
 Post Transplant Lymphoproliferative Disorder (PTLD)
 PTPN11-mutated JMML
 Refractory anemia (all)
 Refractory cytopenia with multilineage dysplasia
 Rosai-Dorfman disease
 Sezary disease or syndrome
 Splenic marginal zone B-cell lymphoma
 Systemic EBV pos. T-cell lymphoproliferative disease of childhood
 Systemic Mastocytosis with an associated hematological neoplasm
 T-large granular lymphocytic leukemia (T-LGLL)
 Waldenstrom's macroglobulinemia or syndrome

HYPOPHARYNX (see [Oral Cavity](#))

KIDNEY

Adenocarcinoma
 Adenomyosarcoma
 Bosniak IV cystic renal mass
 Carcinoid tumor
 Clear cell carcinoma
 Hypernephroma
 Nephroblastoma
 Renal cell carcinoma
 Eosinophilic solid and cystic
 TFEB-rearranged
 Xp11 translocation
 TFEB-altered
 t(6;11)
 ELOC (formerly TCEB1) mutated

- Fumarate hydratase-deficient RCC ALK-rearranged
- Mixed Cell
- Paraganglioma, malignant
- SMARCB1-deficient medullary-like (undifferentiated, dedifferentiated)
- Renal medullary carcinoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Transitional cell carcinoma
- Tubular adenoma, borderline or malignant only
- Wilms's Tumor

LARYNX AND TRACHEA

- Adenocarcinoma
- Adenoid cystic carcinoma
- Chondrosarcoma
- Epidermoid carcinoma
- High grade glandular intraepithelial neoplasia/glandular intraepithelial neoplasia grade III
- High grade squamous dysplasia
- Hybrid verrucous carcinoma
- Laryngeal Intraepithelial Neoplasia grade II & III (LIN II & III)
- Liposarcoma
- Neuroendocrine carcinoma
- Pulmonary blastoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)

LIP (see [Oral Cavity](#))

LIVER AND INTRAHEPATIC BILE DUCTS

- Adenocarcinoma, intestinal type
- Angiosarcoma
- Bile duct carcinoma
- Biliary intraepithelial neoplasia, high grade
- Carcinoid tumor, malignant
- Cholangiocarcinoma (excludes liver)
- Combined hepatocellular/cholangiocarcinoma
- Hepatoblastoma
- Hepatocellular carcinoma (Liver)
- Hepatoma, malignant only
- Intraductal papillary mucinous neoplasm (IPMN) with high grade dysplasia
- LI-RADS Category LR-4, LR-5, or LR-M (Liver) *confirmed with biopsy or physician statement are reportable to CoC*
- Mixed neuroendocrine non-neuroendocrine neoplasm
- Mucinous cystic neoplasm with high-grade intraepithelial neoplasia

Mucinous cystadenocarcinoma
Neuroendocrine carcinoma
Neuroendocrine tumor

LUNG AND BRONCHUS

Adenocarcinoid tumor
Adenocarcinoma
Adenoid cystic carcinoma
Apudoma (+)
Argentaffinoma (+)
Bronchial adenoma (+)
Bronchial adenoma (carcinoid type)
Diffuse pulmonary lymphangiomatosis
Epidermoid carcinoma
Intravascular bronchial alveolar tumor
Large cell (anaplastic) carcinoma
Low-grade papillary adenocarcinoma
Lymphangioleiomyomatosis
Neuroendocrine carcinoma
Oat cell carcinoma
Pulmonary blastoma
Sclerosing thymoma
Intrapulmonary thymoma
Small cell (anaplastic) carcinoma
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Thoracic SMARCA4-deficient undifferentiated tumor
Undifferentiated carcinoma

LYMPH NODE (see [Hematopoietic/Lymphoid](#))

MEDIASTINUM (see [Hematopoietic/Lymphoid](#), [Soft tissue](#), or [THYMUS](#))

MENINGES (see [CNS](#))

MUSCLE (see [Soft Tissue](#))

NERVE (see [Soft Tissue](#))

NOSE (Nasal cavity, Para-nasal sinus and Nasopharynx)

Adenocarcinoma
Bowen disease of nasopharynx
Chordoma

DRK::AFF2 squamous cell carcinoma
Epidermoid carcinoma
Esthesioneuroblastoma
HPV-associated squamous cell carcinoma
HPV- independent squamous cell carcinoma
HPV-related multiphenotypic sinonasal carcinoma
Lymphoepithelioma
Malignant mastocytosis
Malignant peripheral nerve sheath tumor (MPNST)
Mesenchymoma, malignant
Nasopharyngeal carcinoma
Neuroblastoma
Olfactory neurogenic tumor
Renal cell-like sinonasal adenocarcinoma
Rhabdomyosarcoma
Sarcoma botryoides
Sinonasal lymphoepithelial carcinoma
SMARCB1-deficient sinonasal carcinoma
SMARCB1-deficient sinonasal adenocarcinoma
SMARCA4-deficient sinonasal carcinoma
Squamous cell carcinoma (other than skin)
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Yolk sac tumor

ORAL CAVITY AND SALIVARY GLANDS

Acinic cell carcinoma
Adenocarcinoma
Adenoid cystic carcinoma
Adenosquamous carcinoma
Ameloblastic fibro-dentinosarcoma
Ameloblastic fibro-odontosarcoma
Apocrine intraductal carcinoma
Basal-like salivary duct carcinoma
Bowen disease
Carcinoma cuniculatum
Cylindroma
Epidermoid carcinoma
Granular cell tumor
HPV-associated oral epithelial dysplasia (HPVOED), low grade/high grade
Hyalinizing clear cell carcinoma
Intercalated duct intraductal carcinoma
Kaposi sarcoma
Keratinizing dysplasia, severe (carcinoma in situ)
Low grade cribriform cystadenocarcinoma (LGCCC)
Lymphoepithelioma
Malignant mastocytosis

- Malignant Lymphoma
- Malignant histiocytosis
- Mammary analogue secretory carcinoma (MASC)
- Mixed intraductal carcinoma
- Micropapillary salivary duct carcinoma
- Mixed tumor, salivary gland type, malignant only
- Mucin-rich salivary duct carcinoma
- Mucoepidermoid carcinoma
- Mucoepidermoid tumor (+)
- Non-keratinizing dysplasia, severe (carcinoma in situ)
- Oncocytic intraductal carcinoma
- Oncocytic salivary duct carcinoma
- Pleomorphic adenoma, malignant only
- Polymorphous adenocarcinoma, conventional subtype
- Polymorphous adenocarcinoma, cribriform subtype/cribriform adenocarcinoma of salivary glands
- Sarcomatoid salivary duct carcinoma
- Sclerosing microcystic adenocarcinoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Sezary syndrome
- Undifferentiated carcinoma
- Verrucous carcinoma
- Warthin tumor, malignant

OROPHARYNX (see [Oral Cavity](#))

OVARY

- Adenocarcinoma, NOS
- Adenosarcoma
- Androblastoma, malignant
- Arrhenoblastoma, malignant
- Brenner tumor, malignant only
- Choriocarcinoma
- Clear cell carcinoma
- Dysgerminoma
- Endodermal sinus tumor
- Endometrial stromal sarcoma
- Endometrial stromal sarcoma, low grade
- Endometrioid carcinoma
- Enterochromaffin-like cell tumor, malignant
- Germinoma
- Germ cell tumor, nonseminomatous
- Granulosa cell carcinoma
- Granulosa cell tumor, adult type
- Granulosa cell tumor, malignant only
- Leydig cell tumor, malignant

- Mesonephric-like adenocarcinoma
- Mucinous cystadenocarcinoma
- Noninvasive low grade (micropapillary) serous carcinoma (MPSC)
- Ovarian mucinous borderline tumor with foci of intraepithelial carcinoma
- Ovarian stromal tumor, malignant
- Papillary serous cystadenocarcinoma
- Polyembryoma
- Pseudomucinous cystadenocarcinoma
- Seminoma
- Serous papillary cystadenocarcinoma
- Sertoli-Leydig cell tumor, poorly differentiated
- Small cell carcinoma, Intermediate
- Steroid cell tumor, malignant
- Struma ovarii, malignant
- Thecoma, malignant
- Teratoma, malignant
- Trophoblastic tumor, epithelioid
- Yolk-sac tumor

PANCREAS

- ACTH-producing tumor
- Adenocarcinoma
- Beta cell adenoma
- Cystoadenocarcinoma
- Cystic pancreatic endocrine neoplasm (CPEN)
- Endocrine tumor, functioning, NOS
- Enterochromaffin-like cell tumor, malignant
- Enteroglucagonoma, malignant
- Gastrinoma
- Glucagonoma
- Insulinoma, NOS
- Intraductal Papillary Mucinous Neoplasm (IPMN) with high grade dysplasia
- Intraductal oncocytic papillary neoplasm, NOS
- Intraductal oncocytic papillary neoplasm with associated invasive carcinoma
- Intraductal Tubule-Papillary (tubulopapillary) Neoplasm (ITPN)
- Infiltrating duct carcinoma, NOS
- Islet cell adenoma
- Islet cell adenomatosis
- Islet cell carcinoma
- Mixed pancreatic endocrine and exocrine tumor, malignant
- Mucinous Cystic Neoplasm (MCN) with high grade dysplasia
- Nesidioblastoma
- Non-invasive mucinous cystic neoplasm, with high-grade dysplasia (MCN)
- Neuroendocrine tumor
- Pancreatic endocrine tumor, malignant
- Pancreatic endocrine tumor, nonfunctioning

Pancreatic endocrine tumor, NOS
Pancreatoblastoma
Pancreatic neoplasia III (PanIN III)
Papillary cystic tumor (+)
Papillary neoplasm, pancreatobiliary type with high grade intraepithelial neoplasia
Serous cystadenocarcinoma
Solid pseudopapillary neoplasm (SPN)
Somatostatinoma
Squamous cell carcinoma
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Vipoma

PARAGANGLIA (see also [Adrenal](#))

Aortic body paraganglioma
Aortic body tumor
Aorticopulmonary paraganglioma
Carotid body paraganglioma
Carotid body tumor
Chemodectoma
Composite paraganglioma
Extra-adrenal paraganglioma, NOS
Glomus jugulare tumor, NOS
Jugular paraganglioma
Jugulotympanic paraganglioma
Laryngeal paraganglioma
Middle ear paraganglioma
Non-chromaffin paraganglioma, NOS
Non-chromaffin paraganglioma (+)
Paraganglioma, NOS
Vagal paraganglioma

PARATHYROID

Carcinoma, all
Paraganglioma

PARANASAL SINUSES (see [Nose](#))

PENIS

Basal cell carcinoma of Penis and Prepuce (skin of)
Bowen disease
Erythroplasia of Queyrat
Mesodermal mixed tumor
Mullerian mixed tumor (C54_)
Paget disease, extramammary
Penile intraepithelial neoplasia, Gr II-III or high grade dysplasia (PeIN II -III)
Penile intraepithelial neoplasia (PeIN), differentiated

Queyrat erythroplasia
Squamous cell carcinoma
 HPV-associated
 HPV-independent
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Verrucous carcinoma

PERICARDIUM (see [Pleura](#))

PERITONEUM (see [Pleura](#))

PHARYNX (see [Oral Cavity](#))

PINEAL

Dermoid cyst (O)
Epithelial tumor, benign (O)
Gangliocytoma (O)
Ganglioglioma (+)
Germ cell tumors
Medulloepithelioma neoplasm, benign (O)
Papillary tumor of the pineal region
Pinealoma (+)
Pineoblastoma
Pineocytoma (+)
Primitive neuroectodermal tumor
Teratoma, benign (O)
Teratoma (+)

PITUITARY AND CRANIOPHARYNGEAL DUCT

Acidophil adenoma (O)
Adamantinomatous craniopharyngioma (+)
Adenoma (O)
Basophil adenoma (O)
Chromophobe adenoma (O)
Clear cell adenoma (O)
Clear cell tumor (O)
Craniopharyngioma (any type) (+)
Craniopharyngioma, malignant
Embryoma
Epithelial tumor, benign (O)
Ganglioglioma, anaplastic
Granular cell tumor (O)
Lipoma (O)
Mixed acidophil-basophil adenoma (O)
Mixed cell adenoma (O)

- Monomorphic adenoma (O)
- Neoplasm, uncertain (+)
- Neoplasm, benign (O)
- Oxyphilic adenoma (O)
- Papillary adenoma (O)
- Papillary craniopharyngioma (+)
- Pituicytoma
- Pituitary adenoma (O)
- Pituitary adenoma/pituitary neuroendocrine tumor (PitNET)
- Pituitary blastoma
- Prolactinoma (O)
- Rathke Pouch tumor (+)
- Sellar ependymoma
- Soft tissue tumor, benign (O)
- Teratoma, benign (O)
- Teratoma (+)
- Tumor cells, benign or uncertain

PLACENTA

- Choriocarcinoma
- Chorioepithelioma
- Hydatiform mole, malignant (+)
- Invasive mole (+)
- Trophoblastic tumor, epithelioid

PLEURA, PERITONEUM, PERICARDIUM

- Diffuse pleural mesothelioma
- Endometrial stromal sarcoma
- Endometrial stromal sarcoma, low grade
- Fibrin-associated diffuse B-cell lymphoma
- Fibrosarcoma
- Gastrointestinal stromal tumor (GIST)
- Germ cell tumors, malignant
- High-grade serous carcinoma
- Low-grade serous carcinoma
- Mesothelioma
- Myxoid pleomorphic liposarcoma
- Paranglioma
- Pleuropulmonary blastoma
- Sarcoma
- Solitary Fibrous Tumor, Malignant

PROSTATE AND SEMINAL VESICLE

- Acinar (adenocarcinoma) sarcomatoid variant
- Adenocarcinoma

Adenocarcinoma with neuroendocrine differentiation
Adenoid cystic carcinoma
Alveolar rhabdomyosarcoma
Amphicrine prostate carcinoma
Carcinosarcoma
Ductal Adenocarcinoma
PI-RADS category 4 or 5 *confirmed with biopsy or physician statement are reportable to CoC*
Prostatic intraepithelial-like carcinoma
Rhabdomyosarcoma
Squamous Cell Carcinoma

RECTUM (see [G-I Tract](#))

RENAL PELVIS (see [Urinary Tract](#))

SALIVARY GLANDS (see [Oral Cavity](#))

SKIN

Acral lentiginous melanoma, malignant
Acral melanoma
Adenosquamous carcinoma
Adnexal adenocarcinoma
Aggressive digital papillary adenoma
Amelanotic melanoma
Atypical fibroxanthoma (superficial malignant fibrous histiocytoma)
Blue nevus, malignant
Bowen disease of anus and penis
Carcinoma in pleomorphic adenoma
Ceruminous adenocarcinoma
Dermatofibrosarcoma, sarcomatous
Early/evolving invasive melanoma
Early/evolving melanoma, in situ
Eccrine papillary adenocarcinoma
Eccrine poroma, malignant
Fibrous histiocytoma, malignant
Hemangioendothelioma, malignant
Hemangiopericytoma, malignant
Hidradenocarcinoma
Hutchinson's melanotic freckle
Lentigo maligna
Low cumulative sun damaged melanoma
Lymphoma
Malignant eccrine spiradenoma
Malignant melanoma arising in a giant congenital nevus
Malignant Spitz tumor

Melanocarcinoma
Melanoma
Melanosarcoma
Merkel cell tumor
MPNST with rhabdomyoblastic differentiation
Mycosis Fungoides
Myoepithelial carcinoma
Neurilemmoma, malignant
Nodular hidradenoma, malignant
Paget disease, extramammary
Papillary basaloid carcinoma
Pseudovascular squamous cell carcinoma
Porocarcinoma
Precancerous melanosis, NOS
Sebaceous carcinoma
Sezary syndrome
Skin appendage carcinoma
Superficial spreading melanoma
Sweat gland carcinoma
Trichilemmocarcinoma
Warty-basaloid carcinoma

SOFT TISSUE (including retroperitoneum, peripheral nerve)

Alveolar rhabdomyosarcoma
Alveolar soft parts sarcoma
Angiosarcoma
Chondrosarcoma
CIC-rearranged sarcoma
Clear cell sarcoma of tendons
Desmoplastic small round cell tumor
Ectomesenchymoma
Embryonal rhabdomyosarcoma
Epithelioid hemangioendothelioma (EHE)
Extraskelatal Ewing Sarcoma
Fibromyxosarcoma
Fibrosarcoma
Fibrous histiocyoma, malignant
Granular cell tumor, malignant
Hemangioendothelioma, malignant only
Hemangiopericytoma, malignant only
Kaposi's sarcoma
Leiomyosarcoma
Liposarcoma
Malignant melanotic nerve sheath tumor
Mesenchymoma, malignant

Mixed germ cell tumor
MPNST with rhabdomyoblastic differentiation
Myosarcoma
Myoepithelial carcinoma
Myxoid pleomorphic liposarcoma
Myxosarcoma
Neuroblastoma
Neuroendocrine tumor (Middle Ear)
Osteosarcoma
Paranglioma, malignant
Polyembryoma
Rhabdoid tumor
Rhabdomyosarcoma
Round cell sarcoma with EWSR1-non-ETS fusions
Sarcoma botryoides
Sarcoma with BCOR genetic alterations
Sarcoma, NOS
Schwannoma, malignant with rhabdomyoblastomatous differentiation
Synovial sarcoma
Trophoblastic tumor, epithelioid
Yolk sac tumor

SPINAL CORD (see [CNS](#))

SPLEEN (see [Hematopoietic/Lymphoid](#))

STOMACH ([G-I Tract](#))

TESTIS

Androblastoma, malignant
Carcinoid tumor (+)
Choriocarcinoma
Chorioepithelioma
Embryoma
Embryonal carcinoma
Embryonal teratoma
Endodermal sinus tumor
Germ cell carcinoma
Germ cell neoplasia
Gonadal stromal tumor, malignant only
Gonadoblastoma (+)
Interstitial cell carcinoma
Intratubular
 Embryonal carcinoma
 Germ cell neoplasia, unclassified
Yolk sac tumor

- Teratoma
- Trophoblast
- Leydig cell carcinoma
- Mature Teratoma in adults (post puberty)
- Mesonephric adenocarcinoma (infantile, juvenile embryonal carcinoma)
- Mixed germ cell tumor
- Placental site trophoblastic tumor of testis
- Polyembryoma
- Seminoma
 - Intratubular seminoma
- Sertoli cell carcinoma
- Spermatoblastoma
- Spermatocytic seminoma
- Spermatocytoma
- Teratoblastoma
- Teratocarcinoma
- Teratoma (+)
- Trophoblastic tumor, epithelioid
- Vitelline tumor
- Yolk sac tumor

THYMUS

- Atypical thymoma
- Epithelial thymoma
- Germ cell tumors with associated hematological malignancy
- Lymphocytic thymoma, malignant only
- Metaplastic thymoma
- NUT carcinoma
- Seminoma
- Spindle cell thymoma, malignant only
- Spindle epithelial tumor with thymus-like element (SETTLE)
- Thymic carcinoid
- Thymoma, NOS
- Thymoma, Type A, AB, B1, B2, B3, atypical variant

THYROID

- Adenocarcinoma
- Anaplastic carcinoma
- Fibrous histiocytoma, malignant
- Follicular carcinoma
- Giant cell carcinoma
- Hurthle cell adenoma, malignant only
- Hurthle cell tumor, malignant only
- Medullary carcinoma
- Occult sclerosing carcinoma
- Papillary carcinoma

Spindle epithelial tumor with thymus-like element (SETTLE)
Undifferentiated carcinoma

TRACHEA (see [Larynx](#))

URINARY TRACT (urinary bladder, ureter, urethra, renal pelvis)

- Adenocarcinoma
- Adenosarcoma
- Carcinosarcoma
- Chemodectoma, malignant only
- Ganglioglioma, anaplastic
- Mesodermal mixed tumor
- Mesonephroma, malignant
- Mullerian mixed tumors
- Papillary transitional cell carcinoma
- Paraganglioma (+)
- Pheochromocytoma, malignant only
- Pure squamous carcinoma of urothelial tract
- Rhabdomyosarcoma
- Spongioneuroblastoma
- Squamotransitional carcinoma
- Squamous cell carcinoma
- Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
- Transitional cell carcinoma
- Urothelial cell carcinoma
 - Conventional
 - Large nested
 - Tubular and microcystic

UTERUS, UTERINE TUBES, CERVIX

- Adenoacanthoma
- Adenocarcinoma
- Adenocarcinoma, HPV-associated
- Adenocarcinoma, HPV-independent, clear cell type
- Adenocarcinoma, HPV-independent, gastric type
- Adenocarcinoma, HPV-independent, mesonephric type
- Adenocarcinoma, HPV-independent, NOS
- Adenocarcinoma, Intestinal type
- Adenosarcoma
- Adult granulosa cell tumor
- Adenoid basal cell carcinoma
- Adenosarcoma
- Adenosquamous carcinoma
- Atypical hyperplasia of endometrium
- Carcinofibroma
- Choriocarcinoma, NOS

- Endolymphatic stromal myosis (low grade sarcoma)
- Endometrial stromal sarcoma
- Endometrioid adenocarcinoma
- Endometrioid intraepithelial neoplasia (atypical hyperplasia, EIN)
- Germ cell tumor, NOS
- Intraepithelial neoplasm of endometrium
- Leiomyosarcoma
- Mesonephric carcinoma
- Mesonephric-like adenocarcinoma
- Mixed mesodermal tumor
- Mullerian mixed tumor
- PEComa, malignant
- Perivascular epithelial tumor, malignant
- Primitive neuroectodermal tumor
- Serous tubal intraepithelial carcinoma (STIC)
- Squamous cell carcinoma
- Squamous cell carcinoma, HPV-associated
- Squamous cell carcinoma, HPV-independent
- Stromal Endometriosis
- Teratoma, malignant, NOS
- Yolk sac tumor, NOS

VULVA AND VAGINA

- Adenocarcinoma, HPV-associated
- Adenocarcinoma, HPV-independent, NOS
- Adenosarcoma
- Basal cell carcinoma of vulva, clitoris, and labia
- Bowen disease
- Clear cell carcinoma
- Differentiated exophytic vulvar intraepithelial lesion (DEVIL)
- Differentiated vulva intraepithelial neoplasia (VIN)
- Epithelioma, malignant
- Fibrous histiocytoma, malignant
- Germ cell tumor, NOS
- HGSIL (High Grade Squamous Intraepithelial Lesion)
- High grade vulvar intraepithelial neoplasia
- Malignant tumor, all types
- Melanoma
- Mesodermal mixed tumor
- Mesonephroid carcinoma
- Mullerian mixed tumor
- Paget disease, extramammary
- Phyllodes tumor, malignant
- Sarcoma
- Sarcoma botryoides
- Solitary fibrous tumor, malignant

Squamous cell carcinoma
Squamous cell carcinoma, HPV-associated
Squamous cell carcinoma, HPV-independent
Squamous Intraepithelial Neoplasia grade II & III (SIN II & III)
Trichilemmocarcinoma
Vaginal intraepithelial neoplasia II & III (VAIN II & III)
Vulvar intraepithelial neoplasia II & III (VIN II & III)
Yolk sac tumor, NOS

RESOURCES AND REFERENCES

NAACCR Guidelines for ICD-O-3.2 Update Implementation

<https://www.naaccr.org/icdo3/>

SEER Program Coding and Staging Manual

<https://seer.cancer.gov/tools/codingmanuals/index.html>

[SEER Manual Appendix E Reportability Examples](#)

NJSCR Program Manual

<http://www.nj.gov/health/ces/reporting-entities/njsr/>

ICD-O-3 SEER Site/Histology Validation List

<https://seer.cancer.gov/icd-o-3/>

Solid Tumor Rules (Multiple Primaries and Histologies)

<https://seer.cancer.gov/tools/solidtumor/>

Cancer PathCHART

<https://seer.cancer.gov/cancerpathchart/>

(+) Borderline, reportable

(O) Benign, reportable

