

<b>SEER PROGRAM CODING AND STAGING MANUAL 2026 CHANGES</b>	
<b>Section</b>	<b>Histology Term ADDED/REMOVED/CHANGED</b>
<b>ADRENAL</b>	ADDED Yolk sac tumor
<b>ADRENAL</b>	ADDED Mixed germ cell tumor
<b>All Sites</b>	ADDED Epitheloid Hemangioendothelioma Malignant
<b>ALL SITES</b>	ADDED Fibroblastic reticular cell sarcoma
<b>ALL SITES</b>	<b>REMOVED</b> Malignant histiocytosis
<b>ALL SITES</b>	CHANGED Malignant mast cell tumor to Mast cell sarcoma
<b>ALL SITES</b>	<b>REMOVED</b> Serrated adenocarcinoma
<b>BONE AND JOINTS</b>	<b>REMOVED</b> Myeloma
<b>BONE AND JOINTS</b>	ADDED Ameloblastic fibro-dentinosarcoma
<b>BONE AND JOINTS</b>	ADDED Ameloblastic fibro-odontosarcoma
<b>BRAIN &amp; CNS</b>	ADDED Tectal plate lipoma
<b>BRAIN AND CNS</b>	<b>REMOVED</b> Oligodendrocytoma/Oligodendroblastoma
<b>BRAIN AND CNS</b>	ADDED Langerhans cell histiocytosis
<b>BREAST</b>	<b>REMOVED</b> Malignant from carcinoid tumor
<b>BREAST</b>	<b>REMOVED</b> Epithelioma, malignant
<b>BREAST</b>	<b>REMOVED</b> Fibroadenoma, malignant only
<b>BREAST</b>	ADDED II Lobular neoplasia grade II & III (LN II & III)/lobular intraepithelial neoplasia grade II & III (LIN II & III)
<b>EYE</b>	ADDED Conjunctival intraepithelial neoplasia with severe dysplasia, Grade III, squamous intraepithelial neoplasia Grade II of conjunctiva, or conjunctival intraepithelial lesion (C-MIL)
<b>GASTROINTESTINAL TRACT</b>	ADDED Serrated adenocarcinoma
<b>GASTROINTESTINAL TRACT</b>	ADDED Barrett's Esophagus with HIGH Grade Dysplasia (reportable per J Ruhl's chart)
<b>GASTROINTESTINAL TRACT</b>	ADDED Microcarcinoid tumor
<b>GASTRO-INTESTINAL TRACT</b>	<b>REMOVED</b> Basal cell adenocarcinoma

<b>GASTRO-INTESTINAL TRACT</b>	<b>REMOVED</b> Enteroglucagonoma, malignant
<b>GI Tract</b>	<b>REMOVED</b> Epitheloid Hemangioendothelioma Malignant
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED JMML in children with CBL syndrome
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED JMML in neurofibromatosis type 1 (NF1)
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED JMML-like disorders in children with Noonan syndrome (NS)
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED KRAS-mutated JMML
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED NRAS-mutated JMML
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED PTPN11-mutated JMML
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Acute erythremic myelosis
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Acute megakaryocytic myelosis
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED Acute megakaryoblastic leukemia
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED T-large granular lymphocytic leukemia (T-LGLL)
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED Interdigitating dendritic cell sarcoma (IDCS)
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> DiGuglielmo syndrome
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED Acute erythroid leukemia
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Extraosseous plasmacytoma
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED Extramedullary plasmacytoma
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Histiocytic medullary reticulosis
<b>HEMATOPOIETIC/LYMPHOID</b>	ADDED ALK-Positive histiocytosis
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Histiocytosis, malignant
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Histiocytosis-X, malignant only
<b>HEMATOPOIETIC/LYMPHOID</b>	CHANGED Hodgkin's Disease, all such as to Classic Hodgkin Lymphoma
<b>HEMATOPOIETIC/LYMPHOID</b>	CHANGED Lymphocyte depleted to Lymphocyte depleted, NOS (LDCHL)
<b>HEMATOPOIETIC/LYMPHOID</b>	CHANGED Lymphocyte predominant to Lymphocyte-rich (LR-cHL)
<b>HEMATOPOIETIC/LYMPHOID</b>	CHANGED Mixed cellularity to Mixed cellularity (MC-cHL)
<b>HEMATOPOIETIC/LYMPHOID</b>	CHANGED Nodular sclerosing to Nodular sclerosis, NOS (NSCHL)
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Immunoproliferative Disease, NOS
<b>HEMATOPOIETIC/LYMPHOID</b>	<b>REMOVED</b> Letterer-Siwe's Disease

HEMATOPOIETIC/LYMPHOID	REMOVED Lymphosarcoma
HEMATOPOIETIC/LYMPHOID	REMOVED Malignant histiocytosis
HEMATOPOIETIC/LYMPHOID	CHANGED Myelodysplastic neoplasm, unclassifiable to Myelodysplastic/Myeloproliferative neoplasm, NOS, unclassifiable
HEMATOPOIETIC/LYMPHOID	ADDED Myeloid and Lymphoid Neoplasms with PDGFRA rearrangement
HEMATOPOIETIC/LYMPHOID	CHANGED Myeloid and lymphoid neoplasm with FGFR1 abnormalities to Myeloid and lymphoid neoplasm with FGFR1 rearrangement
HEMATOPOIETIC/LYMPHOID	CHANGED Myelosclerosis to Acute myelosclerosis, NOS
HEMATOPOIETIC/LYMPHOID	REMOVED Refractory neutropenia
HEMATOPOIETIC/LYMPHOID	ADDED Myelodysplastic neoplasm with low blasts and single-lineage dysplasia
HEMATOPOIETIC/LYMPHOID	REMOVED Refractory thrombocytopenia
HEMATOPOIETIC/LYMPHOID	REMOVED Reticulosis, malignant
HEMATOPOIETIC/LYMPHOID	REMOVED Reticulum cell sarcoma/tumor
HEMATOPOIETIC/LYMPHOID	CHANGED Sezary's disease or syndrome to Sezary disease or syndrome
HEMATOPOIETIC/LYMPHOID	REMOVED Therapy related myelodysplastic syndrome
HEMATOPOIETIC/LYMPHOID	ADDED Intravascular large b cell lymphoma
HEMATOPOIETIC/LYMPHOID	ADDED Malignant mastocytosis
HEMATOPOIETIC/LYMPHOID	ADDED Megakaryocytic myelosclerosis (MMM)
HEMATOPOIETIC/LYMPHOID	ADDED Megakaryocytic leukemia
HEMATOPOIETIC/LYMPHOID	ADDED Myeloid neoplasm post cytotoxic therapy (MN-pCTs)
KIDNEY	CHANGED Carcinoid Tumor, Malignant to Carcinoid tumor
KIDNEY	REMOVED Ganglioma, anaplastic
KIDNEY	ADDED Paraganglioma, malignant
KIDNEY	ADDED Mixed Cell Adenocarcinoma
LARYNX AND TRACHEA	ADDED Hybrid verrucous carcinoma
LARYNX AND TRACHEA	REMOVED CYLINDROMA
LARYNX AND TRACHEA	CHANGED ADENOCYSTIC WITH ADENOID CYSTIC CARCINOMA

<b>LARYNX AND TRACHEA</b>	High grade glandular intraepithelial neoplasia/glandular intraepithelial neoplasia grade III
<b>LARYNX AND TRACHEA</b>	ADDED Chondrosarcoma
<b>LARYNX AND TRACHEA</b>	ADDED liposarcoma
<b>LARYNX AND TRACHEA</b>	ADDED Neuroendocrine carcinoma
<b>LARYNX AND TRACHEA</b>	ADDED Epidermoid carcinoma
<b>Liver</b>	ADDED Liver cases with an LI-RADS category LR-4, LR-5, or LR-M
<b>Liver</b>	ADDED Cholangiosarcoma( excludes Liver )
<b>Liver</b>	<b>REMOVED</b> Epitheloid Hemangioendothelioma Malignant
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	ADDED COMMENT "liver only" to Hepatocellular carcinoma
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	<b>REMOVED</b> Intestinal-type adenoma, high grade
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	<b>REMOVED</b> Klatskin tumor
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	ADDED Intraductal papillary mucinous neoplasm (IPMN) with high grade dysplasia
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	ADDED Biliary intraepithelial neoplasia, high grade
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	ADDED Combined hepatocellular carcinoma
<b>LUNG AND BRONCHUS</b>	<b>REMOVED</b> Cylindroma
<b>Nasal cavity and paranasal cavity</b>	ADDED SMARCB1-deficient sinonasal adenocarcinoma SMARCA4-deficient sinonasal carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED Nasopharyngeal carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED DRK::AFF2 squamous cell carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED Sinonasal lymphoepithelial carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED HPV-associated squamous cell carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED HPV-independent squamous cell carcinoma
<b>Nasal cavity and paranasal cavity</b>	ADDED Renal cell-like sinonasal adenocarcinoma
<b>NOSE (Nasal cavity, Para-nasal sinus and Nasopharynx)</b>	CHANGED Neurilemmoma, malignant to Malignant peripheral nerve sheath tumor
<b>ORAL CAVITY</b>	<b>REMOVED</b> Acinic cell tumor (+)
<b>ORAL CAVITY</b>	<b>REMOVED</b> Transitional cell carcinoma
<b>Oral Cavity &amp; Salivary Glands</b>	ADDED Carcinoma cuniculatum

Oral Cavity & Salivary Glands	ADDED HPV-associated oral epithelial dysplasia, high grade
Oral Cavity & Salivary Glands	ADDED Oncocytic salivary duct carcinoma
Oral Cavity & Salivary Glands	ADDED Micropapillary salivary duct carcinoma
Oral Cavity & Salivary Glands	ADDED Sclerosing microcystic adenocarcinoma
Oral Cavity & Salivary Glands	ADDED Mucin-rich salivary duct carcinoma
Oral Cavity & Salivary Glands	ADDED Intercalated duct intraductal carcinoma
Oral Cavity & Salivary Glands	ADDED Apocrine intraductal carcinoma
Oral Cavity & Salivary Glands	ADDED Oncocytic intraductal carcinoma
Oral Cavity & Salivary Glands	ADDED Mixed intraductal carcinoma
Oral Cavity & Salivary Glands	ADDED Basal-like salivary duct carcinoma
Oral Cavity & Salivary Glands	ADDED Polymorphous adenocarcinoma, conventional subtype
Oral Cavity & Salivary Glands	ADDED Polymorphous adenocarcinoma, cribriform subtype/cribriform adenocarcinoma of salivary glands
Oral Cavity & Salivary Glands	ADDED Ameloblastic fibrodentinosarcoma
Oral Cavity & Salivary Glands	ADDED Ameloblastic fibro-odontosarcoma
<b>ORAL CAVITY AND SALIVARY GLANDS</b>	ADDED Mammary analogue secretory carcinoma (MASC)
<b>ORAL CAVITY AND SALIVARY GLANDS</b>	ADDED HPV-associated oral epithelial dysplasia (HPVOED), low grade
<b>ORAL CAVITY AND SALIVARY GLANDS</b>	ADDED Keratinizing dysplasia, severe (carcinoma in situ)
<b>ORAL CAVITY AND SALIVARY GLANDS</b>	ADDED Non-keratinizing dysplasia, severe (carcinoma in situ)
<b>OVARY</b>	ADDED Noninvasive low grade (micropapillary) serous carcinoma (MPSC)
<b>OVARY</b>	ADDED Ovarian mucinous borderline tumor with foci of intraepithelial carcinoma
<b>PANCREAS</b>	<b>REMOVED</b> Differentiated Penile Intraepithelial Neoplasia
<b>PANCREAS</b>	Added Neuroendocrine tumor
<b>PARAGANGLIOMA</b>	Added Paraganglioma, NOS
<b>PENIS</b>	ADDED PeIN II
<b>PLEURA, PERITONEUM, PERICARDIUM</b>	Added Solitary Fibrous Tumor, Malignant
<b>PROSTATE</b>	<b>REMOVED</b> Endometrioid carcinoma

PROSTATE	Added Ductal Adenocarcinoma
PROSTATE	Added Amphicrine prostate carcinoma
PROSTATE	Added Squamous Cell Carcinoma
PROSTATE	Added Adenocarcinoma with neuroendocrine differentiation
PROSTATE	ADDED PI-RADS category 4 or 5
SKIN	<b>REMOVED</b> Basal cell carcinoma of labia, clitoris, vulva, prepuce, penis and scrotum
SKIN	<b>REMOVED</b> Squamous cell carcinoma of labia, clitoris, vulva, prepuce, penis and scrotum
SKIN	ADDED Atypical fibroxanthoma (superficial malignant fibrous histiocytoma)
Soft Tissue	<b>REMOVED</b> Epithelioid Hemangioendothelioma Malignant
Soft Tissue	ADDED Middle ear neuroendocrine tumor
SOFT TISSUE	<b>REMOVED</b> Angiofibrosarcoma
SOFT TISSUE	ADDED Desmoplastic small round cell tumor
SOFT TISSUE	ADDED Epithelioid hemangioendothelioma (EHE)
SOFT TISSUE	ADDED Extraskeletal Ewing Sarcoma
SOFT TISSUE	<b>REMOVED</b> Hemangioendothelial sarcoma
SOFT TISSUE	<b>REMOVED</b> High-grade serous carcinoma
SOFT TISSUE	<b>REMOVED</b> Juvenile rhabdomyosarcoma
SOFT TISSUE	<b>REMOVED</b> Low-grade serous carcinoma
SOFT TISSUE	<b>REMOVED</b> Lymphangioendothelioma, malignant
SOFT TISSUE	<b>REMOVED</b> Lymphangiosarcoma
SOFT TISSUE	<b>REMOVED</b> Mesodermal mixed tumor
SOFT TISSUE	<b>REMOVED</b> Metastasizing leiomyoma
SOFT TISSUE	CHANGED Middle ear neuroendocrine tumor to Neuroendocrine tumor (Middle Ear)
SOFT TISSUE	<b>REMOVE</b> Neurogenic sarcoma
SOFT TISSUE	<b>REMOVE</b> Neurolemmoma, malignant
SOFT TISSUE	<b>REMOVE</b> Reticulum cell sarcoma

<b>SOFT TISSUE</b>	<b>REMOVE</b> Rhabdomyoma, malignant
<b>SOFT TISSUE</b>	ADDED Sarcoma, NOS
<b>SOFT TISSUE</b>	<b>REMOVED</b> Schwannoma, malignant
<b>SOFT TISSUE</b>	<b>REMOVED</b> Xanthofibroma, malignant
<b>THYMUS</b>	Added NUT carcinoma
<b>THYMUS</b>	ADDED "SETTLE" acronym to Spindle epithelial tumor with thymus-like differentiation
<b>THYROID</b>	ADDED Spindle epithelial tumor with thymus-like differentiation (SETTLE)
<b>UTERUS, UTERINE TUBES, CERVIX</b>	<b>REMOVED</b> BOWEN DISEASE
<b>VULVA AND VAGINA</b>	ADDED Sarcoma botryoides
<b>LIVER AND INTRAHEPATIC BILE DUCTS</b>	LI-RADS Category LR-4, LR-5, or LR-M (Liver) <b>ADDED *confirmed with biopsy or physician statement are reportable to CoC*</b>
<b>PROSTATE</b>	PI-RADS category 4 or 5 <b>ADDED *confirmed with biopsy or physician statement are reportable to CoC*</b>