

FIRST AMENDMENT TO THE MEMORANDUM OF UNDERSTANDING BY AND AMONGST THE TOWNSHIP OF WINSLOW, THE CAMDEN COUNTY MUNICIPAL UTILITIES AUTHORITY AND THE NEW JERSEY PINELANDS COMMISSION

This First Amendment to the Memorandum of Understanding dated November 23, 2009 (hereinafter the 2009 MOU) is made as of this _____ day of _____ in the year of 2017, by and amongst

The **Township of Winslow** (hereinafter, "Winslow"), a municipal corporation of the State of New Jersey;

The **Camden County Municipal Utilities Authority** (hereinafter, "CCMUA"), a municipal authority of the State of New Jersey; and

The **New Jersey Pinelands Commission** (hereinafter, "Pinelands Commission"), an independent political subdivision of the State of New Jersey, in but not of the Department of Environmental Protection.

WHEREAS, through its execution of the 2009 MOU, the Pinelands Commission endorsed the CCMUA's proposal to decommission the Winslow Township Wastewater Treatment Plant (WTWTP) and its appurtenant Infiltration and Percolation Facility (I/P Facility) which had served to recharge treated wastewater to the Kirkwood Cohansey (K/C) Aquifer; and

WHEREAS, decommissioning the WTWTP and redirecting the wastewater to the CCMUA's Water Pollution Control Facility (WPCF) enabled the New Jersey Department of Environmental Protection (NJDEP) to lift a moratorium on new sewer connections in the Sicklerville section of Winslow Township, thereby facilitating the potential for new development and increased water demand in Winslow Township; and

WHEREAS, with the execution of the 2009 MOU, the Parties agreed to an inter-basin transfer of water from the Great Egg Harbor River Basin through Winslow Township's public water supply system to the Delaware River Basin via the CCMUA's WPCF; and

WHEREAS, the Pinelands Comprehensive Management Plan at N.J.A.C. 7:50-6.86(a) provides that to the maximum extent practical the inter-basin transfer of water between watersheds should be avoided; and

WHEREAS, the Pinelands Comprehensive Management Plan at N.J.A.C. 7:50-6.86(e) provides that increases in water-supply diversions from the K/C Aquifer may be permitted only if it is demonstrated that said increases will not result in any adverse ecological impact on the Pinelands Area; and

WHEREAS, conveying wastewater from the Sicklerville section of Winslow Township to the CCMUA's WPCF has the potential to reduce low-flows of the headwaters of the Great Egg Harbor River Basin; and

WHEREAS, a reduction in base-flows or low-flows of the headwaters of the Great Egg Harbor River Basin will potentially have an adverse ecological impact on the Pinelands Area; and

WHEREAS, without an offsetting, non-K/C Aquifer source of water, as development within Winslow increases, concomitant increases to its water-supply diversions from the K/C Aquifer will also occur; and

WHEREAS, appropriate offsetting measures were outlined in the 2009 MOU and are continued in this amended MOU to address potential adverse ecological impacts on the Pinelands Area that may occur as a result of a reduction in base flows or low flows of the headwaters of the Great Egg Harbor River Basin; and

WHEREAS, these offsetting measures are aimed at maintaining base-flows and low-flows in the streams within the Great Egg Harbor River Basin; and

WHEREAS, Winslow currently purchases not less than 1.5 MGD of water through annual contracts with the New Jersey American Water (hereinafter, "NJAW"); and

WHEREAS, offsetting measures implemented by Winslow Township pursuant to the 2009 MOU, that Winslow will continue to implement included (1.) the purchase of at least 1.5 MGD from non-K/C water sources(s) and (2.) managing/sequencing the use of its wells in accordance with a USGS-conducted Aquifer Study in order to minimize impacts to stream flow in the Great Egg Harbor River Basin; and

WHEREAS, paragraphs A.7 through A.8 of this First Amendment to the MOU require Winslow Township to remedy any potential adverse ecological impacts caused by the diversion of more than the annual or monthly maximums outlined in paragraphs A.3 to A.5 not later than April 1 of the calendar year following such exceedance(s); and

WHEREAS, without offsetting measures, a reduction in base-flows or low-flows of the headwaters of the Great Egg Harbor River Basin will potentially have an adverse ecological impact on the Pinelands Area; and

WHEREAS, Winslow Township has petitioned the Pinelands Commission to consider amending the 2009 MOU to credit Winslow Township for having accomplished significant reductions in K/C water usage through a variety of voluntary actions; and

WHEREAS, Winslow Township has demonstrated that it has achieved significant reductions in water diversions from the K/C Aquifer as a result of: (1) the 2008 adoption of a Water Conservation Program Ordinance, (2) the requirement for Water Pressure Reducing Valves on all new water connections, (3) the 2014 enhancement of a Water Conservation Program which incorporates water use rate restructuring to further discourage excessive water use, and (4) ongoing efforts to remediate losses from the K/C Aquifer due to ground water inflow and infiltration into sanitary sewer lines; and

WHEREAS, Winslow Township has implemented a Supervisory Control and Data Acquisition (SCADA) system to manage/sequence its potable water supply wells in a manner that is consistent with the USGS Aquifer Study; and

WHEREAS, Winslow has renewed its contract to purchase a minimum of 1.5 MGD from NJ American Water through the year 2047 (30 years); and

WHEREAS, the total K/C water use for Winslow from both the Great Egg Harbor River and Mullica River watersheds, as a result of the actions delineated above, has decreased from the base K/C Aquifer well withdrawal of 475.5 Million Gallons Yearly (MGY) in the year 2008, down to approximately 213.97 MGY, in 2016; and

WHEREAS, Winslow has requested that it be allowed to continue to withdraw up to 515.018 MGY from its K/C Aquifer wells which includes the water allocations previously granted to the “grandfathered” developments delineated in Paragraph A.5 below; and

WHEREAS, although the Pinelands Commission recognizes the water conservation efforts successfully undertaken by Winslow, it also must ensure that annual water diversions from the K/C Aquifer will not continuously increase due to increased development that may result from lifting of the sewer connection moratorium, and

WHEREAS, conveying wastewater from the WTWTP to the CCMUA’s Delaware No. 1 WPCF obviated the discharge of any wastewater into the WTWTP’s I/P Facility and thereby, eliminated a potential source of pollutant loading within the Great Egg Harbor River Basin and potentially improved its water quality; and

WHEREAS, if Winslow exceeds the well withdrawals provided for in this First Amendment of the 2009 MOU, then Winslow will be required to purchase additional water from a non-K/C Aquifer supplier of water in amounts sufficient to ensure that it will not divert more than 475.5 MGY plus the volume associated with development any of the grandfathered projects listed below from K/C water sources in either the Great Egg Harbor or Mullica watersheds; and

NOW, THEREFORE, Winslow, the CCMUA, and the Pinelands Commission hereby agree to amend the 2009 MOU as follows:

A. To Alleviate Impacts on Average Streamflow in the Great Egg Harbor River and Mullica River Basins

1. Winslow shall continue to purchase a minimum of 1.5 MGD of water exclusively for use within the Great Egg Harbor River Basin-portion of the Township through annual contracts with NJAW, or obtain said water amount from another non-K/C Aquifer water source, for as long as (1) Winslow’s wastewater is conveyed to the CCMUA’s Delaware No. 1 Water Pollution Control Facility, or anywhere else outside of the Great Egg Harbor Basin; and (2) Winslow’s treated wastewater is not recharged into the K/C Aquifer.
2. In addition to the water purchased pursuant to paragraph A.1, Winslow shall purchase additional water amounts from a non-K/C Aquifer water source in accordance with the terms of paragraph A.8 below, for as long as (1) Winslow’s wastewater is conveyed to the CCMUA’s Delaware No. 1 Water Pollution Control Facility, or anywhere else outside of the Great Egg Harbor Basin; and (2) Winslow’s treated wastewater is not recharged into the K/C Aquifer.
3. Winslow shall not increase its K/C well withdrawals above the Base K/C Well Withdrawal, which is 475.5 MGY, plus that volume associated with the specific

development projects set forth in paragraph A.5 below, which shall be considered a “grandfathered” allocated volume.

4. Winslow shall not increase its K/C well withdrawals above a monthly maximum of 85.67 million gallons MG in any month;
5. Winslow shall be allowed to exceed the Base K/C withdrawal of 475.5 MGY upon development of any of the projects listed below and then only by the volume noted as “Grandfathered”. The total additional volume, if all five developments were to proceed, shall not exceed 39.518 MGY. This dedicated, grandfathered volume is not transferrable to any other projects.

NJDEP Permit Number*	Project Description	Grandfathered Number of Units	Daily Demand (@ 270 gal per unit)	permit Before MOA date	Grand-fathered (MGD)
WCP040002	Braddock Preserves	54	14580	Yes	0.01458
WCP040003	LDM Services Phase 1&2	20	5400	Yes	0.0054
WCP050002	Wiltons Corner Th-4	27	7290	Yes	0.00729
WCP060002	Cedar Brook	274	108,230	Yes	0.10823
WCP080001	Oak Leaf Estates	26	7020	Yes	0.00702
	Sum	401	108,270		0.10827

6. Winslow shall provide to the Pinelands Commission, no later than April 1 of each year, an annual report detailing the actual water usage related to the above tabulated “grandfathered” projects for the time period between March 1 of the preceding year to February 28 of the reporting year. Winslow’s obligation to provide annual water usage reports, which went into effect upon execution of the 2009 MOU, shall continue in effect beyond execution of this First Amendment to the 2009 MOU.
7. Winslow shall provide to the Pinelands Commission, no later than April 1 of each year, a copy of its contract with NJAW or any other non-K/C Aquifer water source for the annual purchase of potable water or confirm that such contract remains in place. Winslow’s obligation to provide copies of such annual water purchase contracts, which went into effect upon execution of the 2009 MOU, shall continue beyond execution of this First Amendment to the 2009 MOU.
8. In addition to the water obtained pursuant to paragraph A.1 of this amended MOU, Winslow shall purchase or obtain additional water amounts from a non-K/C Aquifer water source once it has exceeded the Base K/C Well Withdrawal of 475.5 MGY. The Township may only exceed the Base K/C Well Withdrawal by the amount of the grandfathered allocation, set forth in paragraph A.5, for any of the grandfathered developments that may be constructed. Winslow shall also offset any monthly use above the monthly maximum use noted in paragraph A.4 by obtaining an equivalent volume of non-K/C water for the total volume of the monthly exceedances by April 1 in the

calendar year following exceedance of the monthly maximum. Such offset will be required only for the year following the exceedance. If the monthly maximum is exceeded in successive years, the Township will continue to obtain non-K/C water equal to the yearly exceedance of the monthly maximum volume in each year. The monthly maximum equivalent volume shall be reviewed annually and may or may not become a permanent source of water in addition to the 1.5 MGD purchased from NJAW.

B. Well Use Impact Alleviation and Optimal Management

1. The State Water Supply Plan shows that the upper reaches of the Great Egg Harbor River basin are stressed. To mitigate the stress on this basin, the parties to this First Amendment to the 2009 MOU will initiate a collaborative effort with neighboring municipalities, the New Jersey Department of Environmental Protection, and the New Jersey Department of Agriculture to delineate specific methods and actions aimed at reducing water use in the Great Egg Harbor basin.
2. Winslow shall continue to use its SCADA system to manage/sequence the use of its K/C Aquifer wells in a manner that is consistent with this Memorandum of Understanding, and thereby minimize the impacts of the use of its K/C Aquifer wells on stream base-flow, low-flow and related water table elevations in the headwaters of the Great Egg Harbor River Basin for so long as Winslow's wastewater is conveyed to the CCMUA's Delaware No. 1 WPCF, or anywhere else outside of the Great Egg Harbor River Basin, and for so long as Winslow's treated wastewater is not recharged into the K/C Aquifer.
3. At no time shall Winslow, as it manages and sequences the use of its K/C Aquifer wells, increase the amount of its withdrawals from the Mullica River basin to the Great Egg Harbor basin or elsewhere in excess of 246.375 MGY (675,000 gallons per day.) This volume is prescribed in the Memorandum of Agreement between the Camden County Municipal Utility Authority and the Pinelands Commission, dated February 8, 1991.
4. Should the limits set forth in paragraphs A.3 through A.5 be exceeded, Winslow shall obtain water, no later than April 1 in the year following such exceedance, in an equivalent volume from a non-K/C water source. When the annual K/C volume is exceeded, Winslow shall obtain the equivalent volume from a non-K/C source and that volume will be purchased continuously going forward in addition to the 1.5 MGD purchased from NJAW.

C. Definition and Duration of Adverse Ecological Impact

1. This First Amendment to the 2009 MOU prevents additional adverse ecological impacts, as defined by the year of peak use (2007) cited in the report entitled "New Jersey Water Supply Plan 2017-2022" issued by the New Jersey Department of Environmental Protection in October 2017, by restricting withdrawals for all Winslow's K/C aquifer wells to a volume below the peak use in 2007.

D. Manage Growth Impacts to Wastewater Discharges

1. Wastewater Flows Not Exceeding 2.9 MGD: The CCMUA has constructed two parallel sanitary sewer lines which connect the Sicklerville section of Winslow to the CCMUA's regional sewerage collection system and allow for the conveyance of wastewater from such section to the Delaware No. 1 Water Pollution Control Facility. One of the two sewer lines, known as the Phase I line, has been designed to accommodate up to 2.9 MGD of wastewater flow. Only the Phase I line shall be permitted to handle wastewater, so long as the ninety-day average wastewater flow in the Phase I line does not exceed eighty percent of 2.9 (i.e., 2.32 MGD).
2. Wastewater Flows Exceeding 2.9 MGD but not exceeding 3.5 MGD: The other of the two sewer lines, known as the Phase II line, has been designed to accommodate an additional 600,000 gallons per day of wastewater flow. When the ninety-day average wastewater flow of the Phase I line has reached eighty percent of its 2.9 MGD-capacity (i.e., 2.32 MGD) the CCMUA may activate the Phase II line if, and only if, Winslow's K/C well-management practices are not causing exceedance of the annual cap or the monthly maximum described in paragraphs A.3 and A.4.
3. Wastewater Flows Exceeding 3.5 MGD (Wastewater Flows in Excess of Winslow's Anticipated Build-out): Winslow agrees that it will not seek to permit additional development to occur that would increase wastewater flow in excess of 3.5 MGD unless, at that time, Winslow Township is in compliance with the annual cap and the monthly maximum described in paragraphs A.3 and A.4. Winslow agrees that it shall obtain the CCMUA's approval prior to conveying additional wastewater flow in excess of 3.5 MGD.

E. Activation of Wastewater Facilities

1. The Phase II line, and any subsequent lines, shall only be activated if all of the conditions regarding their activation, set forth in Paragraph D above, of this First Amendment to the 2009 MOU regarding their activation are satisfied;
2. CCMUA shall condition all future amendments to the Camden County Wastewater Management Plan upon Winslow's continuing compliance with the terms of the 2009 MOU and this First Amendment to the 2009 MOU.

F. Plan Compliance/Remedies for Default

1. Should the CCMUA or Winslow fail for any reason to fulfill its obligations under the 2009 MOU or this First Amendment to the 2009 MOU, CCMUA shall not permit any additional sewer connections within the Sicklerville section of Winslow.
2. The Pinelands Commission may, by way of illustration and in no way limiting the remedies available to it at law or equity:
 - a. Seek specific performance of the defaulting party's obligations in any appropriate proceeding in law or equity in any Court or administrative tribunal having jurisdiction; and

- b. Comment negatively on all future Water Allocation Permit applications; Wastewater Management Plan amendments; and, Water Quality Management Plan amendments concerning the Winslow Township, until such time as CCMUA and/or Winslow shall resume compliance with the terms of the 2009 MOU or this First Amendment to the 2009 MOU
 - c. Call-up for review any development approval in portion of Winslow Township located within the Pinelands Area that will connect to the wastewater collection system or to the water supply distribution system.
 - d. Request the Department of Environmental Protection to issue a moratorium on new sewer or water supply connections for any new development in Winslow Township, until such time as CCMUA and/or Winslow shall resume compliance with the terms of the 2009 MOU or this First Amendment to the 2009 MOU.
3. In the event CCMUA or the Pinelands Commission intends to take any action to remedy a default, such party shall provide all parties to this First Amendment to the 2009 MOU, ten (10) calendar days written notice of its intent to take such action and a detailed plan, including milestones, of how such breach will be remedied.
 4. The forbearance of any party to this First Amendment of the 2009 MOU to enforce any of its terms or to exercise their rights hereunder in the event of any breach by one of the parties for any period of time shall in no event be deemed a waiver or estoppel of the right thereafter to enforce the same or exercise a right hereunder.

G. Effective Date & Duration


1. In accordance with N.J.S.A. 13:18A-5(h), shall take effect following the conclusion of the Governor's review period or approval of the Pinelands Commission's minutes authorizing entry of this First Amendment to the 2009 MOU and then upon approval and signature by the authorized representative of all parties; the date of execution of the last signatory shall constitute the effective date of this First Amendment to the 2009 MOU and shall be written above.
2. This First Amendment to the 2009 MOU shall remain in effect unless amended by the written consent of all parties.
3. This First Amendment to the 2009 MOU may only be terminated with the consent of the Pinelands Commission. In order to obtain such consent, the party wishing to terminate shall: (1) provide ten (10) calendar days written notice and (2) confirmation that Winslow secured a non-K/C aquifer source of water for the totality of its volume being conveyed to CCMUA's WPCF through the Phase I and II sewer lines constructed as a result of the 2009 MOU.

IN WITNESS WHEREOF, the parties have caused their duly authorized representative to execute this First Amendment to the 2009 Memorandum of Understanding on and as of the day and year first written above. This Memorandum of Understanding shall be executed in at least three original copies of which one is to be delivered to the Township of Winslow; one of which

November 13, 2017

is to be delivered to the Camden County Municipal Utilities Authority; and, one of which is to be delivered to the New Jersey Pinelands Commission.

Township of Winslow


By: 

Name: Hon. Barry M. Wright

Title: Mayor

Date: JAN - 8 2018

Witnessed:

By: 

Name: Deborah A. Iannace
Municipal Clerk

Title: _____

Date: JAN - 8 2018

Camden County Municipal Utilities Authority

By: 

Name: Michael G. Brennan

Title: Chair Vice - Chair

Date: 2/20/18

Witnessed:

By: 

Name: Kimi Michelini

Title: Authority Secretary

Date: 2/20/18

New Jersey Pinelands Commission


By: 

Name: Nancy Wittenberg

Title: Executive Director

Date: 3/19/18

Witnessed:

By: 

Name: Jessica Noble

Title: Executive Assistant

Date: 3/19/18

**TOWNSHIP OF WINSLOW
COUNTY OF CAMDEN
STATE OF NEW JERSEY**

**RESOLUTION AUTHORIZING THE TOWNSHIP OF WINSLOW TO ENTER INTO A
FIRST AMENDMENT TO THE MEMORANDUM OF UNDERSTANDING BY AND
AMONGST THE TOWNSHIP OF WINSLOW (“WINSLOW”), THE CAMDEN
COUNTY MUNICIPAL UTILITIES AUTHORITY (“CCMUA”) AND THE NEW
JERSEY PINELANDS COMMISSION (“PINELANDS COMMISSION”)**

WHEREAS, it was determined that the CCMUA’s Winslow Wastewater Treatment Plant located within the Great Egg Harbor River Basin had reached its wastewater treatment capacity and Winslow was prohibited by the New Jersey Department of Environmental Protection from permitting additional sewer connections; and

WHEREAS, site constraints and other considerations make it infeasible for the CCMUA to expand the Winslow Wastewater Treatment Plant; and

WHEREAS, the CCMUA proposed to connect the Winslow Wastewater Treatment Plant which it has operated since 1990 to the CCMUA’s Regional Sewage Collection System located within the Delaware River Basin; and

WHEREAS, pursuant to Winslow Township Resolution *R-2009-414*, adopted on *December 15, 2009*; and the execution of the 2009 MOU, the Pinelands Commission endorsed the CCMUA’s proposal to decommission the Winslow Township Wastewater Treatment Plant and its appurtenant infiltration and percolation facility which had served to recharge treated wastewater to the Kirkwood Cohansey Aquifer; and

WHEREAS, decommissioning the Winslow Township Wastewater Treatment Plant and redirecting the wastewater to the CCMUA’s Water Pollution Control Facility enabled the New Jersey Department of Environmental Protection to lift a moratorium on new sewer connections in the Sicklerville section of Winslow Township, thereby facilitating the potential for new development and increased water demands in Winslow Township; and

WHEREAS, conveying wastewater from the Sicklerville section of Winslow Township to the CCMUA's Water Pollution Control Facility has the potential to reduce low-flows of the headwaters of the Great Egg Harbor River Basin; and

WHEREAS, a reduction in base-flows or low-flow of the headwaters of the Great Egg Harbor River Basin will potentially have an adverse ecological impact on the Pinelands Area; and

WHEREAS, appropriate offsetting measures were outlined in the 2009 MOU and are continued in this amended MOU to address potential adverse ecological impacts on the Pineland area that may occur as a result of a reduction in base flows or low flows of the headwaters of the Great Egg Harbor River Basin; and

WHEREAS, Winslow Township currently purchases not less than 1.5 MGD of water through annual contracts with New Jersey American Water; and

WHEREAS, offsetting measures implemented by Winslow Township pursuant to the 2009 MOU that Winslow will continue to implement included (1.) the purchase of at least 1.5 MGD from non- Kirkwood Cohansey water sources(s) and (2.) managing/sequencing the use of its wells in accordance with a USGA-conducted aquifer study in order to minimize impacts to stream flow in the Great Egg Harbor Basin; and

WHEREAS, Winslow Township has petitioned the Pinelands Commission to consider amending the 2009 MOU to credit Winslow Township for having accomplished significant reductions in Kirkwood Cohansey water usage through a variety of voluntary actions; and

WHEREAS, Winslow Township has demonstrated that it has achieved significant reductions in water diversions from the Kirkwood Cohansey Aquifer as a result of: (1.) the 2008 adoption of a Water Conservation Program Ordinance, (2.) the requirement for water pressure reducing valves on all new water connections, (3.) the 2014 enhancement of a Water Conservation Program which incorporates water use rate restructuring to further discourage excessive water use, and (4.) ongoing efforts to remediate losses from the Kirkwood Cohansey Aquifer due to ground water inflow and infiltration into sanitary sewer lines; and

WHEREAS, Winslow Township has implemented a Supervisory Control and Data Acquisition (SCADA) system to manage/sequence its potable water supply wells in a manner that is consistent with the USGA Aquifer Study; and

WHEREAS, the total Kirkwood Cohansey water use by Winslow from both the Great Egg Harbor River and Mullica River watersheds, as a result of the actions delineated above, has decreased from the base Kirkwood Cohansey Aquifer well withdrawal of 475.5 Million Gallons Yearly (MGY) in the year 2008, down to approximately 213.97 MGY, in 2016; and

WHEREAS, Winslow Township has requested that it be allowed to increase its Kirkwood Cohansey well withdrawals which includes the water allocations previously granted to the “grandfathered” developments ; and

WHEREAS, conveying wastewater from the Winslow Township Wastewater Treatment Plant to the CCMUA’s Delaware No. 1 Water Pollution Control Facility obviated the discharge of any wastewater into the Winslow Township Wastewater Treatment Plant’s Infiltration and Percolation Facility and thereby, eliminated a potential source of pollutant loading within the Great Egg Harbor River Basin and potentially improved its water quality; and

WHEREAS, Winslow Township shall be allowed to exceed base Kirkwood Cohansey well withdrawals of 475.5 MGY plus the volume associated with development any of the “grandfathered” projects listed in the MOU without the purchase of non-Kirkwood Cohansey water ; and

WHEREAS, on December 12, 2017, the Pinelands Commission unanimously authorized the execution of the First Amendment to the MOU with Winslow Township and the CCMUA; and

WHEREAS, entering into the MOU will promote the public health, safety and general welfare of the residents of Winslow Township.

NOW, THEREFORE, BE IT RESOLVED, by the Mayor and Township Committee of the Township of Winslow that:


(1.) The recitations of the preamble hereto are incorporated by reference as though same were set forth fully herein at length;


(2.) Winslow Township is hereby authorized to enter into the attached Memorandum of Understanding;

(3.) The Mayor is hereby authorized and directed to execute the Memorandum of Understanding on behalf of the Township of Winslow;

(4.) A copy of this Resolution shall be published in the official newspapers as required by law within ten (10) days of its passage.

Adopted: January 6, 2018


**DEBORAH A. IANNACO, RMC,
MUNICIPAL CLERK**


BARRY M. WRIGHT, MAYOR

Certified to be a true copy of a Resolution adopted by the Mayor and Township Committee of the Township of Winslow at a regularly scheduled meeting on **January 6, 2018** at the Winslow Township Municipal Building.


**Deborah A. Iannaco, RMC
Municipal Clerk**

Date: *1/8/2018*

t:\debbie\wpdocs\winslow\res95\pinelands mou first amendment to 2009 mou (2).doc