

Appendix D - Hierarchical Policy for Locating Individual Wireless Facilities

The Plan also references a one-half mile radius around every proposed facility's approximate location. To properly apply the CMP's standards within the context of this Plan, if approved, the following procedure (adopted by the Commission on September 11, 1998) will be used when the companies seek to finalize these approximate locations.

1. Except as otherwise specifically noted in this report, there will be a general presumption that a facility's final location will be within the immediate area of the location proposed in this Plan, i.e., the Pinelands management area group and municipality described in the Plan as further defined using the geographic coordinates prepared by the Commission's staff. If it proves to be infeasible to site the facility on an existing, suitable structure (i.e., one that does not require a change in mass or height which significantly alters its appearance), the use of other existing structures or, as appropriate, eligible sites which meet the standards in N.J.A.C. 7:50-5.4(c)4 will be considered. The company's feasibility assessment will need to include confirmation from other parties to this Plan who are slated to share the facility that the selected site meets their needs.
2. If siting of the facility within the immediate area of the Plan location is infeasible, the company will broaden its search area consistent with the service need for the facility and in conformity with other appropriate technical considerations, but in no case will that area extend beyond a five-mile radius. This will require consultation with other parties to this Plan who are slated to share the facility to ensure that any new location meets their needs.
3. Within that broader search area, consideration will first be given to locating the needed antenna on an existing, suitable structure if that structure does not require a change in mass or height that significantly alters its appearance.
4. Failing that, the use of other existing structures that may require a significant change in mass or height (if appropriate in view of the CMP's standards, including those related to visual impacts) or sites for a new structure within the search area will be evaluated. Only those structures or sites which meet the requirements of N.J.A.C. 7:50-5.4(c)4. and other applicable CMP standards will be selected. If that broader search area crosses the boundaries of the Pinelands Area or its management areas, the company will seek to site the facility in the following order of preference:
 - a. Outside the Pinelands;
 - b. Pinelands Regional Growth Areas, Pinelands Towns and the developed portions of Military and Federal Installation Areas;
 - c. Pinelands Rural Development Areas, Agricultural Production Areas, undeveloped portions of Military and Federal Installation Areas and Pinelands Villages other than those expressly identified in N.J.A.C. 7:50-5.4(c)6; and

d. Pinelands Preservation Area District, Special Agricultural Production Areas, Forest Areas and the Pinelands Villages expressly identified in N.J.A.C. 7:50-5.4(c)6.

5. If no feasible structures or sites are found, the company should reexamine the surrounding facility network and propose an amendment to this Plan which conforms to CMP standards. Of course, the company retains its right to seek a waiver of strict compliance from the standards of the CMP, although the Executive Director notes that the tests will be difficult to meet.