l. F	acility Name:			
A	ddress:			
F	acility Contact & Phone	Number:		
2. L	ist of any environmental	permits held by	y facility (Attach addition	nal information).
	Туре		Permit Number	
3.				rate of production, number of work
	number of the operation	.)		
	Operating Schedule (Ho	ours per Dav) (I	Days per Week):	

4. The daily average and ma	ximum regulated wastewater and th	ne daily average and maximum total			
wastewater flows with an explanation of how each was obtained.					
	<u>Average</u>	<u>Maximum</u>			
Regulated Flow (gal/day) _					
Total Flow (gal/day)					
Method Used:					

5. Measurement of Pollutants for Pretreatment Standards For Existing Sources (PSES) and Pretreatment Standards For New Sources (PSNS). **Please fill out the attached table.** 

Table 1:

		Mass limit or concentration			No. of Samples	Sample Type Comp./Grab
Parameter		Maximum Daily	Maximum Monthly Avg.	Units mg/l		
Metal Parai	neters					
Antimony	Sample Measurement					Composite
	Permit Requirement	0.249	0.206	mg/l		
Arsenic	Sample Measurement					Composite
	Permit Requirement	0.162	.104	mg/l		
Cadmium	Sample Measurement					Composite
	Permit Requirement	0.474	0.0962	mg/l		
Chromium	Sample Measurement					Composite
	Permit Requirement	15.5	3.07	mg/l		
Cobalt	Sample Measurement					Composite
	Permit Requirement	0.192	0.124	mg/l		
Copper	Sample Measurement					Composite
	Permit Requirement	4.14	1.06	mg/l		
Lead	Sample Measurement					Composite
	Permit Requirement	1.32	0.283	mg/l		
Mercury	Sample Measurement					Composite
	Permit Requirement	0.00234	0.000739	mg/l		
Nickel	Sample Measurement					Composite
	Permit Requirement	3.95	1.45	mg/l		
						Composite

I					1
Silver	Sample Measurement				Composite
	Permit Requirement	0.120	0.0351	mg/l	
Tin	Sample Measurement				Composite
	Permit Requirement	0.409	0.120	mg/l	
Titanium	Sample Measurement				Composite
	Permit Requirement	0.0947	0.0618	mg/l	
Vanadium	Sample Measurement				Composite
	Permit Requirement	0.218	0.0662	mg/l	
Zinc(T)	Sample Measurement				Composite
	Permit Requirement	2.87	0.641	mg/l	
In-plant Lin	nitations (Apply to M	Ietal-Bearir	ng Wastewa	ter Contai	ning Cyanide)
Cyanide	Sample Measurement				Grab
	Permit Requirement	500	178	mg/l	

Method for Preserving Samples		

6. A statement of certification by a qualified company representative as defined in 40 CFR 403.12 (b) (6 and (k) indicating whether the pretreatment standards are being met. In addition, if pretreatment standard are not being met, include whether additional pretreatment is required, and what provisions your companional undertake to achieve compliance. Use additional sheets if necessary.					
or supervision in accordance with and evaluate the information sub- system or those persons directly reto the best of my knowledge and	that this document and all attachmen a system designed to assure that quantited. Based on my inquiry of the presponsible for gathering the information, true, accurate, and complete. Formation, including the possibility of y 53 FR 40610, October 17,1988	alified personnel properly gather erson or persons who manage the tion, the information submitted is, I am aware that there are significant			
	Signature of Principal Executive or Authorized Agent				
_	Print or type Name and Title				
	Date				

8. Attach an updated flow diagram including volumes. Sign and date drawing.