


New Jersey Department of Transportation
1035 Parkway Avenue, PO Box 600, Trenton, New Jersey 08625-0600



Baseline Document Change Announcement

ANNOUNCEMENT: BDC25S-11

DATE: July 11, 2025

SUBJECT: PSE&G Utility Work General Insurance Requirements
- **Revisions to Subpart 107.11.02 of the 2019 Standard Specifications for Road and Bridge Construction.**

Subpart 107.11.02 of the 2019 Standard Specifications for Road and Bridge Construction and the 2019 Standard Inputs have been revised to include PSE&G on the Contractor's insurance policy as additional insured when gas utility work is performed as part of the Contract work..

The following revisions have been incorporated into the 2019 Standard Specifications via the 2019 Standard Inputs, SI2019:

107.11.02 General Insurance

B. Types

1*****1

1. Comprehensive General Liability Insurance.

2*****2

IF JCP&L RELATED UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FOLLOWING IS ADDED:

Ensure the policy names JCP&L, its officers, employees, and agents as additional insured.

2*****2

OR

2*****2

IF PSE&G RELATED GAS UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FOLLOWING IS ADDED:

Ensure the policy names Public Service Electric and Gas Company, its officers, employees, and agents as additional insured.

2*****2

2. Comprehensive Automobile Liability Insurance.

2*****2

IF JCP&L RELATED UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FOLLOWING IS ADDED:

Ensure the policy names JCP&L, its officers, employees, and agents as additional insured.

2*****2

OR

2*****2

IF PSE&G RELATED GAS UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FOLLOWING IS ADDED:

Ensure the policy names Public Service Electric and Gas Company, its officers, employees, and agents as additional insured.

2*****2

5. Excess Liability Insurance.

2*****2

THE FIRST SENTENCE IS CHANGED TO:

Procure Excess Liability or Umbrella Liability insurance with limits in excess of the underlying policies for Comprehensive General Liability and Comprehensive Automobile Liability with minimum limits of liability of \$10,000,000 unless otherwise specified in the Special Provisions.

2*****2

2*****2

IF JCP&L RELATED UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FOLLOWING IS ADDED:

Ensure the policy names JCP&L, its officers, employees, and agents as additional insured.

2*****2

OR

2*****2

IF PSE&G RELATED GAS UTILITY WORK IS TO BE PERFORMED, ADD THE FOLLOWING:

THE FIRST SENTENCE IS CHANGED TO:

Procure Excess Liability or Umbrella Liability insurance with limits in excess of the underlying policies for Comprehensive General Liability and Comprehensive Automobile Liability with minimum limits of liability of \$12,000,000.

THE FOLLOWING IS ADDED:

Ensure the policy names Public Service Electric and Gas Company, its officers, employees, and agents as additional insured.


2*****2

1*****1

Implementation Code R (ROUTINE)

Changes must be implemented in all applicable Department projects scheduled for Final Design Submission at least one month after the date of the BDC announcement. This will allow designers to make necessary plan, specifications, and estimate/proposal changes without requiring the need for addenda or postponement of advertisement or receipt of bids.


Recommended By:



Tina Shutz
Director
Capital Program Support

TS: MS

Approved By:



Parth Oza, P.E.
Assistant Commissioner
Capital Program Management
and Deputy State Transportation Engineer