

New Jersey Department of Health and Senior Services
Communicable Disease Service
Influenza Activity Summary
Week Ending December 2, 2006 (MMWR Week 48)

Influenza activity level: **NO ACTIVITY**

No Activity- At least 2 of 3 parameters at or below state baseline **AND** no lab confirmed cases

Sporadic – At least 2 of 3 parameters above state baseline **AND** confirmed laboratory cases anywhere in the state
OR at least one laboratory confirmed outbreak in an institution anywhere in the state


Local – At least 2 of 3 parameters above state baseline in a single county **AND** confirmed laboratory cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county

Regional – At least 2 of 3 parameters above state baseline in ≥ 2 but ≤ 10 counties **AND** laboratory confirmed cases from these same counties in past 3 weeks **OR** confirmed outbreaks institutions in ≥ 2 but ≤ 10 counties

Widespread – At least 2 of 3 parameters above state baseline in > 10 counties **OR** institutional outbreaks in > 10 counties **AND** lab confirmed influenza cases in previous 3 weeks.

Parameter = School, emergency department, or long term care weekly surveillance data

Baseline is calculated by taking the average of statewide percentages of ILI for a 3 year (2004, 2005, 2006) period during months when influenza is less likely to be circulating (May-August). Weeks in which less than 4 counties reported were not included in the calculation.



Regional Data **NO ACTIVITY IN ANY REGION**

Public Health Regions

NW Region (Morris, Passaic, Sussex, Warren)

NE Region (Bergen, Essex, Hudson)

CW Region (Hunterdon, Mercer, Somerset)

CE Region (Middlesex, Monmouth, Ocean, Union)

South Region (Atlantic, Burlington, Camden, Cape May, Cumberland, Gloucester, Salem)

No Activity- At least 2 of 3 parameters at or below state baseline **AND** no lab confirmed cases in the public health region


Sporadic – At least 2 of 3 parameters above state baseline **AND** confirmed laboratory cases anywhere in the public health region **OR** at least one laboratory confirmed outbreak in an institution anywhere in the public health region

Local – At least 2 or 3 parameters above state baseline in a single county of a public health region **AND** confirmed laboratory cases from that same county within the previous 3 weeks (other counties may be above baseline without lab confirmed cases) **OR** confirmed outbreaks in 2 or more institutions in a single county of a public health region

Regional – At least 2 of 3 parameters above state baseline in at least half of counties of public health region **AND** laboratory confirmed cases from these same counties in past 3 weeks **OR** confirmed outbreaks institutions in at least half of counties of public health region counties

Widespread – Not used for public health region data

Public Health Region Influenza Data



Laboratory Surveillance


During week 48, no influenza cultures have come back positive from Hackensack University Medical Center and NJDHSS PHEL.

Influenza-like Illness (ILI) Surveillance

Emergency Departments

During week 48, 4.78% ILI was reported statewide from emergency departments. This is an increase over the previous week (3.65%). The percent ILI for each county ranged from 0.00% to 13.10%. The percent ILI for this same week last year was 4.36% in emergency departments. The percent ILI for the northeast (6.43%), central west (5.16%) and the central east (5.98%) public health regions were above state baseline (3.71%).


**New Jersey Department of Health and Senior Services
Influenza-like Activity - Emergency Departments
2006-2007 Influenza Season**



Long-term Care Facilities


During week 48, 0.93% ILI was reported statewide from long term care facilities. This is an increase over the previous week (0.65%). The percent ILI for each county ranged from 0.00% to 5.41%. No reports regarding ILI/respiratory outbreaks in communal living facilities were received. The percent ILI for this same week last year was 0.77% in long-term care facilities. The percent ILI for the northeast (2.89%) public health region was above state baseline (1.05%).

**New Jersey Department of Health and Senior Services
Influenza-like Activity - Nursing Homes
2006-2007 Influenza Season**



School Absenteeism

During week 48, schools reported 4.92% absenteeism. This is a decrease over the previous week (4.96%). The percent ILI for each county ranged from 3.20% to 9.64%. The percent absent for this same week last year was 5.42%. The percent ILI for the northwest (5.79%), the central east (4.74%) and the south (5.43%) public health regions were above state baseline (4.68%).




Sentinel Provider Surveillance

During week 48, 1.71% of sentinel provider patient visits were due to ILI. These data reflect reports from five (12%) of the enrolled sentinel providers.

UPDATE

During week 47, 0.71% of sentinel provider patient visits were due to ILI. These data reflect reports from fourteen (33%) of the enrolled sentinel providers.

During week 46, 0.70% of sentinel provider patient visits were due to ILI. These data reflect reports from fourteen (33%) of the enrolled sentinel providers.



Pediatric Influenza Surveillance

To date, NJDHSS has received no reports of pediatric illness or death associated with influenza that met the case definition.


122 City Mortality Report

During week 47, 3.73% of all deaths reported by the vital statistics offices in 6 New Jersey cities (i.e., Camden, Elizabeth, Jersey City, Newark, Paterson, Trenton) were due to pneumonia or influenza. This was an increase over the previous week (1.92%). The percentage of death due to pneumonia or influenza for this same week last year was 9.28%.

RSV Reports

During week 48, 19.03% of all RSV samples tested were positive. This was a decrease over the previous week 30.32%. The percent of samples positive RSV for this same week last year was 37.20%.

**New Jersey Department of Health and Senior Services
Respiratory Syncytial Virus (RSV) Surveillance by Week
2006-2007 Influenza Season**



Additional Information

For additional information regarding influenza surveillance please visit the following websites.

<http://nj.gov/health/flu/surveillance.shtml>

<http://www.cdc.gov/flu/>

	Long Term Care			Schools			Hospital Emergency Department			RSV Tests	
County	# Enrolled	# Reports Rec'd	% ILI	# Enrolled	# Reports Rec'd	% Absent	# Enrolled	# Reports Rec'd	% ILI	# Positive	Total Tests Performed
ATLANTIC	5	3	2.40	16	13	7.26	4	4	2.42	0	140
BERGEN	3	0	0.00	11	0	0.00	6	0	0.00	0	0
BURLINGTON	6	1	0.00	94	76	4.69	3	2	2.67	2	11
CAMDEN	7	4	0.00	16	6	4.35	7	3	0.00	0	0
CAPE MAY	4	1	0.00	11	11	5.41	1	1	13.10	0	3
CUMBERLAND	4	2	0.72	17	9	9.24	3	3	6.21	2	10
ESSEX	14	4	0.81	31	8	3.35	11	4	7.21	26	77
GLOUCESTER	2	1	0.00	4	4	3.45	2	1	0.00	6	15
HUDSON	10	2	5.41	75	5	3.80	7	5	5.35	8	31
HUNTERDON	4	4	0.00	8	8	3.44	1	1	0.00	4	11
MERCER	10	9	0.97	12	11	2.77	5	3	2.13	1	5
MIDDLESEX	2	0	0.00	3	0	0.00	5	2	11.31	0	0
MONMOUTH	5	2	1.69	24	12	7.30	5	4	2.61	0	0
MORRIS	11	6	0.39	14	14	3.21	4	4	0.78	4	13
OCEAN	8	1	0.00	7	3	9.64	4	4	4.00	0	0
PASSAIC	8	4	1.07	22	6	5.41	6	2	4.03	0	0
SALEM	4	3	1.77	5	0	0.00	1	1	1.54	0	0
SOMERSET	5	3	0.54	52	25	3.20	2	2	11.68	0	0
SUSSEX	4	4	0.00	18	17	6.19	2	2	3.60	0	7
UNION	4	1	0.00	78	49	3.95	5	5	8.52	12	22
UNKNOWN	0	0	0.00	0	0	0.00	0	0	0.00	0	0
WARREN	7	6	0.87	21	21	7.67	2	2	9.22	2	7
NW Region	30	20	0.51	75	58	5.79	14	10	3.10	6	27
NE Region	27	6	2.89	117	13	3.51	24	9	6.43	34	108
CW Region	19	16	0.64	72	44	3.11	8	6	5.16	5	16
CE Region	19	4	1.01	112	64	4.74	19	15	5.98	12	22
South Region	32	15	0.90	163	119	5.43	21	15	3.10	10	179
State Total	127	61	0.93	539	298	4.92	86	55	4.78	67	352